



Commonwealth
of Australia

Gazette

No. FSC 28, Thursday, 25 May 2006
Published by Commonwealth of Australia

FOOD STANDARDS

**Food Standards
Australia New Zealand**

*Australia New Zealand
Food Standards Code –
Amendment No. 86 – 2006*

Australia New Zealand Food Standards Code – Amendment No. 86 – 2006

Food Standards Australia New Zealand Act 1991

Preamble

The variations set forth in the Schedule below are variations to Standards in the *Australia New Zealand Food Standards Code* published by the National Health and Medical Research Council in the *Commonwealth of Australia Gazette*, No. P 27, on 27 August 1987, which have been varied from time to time.

These variations are published pursuant to section 23A of the *Food Standards Australia New Zealand Act 1991*.

Citation

These variations may be collectively known as the *Australia New Zealand Food Standards Code – Amendment No. 86 – 2006*.

Commencement

These variations commence on Gazettal.

SCHEDULE

[1] **Standard 1.3.3** is varied by –

[1.1] inserting into the Table to clause 17 –

Lipase, triacylglycerol EC [3.1.1.3]	<i>Mucor javanicus</i>
-----------------------------------------	------------------------

[1.2] inserting into the Editorial note to clause 17 –

<i>Mucor javanicus</i> is also known as <i>Mucor circinelloides</i> f. <i>circinelloides</i> .

[2] **Standard 1.4.2** is varied by –

[2.1] omitting from Schedule 1 all entries for the following chemicals –

Alloxydim
Alloxydim sodium
Diclobutrazol
Diofenolan
Diphenamid
Methazole
Promecarb

[2.2] omitting from Schedule 1 the chemical and chemical residue definition appearing in Column 1 of the Table to this sub-item, substituting the chemical and chemical residue definition in appearing in Column 2 –

COLUMN 1	COLUMN 2
TYLOSIN TYLOSIN	TYLOSIN TYLOSIN A

[2.3] inserting in Schedule 1 –

CLOTHIANIDIN <i>COMMODITIES OF PLANT ORIGIN:</i> CLOTHIANIDIN <i>COMMODITIES OF ANIMAL ORIGIN:</i> SUM OF CLOTHIANIDIN, 2-CHLOROTHIAZOL-5- YLMETHYLGUANIDINE, 2-CHLOROTHIAZOL-5- YLMETHYLUREA, AND THE PYRUVATE DERIVATIVE OF N ² -(2-CHLOROTHIAZOL-5- YLMETHYL)-N ¹ -METHYLGUANIDINE, EXPRESSED AS CLOTHIANIDIN	EGGS T*0.01 MEAT (MAMMALIAN) T*0.01 MILKS T*0.01 POULTRY, EDIBLE OFFAL OF T*0.01 POULTRY MEAT T*0.01
COTTON SEED T*0.02 EDIBLE OFFAL (MAMMALIAN) T*0.02 MEAT (MAMMALIAN) (IN THE FAT) T*0.02 MILKS T*0.01	FORCHLORFENURON FORCHLORFENURON
FLUMICLORAC PENTYL FLUMICLORAC PENTYL	GRAPES T*0.01
COTTON SEED T0.1 EDIBLE OFFAL (MAMMALIAN) T*0.01	METHYL ISOTHIOCYANATE METHYL ISOTHIOCYANATE
	BARLEY T0.1 RAPE SEED T0.1 WHEAT T0.1

ROBENIDINE ROBENIDINE	
POULTRY, EDIBLE OFFAL OF	*0.1

POULTRY MEAT	*0.1
--------------	------

[2.4] omitting from Schedule 1 the foods and associated MRLs for each of the following chemicals –

BENFLURALIN BENFLURALIN	
EDIBLE OFFAL (MAMMALIAN)	T*0.01
MEAT (MAMMALIAN)	T*0.01
MILKS	T*0.01
CARBENDAZIM SUM OF CARBENDAZIM AND 2-AMINOBENZIMIDAZOLE, EXPRESSED AS CARBENDAZIM	
BROAD BEANS (DRY)	T0.5
CHICK-PEA (DRY)	T0.5
LENTILS (DRY)	T0.5
TREE NUTS	T0.1
CHLORPYRIFOS-METHYL CHLORPYRIFOS-METHYL	
COTTON SEED OIL, CRUDE	*0.01
CYPROCONAZOLE CYPROCONAZOLE, SUM OF ISOMERS	
BANANA	T0.5
GRAPES	T0.5
DIFENOCONAZOLE DIFENOCONAZOLE	
CEREAL GRAINS	T*0.01
DIMETHOMORPH SUM OF E AND Z ISOMERS OF DIMETHOMORPH	
CHARD (SILVER BEET)	T2
LETTUCE, LEAF	T2
DIQUAT DIQUAT CATION	
COTTON SEED	1
COTTON SEED OIL, CRUDE	0.1
LENTIL (DRY)	T0.5
LUPIN (DRY)	0.5
POPPY SEED	5
RAPE SEED	2
RAPE SEED OIL, CRUDE	0.1
SESAME SEED	5
SESAME SEED OIL, CRUDE	0.1
SOYA BEAN (DRY)	1
SUNFLOWER SEED	1
SUNFLOWER SEED OIL, CRUDE	1

DITHIOCARBAMATES TOTAL DITHIOCARBAMATES, DETERMINED AS CARBON DISULPHIDE EVOLVED DURING ACID DIGESTION AND EXPRESSED AS MILLIGRAMS OF CARBON DISULPHIDE PER KILOGRAM OF FOOD	
BROAD BEANS (DRY) (FAVA BEAN)	0.5
CHICK-PEA (DRY)	0.5
HERBS [EXCEPT PARSLEY]	T5
LENTIL (DRY)	0.5
PEAS (DRY)	T0.5
ETHOPROPHOS ETHOPROPHOS	
GRAPES	T*0.01
FENOXYCARB FENOXYCARB	
GRAPES	T2
STONE FRUITS	T0.5
FLUVALINATE FLUVALINATE, SUM OF ISOMERS	
CHERRIES	T*0.05
NECTARINE	0.1
PEACH	T0.1
PLUMS (INCLUDING PRUNES)	T0.1
LINURON SUM OF LINURON PLUS 3,4-DICHLOROANILINE, EXPRESSED AS LINURON	
VEGETABLES [EXCEPT LEEK]	*0.05
METALAXYL METALAXYL	
CEREAL GRAINS	T*0.05
HERBS	T0.3
MEAT (MAMMALIAN) (IN THE FAT)	*0.05
METHOMYL SUM OF METHOMYL AND METHYL HYDROXYTHIOACETIMIDATE ('METHOMYL OXIME'), EXPRESSED AS METHOMYL <i>SEE ALSO THIODICARB</i>	
LEAFY VEGETABLES	1
PHOSPHOROUS ACID PHOSPHOROUS ACID	
APPLE	50
AVOCADO	100
CHERVIL	T5

CHESTNUTS	T500
CUCURBITS	25
DURIAN	T100
GRAPE LEAVES	300
GRAPES	50
PEACH	100
PINEAPPLE	50
PISTACHIO NUT	T1000
RASPBERRIES	T50
RUCOLA (ROCKET)	T5
STRAWBERRY	T50
TURMERIC, ROOT	T5
WALNUTS	T50
PROCYMIDONE PROCYMIDONE	
CARROT	T1
GRAPES	2
LETTUCE, HEAD	2
LETTUCE, LEAF	2
STRAWBERRY	5

TOMATO	2
PROPACHLOR PROPACHLOR	
CEREAL GRAINS	*0.05
SETHOXYDIM SUM OF SETHOXYDIM AND METABOLITES CONTAINING THE 5-(2-ETHYLTHIOPROPYL)CYCLOHEXENE-3-ONE AND 5-HYDROXYCYCLOHEXENE-3-ONE MOIETIES AND THEIR SULFOXIDES AND SULFONES, EXPRESSED AS SETHOXYDIM	
PEANUT OIL, CRUDE	2
TRICHLORFON TRICHLORFON	
PEPPERS, SWEET	T0.5

[2.5] inserting in alphabetical order in Schedule 1, the foods and associated MRLs for each of the following chemicals –

ABAMECTIN SUM OF AVERMECTIN B1A, AVERMECTIN B1B AND (Z)-8,9 AVERMECTIN B1A, AND (Z)-8,9 AVERMECTIN B1B	
CUCUMBER	0.02
PEAS	T0.2
SQUASH, SUMMER	0.02
AZOXYSTROBIN AZOXYSTROBIN	
BEANS [EXCEPT BROAD AND SOYA BEAN]	T3
LETTUCE, HEAD	T3
LETTUCE, LEAF	T3
OLIVES	T2
BIFENTHRIN BIFENTHRIN	
PEAS (PODS AND SUCCULENT, IMMATURE SEEDS)	T*0.01
BOSCALID COMMODITIES OF PLANT ORIGIN: BOSCALID COMMODITIES OF ANIMAL ORIGIN: SUM OF BOSCALID, 2-CHLORO-N-(4'-CHLORO-5- HYDROXYBIPHENYL-2-YL) NICOTINAMIDE AND GLUCURONIDE CONJUGATE OF 2-CHLORO-N-(4'- CHLORO-5-HYDROXYBIPHENYL-2-YL) NICOTINAMIDE, EXPRESSED AS BOSCALID EQUIVALENTS	
BEANS [EXCEPT BROAD BEAN AND SOYA BEAN]	T3

BRASSICA (COLE OR CABBAGE) VEGETABLES, HEAD CABBAGES, FLOWERHEAD BRASSICAS	T2
BRASSICA LEAFY VEGETABLES	T10
LETTUCE, HEAD	T2
LETTUCE, LEAF	T2
ONION, BULB	T1.0
STRAWBERRY	T5
BUPIRIMATE BUPIRIMATE	
PEPPERS	T1
CARBENDAZIM SUM OF CARBENDAZIM AND 2- AMINOBENZIMIDAZOLE, EXPRESSED AS CARBENDAZIM	
MACADAMIA NUTS	0.1
PISTACHIO NUT	T0.1
PULSES	0.5
CHLORMEQUAT CHLORMEQUAT CATION	
BARLEY	T2
EDIBLE OFFAL (MAMMALIAN)	0.5
EGGS	0.1
MEAT (MAMMALIAN)	0.2
POULTRY, EDIBLE OFFAL OF	0.1
POULTRY MEAT	*0.05
CHLORPYRIFOS CHLORPYRIFOS	
STAR APPLE	T*0.05

CYHALOTHRIN CYHALOTHRIN, SUM OF ISOMERS	
CUCUMBER	T0.05
CYPERMETHRIN CYPERMETHRIN, SUM OF ISOMERS	
CORIANDER (LEAVES, STEM, ROOTS)	T1
CORIANDER, SEED	T1
PARSLEY	T1
DIFENOCONAZOLE DIFENOCONAZOLE	
BARLEY	*0.01
WHEAT	*0.01
DIMETHOMORPH SUM OF E AND Z ISOMERS OF DIMETHOMORPH	
LEAFY VEGETABLES [EXCEPT LETTUCE HEAD]	T2
DIQUAT DIQUAT CATION	
OILSEED [EXCEPT LINSEED]	5
PULSES	1
VEGETABLE OILS, CRUDE	1
DITHIOCARBAMATES TOTAL DITHIOCARBAMATES, DETERMINED AS CARBON DISULPHIDE EVOLVED DURING ACID DIGESTION AND EXPRESSED AS MILLIGRAMS OF CARBON DISULPHIDE PER KILOGRAM OF FOOD	
PULSES	0.5
RADISH	T1
SWEDE	T1
TURNIP, GARDEN	T1
EPOXICONAZOLE EPOXICONAZOLE	
BARLEY	T0.5
EGGS	T*0.01
POULTRY, EDIBLE OFFAL OF	T0.02
POULTRY MEAT (IN THE FAT)	T0.05
WHEAT	T0.5
WHEAT BRAN, UNPROCESSED	T3
WHEAT GERM	T2
ETHEPHON ETHEPHON	
WALNUTS	T0.5

FIPRONIL SUM OF FIPRONIL, THE SULPHENYL METABOLITE (5-AMINO-1-[2,6-DICHLORO-4- (TRIFLUOROMETHYL)PHENYL]-4- [(TRIFLUOROMETHYL)SULPHENYL]-1H- PYRAZOLE-3-CARBONITRILE), THE SULPHONYL METABOLITE (5-AMINO-1-[2,6- DICHLORO-4-(TRIFLUOROMETHYL)PHENYL]-4- [(TRIFLUOROMETHYL)SULPHONYL]-1H- PYRAZOLE-3-CARBONITRILE), AND THE TRIFLUOROMETHYL METABOLITE (5-AMINO-4-TRIFLUOROMETHYL- 1-[2,6-DICHLORO-4- (TRIFLUOROMETHYL)PHENYL]-1H-PYRAZOLE-3- CARBONITRILE)	
HONEY	T0.05
FLUVALINATE FLUVALINATE, SUM OF ISOMERS	
STONE FRUITS	0.05
GLYPHOSATE SUM OF GLYPHOSATE AND AMINOMETHYLPHOSPHONIC ACID (AMPA) METABOLITE, EXPRESSED AS GLYPHOSATE	
SORGHUM	T10
IMAZALIL IMAZALIL	
MELONS [EXCEPT WATERMELON]	10
IPRODIONE IPRODIONE	
ONION, BULB	T0.2
LINURON SUM OF LINURON PLUS 3,4-DICHLOROANILINE, EXPRESSED AS LINURON	
CELERY	*0.05
VEGETABLES [EXCEPT CELERY AND LEEK]	*0.05
MALEIC HYDRAZIDE SUM OF FREE AND CONJUGATED MALEIC HYDRAZIDE, EXPRESSED AS MALEIC HYDRAZIDE	
CARROT	T40
MELOXICAM MELOXICAM	
PIG FAT/SKIN	0.1
PIG KIDNEY	*0.01
PIG LIVER	*0.01
PIG MEAT	0.02
METALAXYL METALAXYL	
BARLEY	*0.01
EGGS	*0.05

MEAT (MAMMALIAN)	*0.05
POULTRY, EDIBLE OFFAL OF	*0.05
POULTRY MEAT	*0.05
WHEAT	*0.01
METHOMYL SUM OF METHOMYL AND METHYL HYDROXYTHIOACETIMIDATE ('METHOMYL OXIME'), EXPRESSED AS METHOMYL SEE ALSO THIODICARB	
CHARD	T2
LEAFY VEGETABLES [EXCEPT CHARD]	1
METRIBUZIN METRIBUZIN	
SUGAR CANE	0.1
PHENMEDIPHAM PHENMEDIPHAM	
LETTUCE, HEAD	T0.2
LETTUCE, LEAF	T0.2
PHOSPHOROUS ACID PHOSPHOROUS ACID	
ASSORTED TROPICAL AND SUBTROPICAL FRUITS – INEDIBLE PEEL	T100
BERRIES AND OTHER SMALL FRUITS	T50
BULB VEGETABLES	T10
KAFFIR LIME LEAVES	T5
LEAFY VEGETABLES	T100
LEMON GRASS	T5
LEMON VERBENA	T5
PEAS, SHELLED	T100
POPPY SEED	1
ROOT AND TUBER VEGETABLES	T100
TREE NUTS	T1000
PICOLINAFEN COMMODITIES OF PLANT ORIGIN: PICOLINAFEN COMMODITIES OF ANIMAL ORIGIN: SUM OF PICOLINAFEN AND 6-[3-TRIFLUOROMETHYL PHENOXY]-2-PYRIDINE CARBOXYLIC ACID	
EGGS	*0.01
POULTRY, EDIBLE OFFAL OF	*0.02
POULTRY MEAT (IN THE FAT)	*0.02
PROCYMIDONE PROCYMIDONE	
PEPPERS	T2
ROOT AND TUBER VEGETABLES [EXCEPT POTATO]	T1
WINE GRAPES	T2
PROPACHLOR PROPACHLOR	
CEREAL GRAINS [EXCEPT SORGHUM]	0.05

EDIBLE OFFAL (MAMMALIAN)	0.1
EGGS	*0.02
MEAT (MAMMALIAN) (IN THE FAT)	*0.02
MILKS	*0.02
POULTRY, EDIBLE OFFAL OF	*0.02
POULTRY MEAT (IN THE FAT)	*0.02
SORGHUM	0.2
SWEET CORN (CORN-ON-THE- COB)	0.05
TURNIP, GARDEN	*0.02
PYMETROZINE PYMETROZINE	
BEETROOT	*0.02
SETHOXYDIM SUM OF SETHOXYDIM AND METABOLITES CONTAINING THE 5-(2- ETHYLTHIOPROPYL)CYCLOHEXENE-3-ONE AND 5-HYDROXYCYCLOHEXENE-3-ONE MOIETIES AND THEIR SULFOXIDES AND SULFONES, EXPRESSED AS SETHOXYDIM	
BARLEY	*0.1
LINSEED	0.5
SPRING ONION	T0.5
SPINOSAD SUM OF SPINOSYN A AND SPINOSYN D	
SAFFLOWER SEED	T*0.01
TOLCLOFOS-METHYL TOLCLOFOS-METHYL	
BEETROOT	T0.5
TOLTRAZURIL SUM OF TOLTRAZURIL, ITS SULFOXIDE AND SULFONE, EXPRESSED AS TOLTRAZURIL	
EGGS	T*0.05
TOLYLFLUANID TOLYLFLUANID	
BERRIES AND OTHER SMALL FRUITS [EXCEPT GRAPES AND STRAWBERRY]	T15
DRIED GRAPES	T0.2
GRAPES	T*0.05
TRICHLORFON TRICHLORFON	
GOAT, EDIBLE OFFAL OF	0.1
GOAT MEAT	0.1
PEPPERS	0.2
TRICLOPYR TRICLOPYR	
CITRUS FRUITS	T0.1

[2.6] omitting from Schedule 1, under the entries for the following chemicals, the maximum residue limit for the food, substituting –

ABAMECTIN SUM OF AVERMECTIN B1A, AVERMECTIN B1B AND (Z)-8,9 AVERMECTIN B1A, AND (Z)-8,9 AVERMECTIN B1B	
EGGPLANT	0.02
AZOXYSTROBIN AZOXYSTROBIN	
COTTON SEED	*0.01
CHLORMEQUAT CHLORMEQUAT CATION	
MILKS	0.5
CYPERMETHRIN CYPERMETHRIN, SUM OF ISOMERS	
LINOLA OIL, EDIBLE	0.1
LINOLA SEED	0.1
DITHIOCARBAMATES TOTAL DITHIOCARBAMATES, DETERMINED AS CARBON DISULPHIDE EVOLVED DURING ACID DIGESTION AND EXPRESSED AS MILLIGRAMS OF CARBON DISULPHIDE PER KILOGRAM OF FOOD	
ALMONDS	3
BEETROOT	1
CITRUS FRUITS	0.2
COTTON SEED	10
CUSTARD APPLE	5
POME FRUITS	3
POTATO	1
STRAWBERRY	3
DODINE DODINE	
STONE FRUITS	*0.05
EPOXICONAZOLE EPOXICONAZOLE	
EDIBLE OFFAL (MAMMALIAN)	T0.05
MILKS	T0.01
FLUAZIFOP-BUTYL FLUAZIFOP-BUTYL	
GINGER, ROOT	0.05
FLUDIOXONIL <i>COMMODITIES OF ANIMAL ORIGIN: SUM OF FLUDIOXONIL AND OXIDISABLE METABOLITES, EXPRESSED AS FLUDIOXONIL</i> <i>COMMODITIES OF PLANT ORIGIN: FLUDIOXONIL</i>	
COTTON SEED	*0.05
RAPE SEED	*0.01

FLUVALINATE FLUVALINATE, SUM OF ISOMERS	
COTTON SEED	0.1
TABLE GRAPES	0.05
GLYPHOSATE SUM OF GLYPHOSATE AND AMINOMETHYLPHOSPHONIC ACID (AMPA) METABOLITE, EXPRESSED AS GLYPHOSATE	
CEREAL GRAINS [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	T*0.1
HALOSULFURON-METHYL HALOSULFURON-METHYL	
EDIBLE OFFAL (MAMMALIAN)	0.2
MEAT (MAMMALIAN)	*0.01
MILKS	*0.01
IMAZAPIC SUM OF IMAZAPIC AND ITS HYDROXYMETHYL DERIVATIVE	
EGGS	*0.01
POULTRY, EDIBLE OFFAL OF	*0.01
POULTRY MEAT	*0.01
METALAXYL METALAXYL	
EDIBLE OFFAL (MAMMALIAN)	*0.05
MILKS	*0.01
METHOMYL SUM OF METHOMYL AND METHYL HYDROXYTHIOACETIMIDATE ('METHOMYL OXIME'), EXPRESSED AS METHOMYL <i>SEE ALSO THIODICARB</i>	
CORIANDER (LEAVES, STEM, ROOTS)	T10
HERBS	T10
NORFLURAZON NORFLURAZON	
ASPARAGUS	0.05
PIRIMICARB SUM OF PIRIMICARB, DIMETHYL-PIRIMICARB AND N-FORMYL-(METHYLAMINO) ANALOGUE (DIMETHYLFORMAMIDIO-PIRIMICARB), EXPRESSED AS PIRIMICARB	
LEAFY VEGETABLES	T5
PROCYMIDONE PROCYMIDONE	
ADZUKI BEAN (DRY)	T0.2
BEANS [EXCEPT BROAD BEAN AND SOYA BEAN]	T10

EDIBLE OFFAL (MAMMALIAN)	T0.05
EGGS	T*0.01
GARLIC	T5
LUPIN (DRY)	T*0.01
MEAT (MAMMALIAN) (IN THE FAT)	T0.2
MILKS	T0.02
ONION, BULB	T0.2
POME FRUITS	T1
POTATO	T0.1
POULTRY, EDIBLE OFFAL OF	T*0.01
POULTRY MEAT (IN THE FAT)	T0.1
SNOW PEAS	T5
STONE FRUITS	T10
PROPACHLOR	
PROPACHLOR	
RADISH	*0.02
SWEDE	*0.02

SETHOXYDIM	
SUM OF SETHOXYDIM AND METABOLITES CONTAINING THE 5-(2-ETHYLTHIOPROPYL)CYCLOHEXENE-3-ONE AND 5-HYDROXYCYCLOHEXENE-3-ONE MOIETIES AND THEIR SULFOXIDES AND SULFONES, EXPRESSED AS SETHOXYDIM	
BRASSICA (COLE OR CABBAGE) VEGETABLES, HEAD CABBAGES, FLOWERHEAD BRASSICAS	0.5
LETTUCE, HEAD	0.2
LETTUCE, LEAF	0.2
PEANUT	3
TRICHLORFON	
TRICHLORFON	
MILKS	*0.05
TRIFLOXYSTROBIN	
SUM OF TRIFLOXYSTROBIN AND ITS ACID METABOLITE ((E,E)-METHOXYIMINO-[2-[1-(3-TRIFLUOROMETHYLPHENYL)-ETHYLIDENEAMINOXYMETHYL]PHENYL] ACETIC ACID), EXPRESSED AS TRIFLOXYSTROBIN EQUIVALENTS	
STRAWBERRY	2

© Commonwealth of Australia 2006

This work is copyright. You may download, display, print and reproduce this material in unaltered form only (retaining this notice) for your personal, non-commercial use or use within your organisation. All other rights are reserved. Requests and inquiries concerning reproduction and rights should be addressed to The Information Officer, Food Standards Australia New Zealand, PO Box 7186, Canberra BC ACT 2610 or by email info@foodstandards.gov.au.