

25 September 2015
[23–15]

Call for submissions –Proposal M1013

Schedule 20 – MRLs – Consequentials & Corrective Amendments

FSANZ has assessed a proposal prepared to update Schedule 20 in the revised Code (which takes effect on 1 March 2016) and has prepared a draft food regulatory measure. Pursuant to section 61 of the *Food Standards Australia New Zealand Act 1991* (FSANZ Act), FSANZ now calls for submissions to assist consideration of the draft food regulatory measure.

For information about making a submission, visit the FSANZ website at [information for submitters](#).

All submissions on applications and proposals will be published on our website. We will not publish material that is provided in-confidence, but will record that such information is held. In-confidence submissions may be subject to release under the provisions of the *Freedom of Information Act 1991*. Submissions will be published as soon as possible after the end of the public comment period. Where large numbers of documents are involved, FSANZ will make these available on CD, rather than on the website.

Under section 114 of the FSANZ Act, some information provided to FSANZ cannot be disclosed. More information about the disclosure of confidential commercial information is available on the FSANZ website at [information for submitters](#).

Submissions should be made in writing; be marked clearly with the word 'Submission' and quote the correct project number and name. While FSANZ accepts submissions in hard copy to our offices, it is more convenient and quicker to receive submissions electronically through the FSANZ website via the link on [documents for public comment](#). You can also email your submission directly to submissions@foodstandards.gov.au.

There is no need to send a hard copy of your submission if you have submitted it by email or via the FSANZ website. FSANZ endeavours to formally acknowledge receipt of submissions within 3 business days.

DEADLINE FOR SUBMISSIONS: 6pm (Canberra time) 23 October 2015

Submissions received after this date will not be considered unless an extension had been given before the closing date. Extensions will only be granted due to extraordinary circumstances during the submission period. Any agreed extension will be notified on the FSANZ website and will apply to all submitters.

Questions about making submissions or the application process can be sent to standards.management@foodstandards.gov.au.

Hard copy submissions may be sent to one of the following addresses:

Food Standards Australia New Zealand
PO Box 7186
CANBERRA BC ACT 2610
AUSTRALIA
Tel +61 2 6271 2222

Food Standards Australia New Zealand
PO Box 10559
The Terrace WELLINGTON 6143
NEW ZEALAND
Tel +64 4 978 5630

Table of Contents

EXECUTIVE SUMMARY	2
1 INTRODUCTION	3
1.1 THE CURRENT STANDARD.....	3
1.2 REASONS FOR PREPARING THE PROPOSAL.....	3
1.3 PROCEDURE FOR ASSESSMENT.....	3
2 SUMMARY OF THE ASSESSMENT	3
2.1 RISK ASSESSMENT	3
2.2 RISK MANAGEMENT	3
2.3 RISK COMMUNICATION.....	3
2.4.1 <i>World Trade Organization (WTO)</i>	4
2.5 FSANZ ACT ASSESSMENT REQUIREMENTS	4
2.5.1 <i>Section 59</i>	4
2.5.2 <i>Subsection 18(1)</i>	5
2.5.3 <i>Subsection 18(2) considerations</i>	5
3 DRAFT VARIATION	6
ATTACHMENT A – DRAFT VARIATION TO THE <i>AUSTRALIA NEW ZEALAND FOOD STANDARDS CODE</i> (COMMENCING 1 MARCH 2016)	7
ATTACHMENT B – DRAFT EXPLANATORY STATEMENT.....	75

Executive summary

FSANZ has published a revision of the *Australia New Zealand Food Standards Code* (the revised Code) which will replace the current *Australia New Zealand Food Standards Code* (the current Code) on 1 March 2016, when the current Code will be repealed.

The revised Code, as published, will not contain all the variations that have been or will be made to the current Code prior to 1 March 2016.

Consequently, the revised Code provisions will remain inconsistent with the existing Code unless a draft variation is prepared and the revised Code will not reflect existing law on 1 March 2016. Any inconsistency may result in regulatory uncertainty and increased compliance costs to industry.

Proposal M1013 will amend the revised Code to include variations in Schedule 20 relating to maximum residue limits amendments made to the existing Code (Schedule 1 of Standard 1.4.2) by FSANZ (Proposals M1010 and M1012) and by the Australian Pesticides and Veterinary Medicines Authority (APVMA) during 2015 and correct typographical and other minor errors in the Schedule.

M1013 does not impose any new requirements and is being assessed under the minor procedure.

1 Introduction

1.1 The current Standard

Schedule 20 includes maximum residue limits for agricultural and veterinary chemicals. It takes effect on 1 March 2016. It does not include variations arising from Proposals M1010 and M1012, nor variations made by the APVMA during 2015.

1.2 Reasons for preparing the Proposal

This Proposal has been prepared to incorporate into Schedule 20 of the revised Code gazetted amendments to Schedule 1 of current Standard 1.4.2 made by the following:

- Proposal M1010
- Proposal M1012
- all amendments made by the APVMA in 2015

and at the same time, to correct formatting and other minor technical errors.

1.3 Procedure for assessment

The Proposal is being assessed under the minor procedure.

2 Summary of the assessment

2.1 Risk assessment

In April 2015, FSANZ published a revision of the *Australia New Zealand Food Standards Code* (the revised Code). The revised Code will replace the existing *Australia New Zealand Food Standards Code* (the existing Code) and will commence on 1 March 2016 when the existing Code will be repealed. Schedule 20 in the revised Code does not contain all the variations that have been or will be made to Schedule 1 of Standard 1.4.2 in the existing Code, prior to 1 March 2016.

2.2 Risk management

Schedule 20 will be inconsistent with the existing Schedule 1 of Standard 1.4.2 if a draft variation is not progressed. That is, the revised Code will not reflect existing law. This may result in regulatory uncertainty and consequential increased costs to government, industry and consumers.

In relation to amendments made by the APVMA in 2015, drafting in this call for submissions has been prepared up to and including APVMA 7, 2015. Any further amendments gazetted by the APVMA until approval is sought at FSANZ64, will be included for Board consideration at that time. It is intended that any amendments made by the APVMA from December 2015 until March 2016, will have a commencement date of 1 March 2016 or later so no further amendments will need to be made by FSANZ to the Schedule ahead of 1 March 2016.

2.3 Risk communication

As M1013 is being assessed under the minor procedure, it does not require public consultation. Government agencies will be consulted on the draft variation. However, in line with a commitment given to the Senate in 2007, submissions will also be called for from affected stakeholders and the assessment summary will be published on the FSANZ website.

2.4.1 World Trade Organization (WTO)

As members of the World Trade Organization (WTO), Australia and New Zealand are obliged to notify WTO members where proposed mandatory regulatory measures are inconsistent with any existing or imminent international standards and the proposed measure may have a significant effect on trade.

There are relevant international standards. However, the amendments were previously notified by either FSANZ or the APVMA before their inclusion in the current Code. M1013 is only incorporating the current requirements into the revised Code and, as such, is unlikely to have a significant effect on international trade. Therefore, a notification to the WTO under Australia's obligations under the WTO Application of Sanitary and Phytosanitary Measures Agreement was not considered necessary.

2.5 FSANZ Act assessment requirements

When assessing this Proposal and the subsequent development of a food regulatory measure, FSANZ has had regard to the following matters in section 59 of the FSANZ Act:

2.5.1 Section 59

2.5.1.1 Cost benefit analysis

The direct and indirect benefits that would arise from a food regulatory measure developed or varied as a result of the proposal will outweigh the costs to the community, Government or industry that would arise from the development or variation of the food regulatory measure.

It is expected that the draft variation would not impose costs to the community, Government or industry that are additional to the costs already borne by compliance with requirements imposed by the existing Code. If the revised Code does not reflect existing law, it may result in regulatory uncertainty and increased compliance costs to industry.

The Office of Best Practice Regulation advised FSANZ on 17 July 2015 (ID 19398) that the proposal was minor and machinery in nature, and unlikely to change compliance costs.

2.5.1.2 Other measures

There are no other measures (whether available to FSANZ or not) that would be more cost-effective than a food regulatory measure developed or varied as a result of the Proposal.

2.5.1.3 Any relevant New Zealand standards

The *Agreement between the Government of Australia and the Government of New Zealand concerning a Joint Food Standards System* (the Treaty) excludes MRLs for agricultural and veterinary chemicals in food from the system setting joint food standards. Australia and New Zealand independently and separately develop MRLs for agricultural and veterinary chemicals in food.

All domestically produced food sold in New Zealand must comply with the New Zealand (Maximum Residue Limits of Agricultural Compounds) Food Standards 2012 and any amendments (the New Zealand MRL Standards). If food is imported into New Zealand, such food must comply either with the New Zealand MRL Standards or with Codex MRLs (except for food imported from Australia).

Under the New Zealand MRL Standards, agricultural chemical residues in food must comply with the specific MRLs listed in the Standards. The New Zealand MRL Standards also include a provision for residues of up to 0.1 mg/kg for agricultural chemical / commodity combinations not specifically listed.

Further information about the New Zealand MRL Standards is available on the New Zealand Ministry for Primary Industries website at <http://www.foodsafety.govt.nz/industry/sectors/plant-products/pesticide-mrl/>.

Limits in the Code and in the New Zealand MRL Standards may differ for a number of legitimate reasons including differing use patterns for chemical products as a result of varying pest and disease pressures and varying climatic conditions.

2.5.1.4 Any other relevant matters

There are no other relevant matters.

2.5.2. Subsection 18(1)

FSANZ has also considered the three objectives in subsection 18(1) of the FSANZ Act during the assessment.

2.5.2.1 Protection of public health and safety

The main purpose of M1013 is simply to incorporate amendments previously approved by the FSANZ Board or the APVMA, which have since been published, and to correct minor errors.

Risk assessments were conducted for M1010 and M1012 where the protection of public health and safety in relation to those proposals was considered. In relation to the APVMA amendments to be included, the APVMA and FSANZ were satisfied, based on dietary exposure assessments and current health standards, that the MRLS were not harmful to public health.

The correction of minor typographical errors does not make any substantive change to the revised Code and, consequently, does not raise public health and safety issues for consideration.

2.5.2.2 The provision of adequate information relating to food to enable consumers to make informed choices

This objective is not relevant to matters under consideration in the Proposal.

2.5.2.3 The prevention of misleading or deceptive conduct

This objective is not relevant to matters under consideration in the Proposal.

2.5.3 Subsection 18(2) considerations

FSANZ has also had regard to:

- **the need for standards to be based on risk analysis using the best available scientific evidence**

FSANZ's primary role in developing food regulatory measures for residues of agricultural and veterinary chemicals in food is to ensure that estimated dietary exposures to potential residues are within health-based guidance values.

The Dietary Exposure Assessments for the MRLs were based on the best available scientific data and internationally recognised risk assessment methodology.

- **the promotion of consistency between domestic and international food standards**

As previously stated, the main purpose of M1013 is to incorporate amendments previously approved by the FSANZ Board or the APVMA, which have since been published, and to correct minor errors. This issue has previously been addressed during the assessment of those amendments.

- **the desirability of an efficient and internationally competitive food industry**

The MRLs listed in Schedule 20 are already in effect in the current Code. By promoting regulatory certainty, M1013 contributes towards supporting an efficient and internationally competitive food industry.

- **the promotion of fair trading in food**

Again, by promoting regulatory certainty and consistency between domestic and international food standards, M1013 would assist in promoting fair trading in food.

- **any written policy guidelines formulated by the Ministerial Council¹**

There is no relevant policy guideline.

3 Draft variation

The draft variation to the revised Code and related draft explanatory statement is at Attachment A. The variation is intended to take effect on 1 March 2016. A draft explanatory statement is at Attachment B.

An explanatory statement is required to accompany an instrument if it is lodged on the Federal Register of Legislative Instruments (FRLI).

Attachments

- A. Draft variation to the *Australia New Zealand Food Standards Code* (commencing 1 March 2016)
- B. Draft Explanatory Statement

¹ Now known as the Australia and New Zealand Ministerial Forum on Food Regulation (convening as the Australia and New Zealand Food Regulation Ministerial Council)

Attachment A – Draft variation to the *Australia New Zealand Food Standards Code* (commencing 1 March 2016)



Food Standards (Proposal M1013 – Schedule 20 – MRLs – Consequentials & Corrective Amendments) Variation

The Board of Food Standards Australia New Zealand gives notice of the making of this variation under section 92 of the *Food Standards Australia New Zealand Act 1991*. The Standard commences on the date specified in clause 3 of this variation.

Dated [To be completed by Standards Management Officer]

Standards Management Officer
Delegate of the Board of Food Standards Australia New Zealand

Note:

This variation will be published in the Commonwealth of Australia Gazette No. FSC XX on XX Month 20XX.

1 Name

This instrument is the *Food Standards (Proposal M1013 – Schedule 20 – MRLs – Consequentials & Corrective Amendments) Variation*.

2 Variation to a Standard in the *Australia New Zealand Food Standards Code*

The Schedule varies a Standard in the *Australia New Zealand Food Standards Code*.

3 Commencement

The variation commences on 1 March 2016 immediately after the commencement of Standard 5.1.1 – Revocation and transitional provisions – 2014 Revision.

Schedule

Schedule 20 – Maximum residue limits

[1] Schedule heading (Note 1)

Omit

Note 1

Substitute

Note

[2] Section S20—3 (table)

Omit the table, substitute

Maximum residue limits

Agvet chemical: Abamectin			
<i>Permitted residue: Sum of avermectin B1a, avermectin B1b and (Z)-8,9 avermectin B1a, and (Z)-8,9 avermectin B1b</i>		Lemon grass	T0.5
		Lettuce, head	0.05
		Lettuce, leaf	T1
		Litchi	T0.05
		Maize	T*0.01
Adzuki bean (dry)	T*0.002	Mung bean (dry)	T*0.002
Almonds	*0.01	Mushrooms	T0.05
Apple	0.01	Onion, Welsh	T0.05
Avocado	T0.05	Papaya (pawpaw)	T0.1
Blackberries	T0.1	Passionfruit	T0.2
Blueberries	T*0.02	Peanut	T*0.002
Cattle, edible offal of	0.1	Pear	0.01
Cattle fat	0.1	Peas	T0.5
Cattle meat	0.005	Peppers	T0.1
Cattle milk	0.02	Pig kidney	0.01
Chervil	T0.5	Pig liver	0.02
Citrus fruits	0.02	Pig meat (in the fat)	0.02
Common bean (dry) (navy bean)	T*0.002	Popcorn	T*0.01
Coriander (leaves, roots, stems)	T0.5	Potato	T0.01
Cotton seed	*0.01	Raspberries, red, black	T0.1
Cucumber	0.02	Rhubarb	T0.05
Currant, black	0.02	Shallot	T0.05
Egg plant	0.02	Sheep, edible offal of	0.05
Fruiting vegetables, cucurbits [except cucumber; squash, summer]	T*0.01	Sheep meat (in the fat)	0.05
Goat fat	0.1	Soya bean (dry)	*0.002
Goat kidney	0.01	Spring onion	T0.05
Goat liver	0.05	Squash, summer	0.02
Goat milk	0.005	Stone fruits	0.09
Goat muscle	0.01	Strawberry	0.1
Grapes	0.02	Sweet corn (corn-on-the-cob)	T0.05
Herbs	T0.5	Tomato	0.05
Hops, dry	0.2	Watercress	T0.5
Kaffir lime leaves	T0.5		

Agvet chemical: Acephate	
<i>Permitted residue: Acephate (Note: the metabolite methamidophos has separate MRLs)</i>	
Banana	1
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	5
Citrus fruits	5
Cotton seed	2
Edible offal (mammalian)	0.2
Eggs	0.2
Lettuce, head	10
Lettuce, leaf	10
Macadamia nuts	*0.1
Meat (mammalian) [except sheep meat]	0.2
Peppers, weet	5
Potato	0.5
Sheep meat	*0.01
Soya bean (dry)	1
Sugar beet	0.1
Tomato	5
Tree tomato (tamarillo)	0.5
Agvet chemical: Acequinocyl	
<i>Permitted residue: Sum of acequinocyl and its metabolite 2-dodecyl-3-hydroxy-1,4-naphthoquinone, expressed as acequinocyl</i>	
Citrus fruits	0.2
Grapes	1.6
Hops, dry	4
Agvet chemical: Acetamiprid	
<i>Permitted residue—commodities of plant origin: Acetamiprid</i>	
<i>Permitted residue—commodities of animal origin: Sum of acetamiprid and N-demethyl acetamiprid ((E)-N¹-[(6-chloro-3-pyridyl)methyl]-N²-cyanoacetamide), expressed as acetamiprid</i>	
Citrus fruits	1
Cotton seed	*0.05
Cranberry	0.6
Cucumber	T0.2
Date	T5
Edible offal (mammalian)	*0.05
Eggs	*0.01
Grapes	0.35
Herbs	3
Meat (mammalian)	*0.01
Milks	*0.01
Potato	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.01
Spices	0.1
Stone fruits [except plums]	1
Tomato	T0.1

Agvet chemical: Acibenzolar-S-methyl	
<i>Permitted residue: Acibenzolar-S-methyl and all metabolites containing the benzo[1,2,3]thiadiazole-7-carboxyl moiety hydrolysed to benzo[1,2,3]thiadiazole-7-carboxylic acid, expressed as acibenzolar-S-methyl</i>	
Cotton seed	*0.02
Edible offal (mammalian)	*0.02
Eggs	*0.02
Meat (mammalian)	*0.02
Milks	*0.005
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Agvet chemical: Acifluorfen	
<i>Permitted residue: Acifluorfen</i>	
Chia	T*0.01
Edible offal (mammalian)	0.1
Eggs	*0.01
Legume vegetables	0.1
Meat (mammalian)	*0.01
Milks	*0.01
Peanut	0.05
Poultry, edible offal of	0.1
Poultry meat	*0.01
Pulses	0.1
Agvet chemical: Albendazole	
<i>Permitted residue: Sum of albendazole, its sulfoxide, sulfone and sulfone amine, expressed as albendazole</i>	
Cattle, edible offal of	*0.1
Cattle meat	*0.1
Goat, edible offal of	*0.1
Goat meat	*0.1
Sheep, edible offal of	3
Sheep meat	0.2
Agvet chemical: Albendazole sulphoxide	
<i>see Albendazole</i>	
Agvet chemical: Aldicarb	
<i>Permitted residue: Sum of aldicarb, its sulfoxide and its sulfone, expressed as aldicarb</i>	
Citrus fruits	0.05
Cotton seed	*0.05
Edible offal (mammalian)	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Sugar cane	*0.02

Agvet chemical: Aldoxycarb	
<i>Permitted residue: Sum of aldoxycarb and its sulfone, expressed as aldoxycarb</i>	
Cattle, edible offal of	0.2
Cattle meat	*0.02
Eggs	0.1
Milks	*0.02
Poultry, edible offal of	0.2
Poultry meat	*0.02
Wheat	*0.02
Agvet chemical: Aliphatic alcohol ethoxylates	
<i>Permitted residue: Aliphatic alcohol ethoxylates</i>	
Cattle, edible offal of	*0.1
Cattle meat	*0.1
Cattle milk	1
Agvet chemical: Alpha-cypermethrin	
see <i>Cypermethrin</i>	
Agvet chemical: Altrenogest	
<i>Permitted residue: Altrenogest</i>	
Pig meat	*0.005
Pig, edible offal of	0.005
Agvet chemical: Aluminium phosphide	
see <i>Phosphine</i>	
Agvet chemical: Ametoctradin	
<i>Permitted residue—commodities of plant origin: Ametoctradin</i>	
<i>Permitted residue—commodities of animal origin: Sum of ametoctradin and 6-(7-amino-5-ethyl [1,2,4] triazolo [1,5-a]pyrimidin-6-yl) hexanoic acid</i>	
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	9
Celery	20
Cucumber	0.4
Dried grapes (currants, raisins and sultanas)	20
Edible offal (mammalian)	*0.02
Eggs	*0.02
Fruiting vegetables, cucurbits [except cucumber]	3
Fruiting vegetables, other than cucurbits [except mushrooms; sweet corn (corn-on-the-cob)]	1.5
Garlic	1.5
Grapes [except dried grapes]	6
Hops, dry	30
Leafy vegetables	50
Meat (mammalian)	*0.02
Milks	*0.02

Onion, bulb	1.5
Peppers, chili (dry)	15
Potato	0.05
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Shallot	1.5
Spring onion	20

Agvet chemical: Ametryn	
<i>Permitted residue: Ametryn</i>	
Cotton seed	0.05
Edible offal (mammalian)	*0.05
Meat (mammalian)	*0.05
Milks	*0.05
Pineapple	*0.05
Pome fruits	0.1
Sugar cane	0.05

Agvet chemical: Aminoethoxyvinyl-glycine	
<i>Permitted residue: Aminoethoxyvinylglycine</i>	
Apple	0.1
Stone fruits [except cherries]	0.2
Walnuts	*0.05

Agvet chemical: Aminopyralid	
<i>Permitted residue—commodities of plant origin: Sum of aminopyralid and conjugates, expressed as aminopyralid</i>	
<i>Permitted residue—commodities of animal origin: Aminopyralid</i>	
Cereal grains	0.1
Edible offal (mammalian) [except kidney]	0.02
Eggs	*0.01
Kidney (mammalian)	0.3
Meat (mammalian)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Wheat bran, unprocessed	0.3

Agvet chemical: Amitraz	
<i>Permitted residue: Sum of amitraz and N-(2,4-dimethylphenyl)-n'-methylformamidine, expressed as N-(2,4-dimethylphenyl)-N'-methylformamidine</i>	
Apple	0.5
Cotton seed	*0.1
Cotton seed oil, crude	1
Edible offal (mammalian)	0.5
Meat (mammalian)	0.1
Milks	0.1
Stone fruits [except cherries]	0.5

Agvet chemical: Amitrole	
<i>Permitted residue: Amitrole</i>	
Avocado	*0.01
Banana	*0.01
Blueberries	T*0.01
Cereal grains	*0.01
Citrus fruits	*0.01
Edible offal (mammalian)	*0.01
Grapes	*0.01
Hops, dry	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Oilseed	*0.01
Papaya (pawpaw)	*0.01
Passionfruit	*0.01
Pecan	*0.01
Pineapple	*0.01
Pome fruits	*0.01
Potato	*0.05
Pulses	*0.01
Stone fruits	*0.02
Sugar cane	*0.01

Agvet chemical: Amoxicillin	
<i>Permitted residue: Inhibitory substance, identified as amoxicillin</i>	
Cattle milk	*0.01
Edible offal (mammalian)	*0.01
Eggs	*0.01
Meat (mammalian)	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Sheep milk	*0.01

Agvet chemical: Ampicillin	
<i>Permitted residue: Inhibitory substance, identified as ampicillin</i>	
Cattle milk	*0.01
Horse, edible offal of	*0.01
Horse meat	*0.01

Agvet chemical: Amprolium	
<i>Permitted residue: Amprolium</i>	
Eggs	4
Poultry, edible offal of	1
Poultry meat	0.5

Agvet chemical: Apramycin	
<i>Permitted residue: Apramycin</i>	
Edible offal (mammalian)	2
Meat (mammalian)	*0.05
Poultry, edible offal of	1
Poultry meat	*0.05

Agvet chemical: Asulam	
<i>Permitted residue: Asulam</i>	
Apple	*0.1
Edible offal (mammalian)	*0.1
Hops, dry	*0.1
Meat (mammalian)	*0.1
Milks	*0.1
Poppy seed	*0.1
Potato	0.4
Sugar cane	*0.1

Agvet chemical: Atrazine	
<i>Permitted residue: Atrazine</i>	
Edible offal (mammalian)	T*0.1
Lupin (dry)	*0.02
Maize	*0.1
Meat (mammalian)	T*0.01
Milks	T*0.01
Potato	*0.01
Rape seed (canola)	*0.02
Sorghum	*0.1
Sugar cane	*0.1
Sweet corn (corn-on-the-cob)	*0.1

Agvet chemical: Avermectin B1	
<i>see Abamectin</i>	

Agvet chemical: Avilamycin	
<i>Permitted residue: Inhibitory substance, identified as avilamycin</i>	
Poultry, edible offal of	*0.05
Poultry meat	*0.05

Agvet chemical: Azaconazole	
<i>Permitted residue: Azaconazole</i>	
Mushrooms	0.1

Agvet chemical: Azamethiphos	
<i>Permitted residue: Azamethiphos</i>	
Cereal grains	0.1
Edible offal (mammalian)	*0.05
Eggs	*0.05
Meat (mammalian)	*0.05
Milks	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Wheat bran, unprocessed	0.5

Agvet chemical: Azaperone	
<i>Permitted residue: Azaperone</i>	
Pig, edible offal of	0.2
Pig meat	0.2
Agvet chemical: Azimsulfuron	
<i>Permitted residue: Azimsulfuron</i>	
Edible offal (mammalian)	*0.02
Eggs	*0.02
Meat (mammalian)	*0.02
Milks	*0.02
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Rice	*0.02
Agvet chemical: Azinphos-methyl	
<i>Permitted residue: Azinphos-methyl</i>	
Blueberries	5
Edible offal (mammalian)	*0.05
Grapes	2
Litchi	2
Macadamia nuts	*0.01
Meat (mammalian)	*0.05
Milks	*0.05
Pome fruits	1
Stone fruits	2
Strawberry	1
Agvet chemical: Azoxystrobin	
<i>Permitted residue: Azoxystrobin</i>	
Almonds	*0.01
Anise myrtle leaves (dried)	T3
Avocado	1
Banana	T0.5
Barley	0.2
Beans [except broad and soya bean]	2
Bergamot	T50
Blackberries	5
Blueberries	5
Boysenberry	5
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	0.7
Brassica leafy vegetables [except mizuna]	2
Bulb vegetables [except fennel, bulb; onion, bulb]	2
Burnet, Salad	T50
Carrot	0.2
Chervil	T50
Chick-pea (dry)	T0.5
Citrus fruits	10
Cloudberry	T5
Coriander (leaves, roots, stems)	T50
Coriander, seed	T50

Cotton seed	*0.01
Cranberry	0.5
Dewberries (including boysenberry and loganberry)	T5
Dill, seed	T50
Dried grapes	5
Edible offal (mammalian)	*0.01
Eggs	*0.01
Fennel, seed	T50
Fennel, bulb	T0.1
Fruiting vegetables, cucurbits	1
Galangal, Greater	T0.1
Grapes	2
Herbs [except as otherwise listed under this chemical]	T50
Horseradish	0.5
Kaffir lime leaves	T50
Lemon grass	T50
Lemon myrtle leaves (dried)	T3
Lemon verbena (dry leaves)	T50
Lentil (dry)	T0.5
Lettuce, head	15
Lettuce, leaf	15
Maize	T*0.01
Mango	0.5
Meat (mammalian)	*0.01
Mexican tarragon	T50
Milks	0.005
Mizuna	T50
Oats	0.1
Olives	T2
Passionfruit	0.5
Peanut	0.05
Peanut oil, crude	0.1
Peas (pods and succulent, immature seeds)	2
Peppers	3
Poppy seed	*0.02
Potato	0.05
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Radish	0.5
Raspberries, red, black	5
Riberry	T1
Rice	T7
Rose and dianthus (edible flowers)	T50
Rucola (rocket)	T50
Spices	*0.1
Stone fruits	1.5
Strawberry	10
Tea, green, black	T20
Tomato	T1
Tree nuts [except almonds]	2
Turmeric, root	T0.1
Wheat	0.1

Agvet chemical: Bacitracin

Permitted residue: Inhibitory substance, identified as bacitracin

Chicken, edible offal of	*0.5
Chicken fat	*0.5
Chicken meat	*0.5
Eggs	*0.5
Milks	*0.5

Agvet chemical: Benalaxyl

Permitted residue: Benalaxyl

Fruiting vegetables, cucurbits	0.2
Garlic	0.1
Grapes	0.5
Lettuce, head	*0.01
Lettuce, leaf	*0.01
Onion, bulb	0.1
Shallot	T0.5
Spring onion	T0.1

Agvet chemical: Bendiocarb

Permitted residue—commodities of plant origin: Unconjugated bendiocarb

Permitted residue—commodities of animal origin: Sum of conjugated and unconjugated Bendiocarb, 2,2-dimethyl-1,3-benzodioxol-4-ol and N-hydroxymethylbendiocarb, expressed as Bendiocarb

Banana	*0.02
Cattle, edible offal of	0.2
Cattle meat	0.1
Eggs	0.05
Milks	0.1
Poultry, edible offal of	0.1
Poultry meat	0.05

Agvet chemical: Benfluralin

Permitted residue: Benfluralin

Lettuce, head	T*0.05
Lettuce, leaf	T*0.05

Agvet chemical: Benomyl

see Carbendazim

Agvet chemical: Bensulfuron-methyl

Permitted residue: Bensulfuron-methyl

Rice	*0.02
Rice bran, processed	*0.05

Agvet chemical: Bensulide

Permitted residue: Bensulide

Fruiting vegetables, cucurbits	*0.1
--------------------------------	------

Agvet chemical: Bentazone

Permitted residue: Bentazone

Beans [except soya bean]	0.5
Edible offal (mammalian)	*0.05
Eggs	*0.05
Meat (mammalian)	*0.05
Milks	*0.05
Onion, bulb	T0.1
Peanut	*0.1
Peas	3
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Pulses	*0.01
Rice	*0.03
Sweet corn (corn-on-the-cob)	*0.1

Agvet chemical: Benzocaine

Permitted residue: Benzocaine

Abalone	*0.05
Finfish	*0.05

Agvet chemical: Benzofenap

Permitted residue: Sum of benzofenap, benzofenap-OH and Benzofenap-red, expressed as benzofenap

Rice	*0.01
------	-------

Agvet chemical: Benzyladenine

Permitted residue: Benzyladenine

Apple	0.2
Pear	*0.005
Pistachio nut	T*0.05

Agvet chemical: Benzyl G penicillin

Permitted residue: Inhibitory substance, identified as benzyl G penicillin

Edible offal (mammalian)	*0.06
Meat (mammalian)	*0.06
Milks	*0.0015

Agvet chemical: Betacyfluthrin

see Cyfluthrin

Agvet chemical: Bifenazate

Permitted residue: Sum of bifenazate and bifenazate diazene (diazene-carboxylic acid, 2-(4-methoxy-[1,1'-biphenyl-3-yl] 1-methylethyl ester), expressed as bifenazate

Almonds	0.1
Apricot	0.5
Blackberries	T7

Cherries	2.5	Fruiting vegetables, cucurbits [except cucumber]	0.1
Cloudberry	T7	Fruiting vegetables, other than cucurbits	0.5
Cranberry	1.5	Galangal, rhizomes	T10
Dewberries (including boysenberry and loganberry)	T7	Ginger, root	T*0.01
Dried grapes	T2	Gooseberry	T3
Edible offal (mammalian)	*0.01	Grapes	0.2
Eggs	*0.01	Herbs	T0.5
Fruiting vegetables, cucurbits	1	Kaffir lime leaves	T10
Fruiting vegetables, other than cucurbits [except mushrooms; sweet corn (corn-on-the-cob)]	1	Leafy vegetables [except chervil; mizuna; rucola (rocket)]	T2
Grapes [except wine grapes]	T1	Lemon balm	T10
Hops, dry	15	Lemon grass	T10
Lettuce, head	T20	Lemon verbena	T10
Lettuce, leaf	T20	Lupin (dry)	T*0.02
Meat (mammalian) (in the fat)	*0.01	Meat (mammalian) (in the fat)	2
Milks	*0.01	Milks	0.5
Nectarine	0.5	Mizuna	T0.5
Papaya (pawpaw)	2	Olives	T0.5
Peach	2	Pear	0.5
Peas	T0.5	Peas (pods and succulent, immature seeds)	*0.01
Poultry, edible offal of	*0.01	Pineapple	T*0.01
Poultry meat	*0.01	Poppy seed	*0.02
Plums (including prunes)	0.5	Poultry, edible offal of	*0.05
Pome fruits	2	Poultry meat (in the fat)	*0.05
Raspberries, red, black	T7	Pulses [except field pea (dry); lupin (dry)]	*0.02
Strawberry	2	Rape seed (canola)	*0.02
Yard-long bean (pods)	T1	Raspberries, red, black	T3
<hr/>		Rucola (rocket)	T0.5
Agvet chemical: Bifenthrin		Stone fruits [except cherries]	1
<i>Permitted residue: Bifenthrin</i>		Strawberry	1
<hr/>		Sugar cane	*0.01
Almonds	T0.1	Sweet potato	*0.05
Apple	*0.05	Taro	T*0.05
Avocado	T0.1	Tea, green, black	5
Banana	0.1	Turmeric, root	T10
Blackberries	T3	<hr/>	
Blueberries	T3	Agvet chemical: Bioresmethrin	
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas [except Cabbages, head]	T1	<i>Permitted residue: Bioresmethrin</i>	
Cabbages, head	T7	<hr/>	
Cereal grains	*0.02	Mango	T0.5
Cherries	T1	<hr/>	
Chervil	T0.5	Agvet chemical: Bitertanol	
Chia	T0.2	<i>Permitted residue: Bitertanol</i>	
Cloudberry	T3	<hr/>	
Citrus fruits	*0.05	Beans [except broad bean; soya bean]	0.5
Common bean (pods and/or immature seeds)	T1	Edible offal (mammalian)	3
Cotton seed	0.1	Eggs	*0.01
Cucumber	T0.5	Meat (mammalian) (in the fat)	0.3
Dewberries (including boysenberry and loganberry)	T3	Milks	0.2
Edible offal (mammalian)	0.5	Poultry, edible offal of	*0.01
Eggs	*0.05	Poultry meat	*0.01
Field pea (dry)	T*0.01	Strawberry	*0.05

Agvet chemical: Bixafen

Permitted residue—commodities of plant origin:
Bixafen

Permitted residue—commodities of animal origin:
Sum of bixafen and N-(3',4'-dichloro-5-fluorobiphenyl-2-yl)-3-(difluoromethyl)-1H-pyrazole-4-carboxamide (bixafen-desmethyl), expressed as bixafen

Barley	T0.3
Eggs	T*0.02
Edible offal (mammalian)	T1
Meat (mammalian) (in the fat)	T0.3
Milks	T*0.02
Poultry, edible offal of	T*0.02
Poultry meat (in the fat)	T*0.02
Pulses	T0.1
Rape seed	T*0.01
Wheat	T0.5

Agvet chemical: Boscalid

Permitted residue—commodities of plant origin:
Boscalid

Permitted residue—commodities of animal origin:
Sum of boscalid, 2-chloro-N-(4'-chloro-5-hydroxybiphenyl-2-yl) nicotinamide and the glucuronide conjugate of 2-chloro-N-(4'-chloro-5-hydroxybiphenyl-2-yl) nicotinamide, expressed as boscalid equivalents

All other foods	0.5
Blackberries	T10
Blueberries	T15
Boysenberry	T10
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	2
Bulb vegetables [except onion, bulb]	T5
Celery	T15
Cherries	T3
Chervil	T30
Cloudberry	T10
Coriander (leaves, roots, stems)	T30
Dewberries (including boysenberry and loganberry and youngberry) [except boysenberry]	T10
Dried grapes	15
Fruiting vegetables, cucurbits	0.5
Fruiting vegetables, other than cucurbits	1
Edible offal (mammalian)	0.3
Grapes	5
Herbs	T30
Hops, dry	35
Leafy vegetables	30
Legume vegetables	3
Meat (mammalian) (in the fat)	0.3
Milk fats	0.7
Milks	0.1
Onion, bulb	T1

Pistachio nut	T2
Pome fruits	2
Raspberries, red, black	T10
Root and tuber vegetables	1
Silvanberries	T10
Stone fruits [except cherries]	1.7
Strawberry	10

Agvet chemical: Brodifacoum

Permitted residue: Brodifacoum

Cereal grains	T*0.00002
Edible offal (mammalian)	T*0.00005
Meat (mammalian)	T*0.00005
Pulses	T*0.00002
Sugar cane	*0.0005

Agvet chemical: Bromacil

Permitted residue: Bromacil

Asparagus	*0.04
Citrus fruits	*0.04
Edible offal (mammalian)	*0.04
Meat (mammalian)	*0.04
Milks	*0.04
Pineapple	*0.04

Agvet chemical: Bromoxynil

Permitted residue: Bromoxynil

Cereal grains	*0.2
Edible offal (mammalian)	T3
Eggs	*0.02
Garlic	T0.1
Grapes	*0.01
Linseed	*0.02
Meat (mammalian) (in the fat)	T1
Milks	T0.1
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Sugar cane	*0.02

Agvet chemical: Bupirimate

Permitted residue: Bupirimate

Apple	1
Egg plant	T1
Fruiting vegetables, cucurbits	1
Peppers	0.7
Strawberry	1

Agvet chemical: Buprofezin

Permitted residue: Buprofezin

Celery	T5
Chervil	T50
Citrus fruits	2

Coriander (leaves, roots, stems)	T50
Cotton seed	T1
Cotton seed oil, crude	T0.3
Custard apple	0.1
Dried grapes (currants, raisins and sultanas)	1
Edible offal (mammalian)	*0.05
Fruiting vegetables, cucurbits	T2
Fruiting vegetables, other than cucurbits	T2
Grapes	2.5
Herbs	T50
Lettuce, leaf	T10
Litchi	T0.5
Mango	0.2
Meat (mammalian) (in the fat)	*0.05
Milks	*0.01
Mizuna	T50
Olives	T0.5
Olive oil, crude	T2
Passionfruit	2
Pear	0.2
Persimmon, Japanese	1
Rucola (rocket)	T50
Stone fruits [except apricot; peach]	1.9
Tree tomato	T1

Agvet chemical: Butafenacil

Permitted residue: Butafenacil

Cereal grains [except rice]	*0.02
Edible offal (mammalian)	*0.02
Eggs	*0.01
Grapes	T*0.02
Meat (mammalian)	*0.01
Milks	*0.01
Pome fruits	T*0.02
Poultry, edible offal of	*0.02
Poultry meat	*0.01
Stone fruits	T*0.02

Agvet chemical: Butroxydim

Permitted residue: Butroxydim

Edible offal (mammalian)	*0.01
Eggs	*0.01
Legume vegetables	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Oilseed	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Pulses	*0.01

Agvet chemical: Cadusafos

Permitted residue: Cadusafos

Banana	*0.01
Citrus fruits	*0.01
Ginger, root	0.1
Sugar cane	*0.01
Tomato	*0.01

Agvet chemical: Captan

Permitted residue: Captan

Almonds	0.3
Berries and other small fruits [except blueberries; grapes; strawberry]	T30
Blueberries	20
Chick-pea (dry)	T0.1
Cucumber	T5
Dried grapes	15
Edible offal (mammalian)	*0.05
Eggs	*0.02
Grapes	10
Lentil (dry)	T0.1
Lettuce, leaf	T7
Meat (mammalian)	*0.05
Milks	*0.01
Peppers, chili	T7
Peppers, sweet	T7
Pitaya (dragon fruit)	T20
Pome fruits	10
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Stone fruits	15
Strawberry	10
Tree nuts [except almonds]	3

Agvet chemical: Carbaryl

Permitted residue: Carbaryl

Apricot	10
Asparagus	10
Avocado	10
Banana (in the pulp)	5
Barley	15
Blackberries	10
Blueberries	7
Brazilian cherry (grumichama)	5
Carambola	5
Cassava	T0.1
Cereal grains [except barley; sorghum]	5
Cherries	5
Citrus fruits	7
Cotton seed	3
Cranberry	3
Custard apple	5
Dewberries (including boysenberry and loganberry)	10

Edible offal (mammalian)	T0.2	Berries and other small fruits [except	T5
Eggs	T0.2	grapes]	
Elephant apple	5	Cherries	20
Feijoa	5	Chives	*0.1
Fruiting vegetables, cucurbits	3	Citron	0.7
Galangal, rhizomes (fresh)	T5	Edible offal (mammalian)	0.2
Granadilla	5	Eggs	*0.1
Grapes	5	Garlic	T0.2
Guava	5	Ginger, root	T10
Jaboticaba	5	Grapefruit	0.2
Jackfruit	5	Grapes	0.3
Jambu	5	Lemon	0.7
Kiwifruit	10	Lime	0.7
Leafy vegetables	10	Macadamia nuts	0.1
Litchi	5	Mandarins	0.7
Longan	5	Meat (mammalian)	0.2
Mango	5	Milks	*0.1
Meat (mammalian)	T0.2	Mineola	0.7
Milks	T*0.05	Mushrooms	T5
Nectarine	10	Nectarine	0.2
Okra	10	Onion, bulb	T*0.2
Olives	10	Oranges	0.2
Olives, processed	1	Peach	0.2
Papaya (pawpaw)	5	Pear	0.2
Passionfruit	5	Peppers	*0.1
Peach	10	Peppers, chili (dry)	20
Plums (including prunes)	5	Poultry, edible offal of	*0.1
Pome fruits	5	Poultry meat	*0.1
Potato	0.2	Pulses	0.5
Poultry, edible offal of	T5	Shaddock (pomelo)	0.2
Poultry meat	T0.5	Spices	*0.1
Rambutan	5	Sugar cane	T0.1
Raspberries, red, black	10	Tangelo [except mineola]	0.2
Sapodilla	5	Tangors	0.7
Sapote, black	5	Tomato	0.5
Sapote, green	5		
Sapote, mammey	5		
Sapote, white	5		
Sorghum	10		
Strawberry	7		
Sugar cane	T*0.05		
Sunflower seed	1		
Sweet corn (corn-on-the-cob)	1		
Tree nuts	1		
Tree nuts (whole in shell)	10		
Turmeric, root (fresh)	T5		
Vegetables [except as otherwise listed under this chemical]	5		
Wheat bran, unprocessed	T20		
<hr/>		<hr/>	
Agvet chemical: Carbendazim		Agvet chemical: Carbofuran	
<i>Permitted residue: Sum of carbendazim and 2-aminobenzimidazole, expressed as carbendazim</i>		<i>Permitted residue: Sum of carbofuran and 3-hydroxycarbofuran, expressed as carbofuran</i>	
<hr/>		<hr/>	
Apple	0.2	Barley	0.2
Apricot	2	Cotton seed	0.1
Banana	T1	Edible offal (mammalian)	*0.05
		Eggs	*0.05
		Garlic	T0.1
		Meat (mammalian)	*0.05
		Milks	*0.05
		Poultry, edible offal of	*0.05
		Poultry meat	*0.05
		Rice	0.2
		Sugar cane	*0.1
		Sunflower seed	0.1
		Wheat	0.2

Agvet chemical: Carbon disulphide	
<i>Permitted residue: Carbon disulfide</i>	
Cereal grains	10
Pulses	T10
Agvet chemical: Carbonyl sulphide	
<i>Permitted residue: Carbonyl sulphide</i>	
Cereal grains	T0.2
Pulses	T0.2
Rape seed (canola)	T0.2
Agvet chemical: Carbosulfan	
see <i>Carbofuran</i>	
Agvet chemical: Carboxin	
<i>Permitted residue: Carboxin</i>	
Cereal grains	0.1
Agvet chemical: Carfentrazone-ethyl	
<i>Permitted residue: Carfentrazone-ethyl</i>	
Assorted tropical and sub-tropical fruits – edible peel	*0.05
Assorted tropical and sub-tropical fruits – inedible peel	*0.05
Berries and other small fruits [except grapes]	T*0.05
Cereal grains	*0.05
Citrus fruits	*0.05
Cotton seed	T*0.05
Edible offal (mammalian)	*0.05
Eggs	*0.05
Grapes	*0.05
Hops, dry	0.1
Meat (mammalian)	*0.05
Milks	*0.025
Pome fruits	*0.05
Potato	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Stone fruits	*0.05
Tree nuts	*0.05
Agvet chemical: Ceftiofur	
<i>Permitted residue: Desfuoylceftiofur</i>	
Cattle, edible offal of	2
Cattle fat	0.5
Cattle meat	0.1
Cattle milk	0.1

Agvet chemical: Cefuroxime	
<i>Permitted residue: Inhibitory substance, identified as cefuroxime</i>	
Cattle, edible offal of	*0.1
Cattle meat	*0.1
Cattle milk	*0.1
Agvet chemical: Cephalonium	
<i>Permitted residue: Inhibitory substance, identified as cephalonium</i>	
Cattle, edible offal of	*0.1
Cattle meat	*0.1
Cattle milk	*0.02
Agvet chemical: Cephapirin	
<i>Permitted residue: Cephapirin and des-acetylcephapirin, expressed as cephapirin</i>	
Cattle, edible offal of	*0.02
Cattle meat	*0.02
Cattle milk	*0.01
Agvet chemical: Chinomethionat	
see <i>Oxythioquinox</i>	
Agvet chemical: Chlorantraniliprole	
<i>Permitted residue—plant commodities and animal commodities other than milk: Chlorantraniliprole</i>	
<i>Permitted residue—milk: Sum of chlorantraniliprole, 3-bromo-N-[4-chloro-2-(hydroxymethyl)-6-[(methylamino)carbonyl]phenyl]-1-(3-chloro-2-pyridinyl)-1H-pyrazole-5-carboxamide, and 3-bromo-N-[4-chloro-2-(hydroxymethyl)-6-[[[(hydroxymethyl)amino]carbonyl]phenyl]-1-(3-chloro-2-pyridinyl)-1H-pyrazole-5-carboxamide, expressed as chlorantraniliprole</i>	
Adzuki bean (dry)	T0.5
All other foods	*0.01
Almonds	T0.05
Asparagus	13
Avocado	4
Berries and other small fruits	2.5
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	0.5
Celery	5
Cherries	1
Chick-pea (dry)	0.07
Citrus fruits	1.4
Coffee beans	0.4
Cotton seed	0.3
Coriander (leaves, roots, stems)	T20
Dried fruits	2
Edible offal (mammalian) [except liver]	*0.01
Eggs	0.03
Fruiting vegetables, cucurbits	0.5

Fruiting vegetables, other than cucurbits [except peppers, chili; sweet corn (corn-on-the-cob)]	0.3	Tea, green, black	50
Herbs	T20	Agvet chemical: Chlorfenvinphos	
Hops, dry	90	<i>Permitted residue: Chlorfenvinphos, sum of E and Z isomers</i>	
Leafy vegetables [except lettuce, head; rucola]	15	Broccoli	T0.05
Legume vegetables	2	Brussels sprouts	T0.05
Lettuce, head	3	Cabbages, head	T0.05
Liver (mammalian)	0.02	Carrot	T0.4
Meat (mammalian) (in the fat)	0.02	Cattle, edible offal of	T*0.1
Mexican tarragon	T20	Cattle meat (in the fat)	T0.2
Milk fats	0.1	Cattle milk (in the fat)	T0.2
Milks	*0.01	Cauliflower	T0.1
Mung bean (dry)	0.7	Celery	T0.4
Peppers, chili	1	Cotton seed	T0.05
Pistachio nut	T0.05	Deer meat (in the fat)	0.2
Plums	1	Egg plant	T0.05
Pome fruits	0.3	Goat, edible offal of	T*0.1
Poultry, edible offal of	*0.01	Goat meat (in the fat)	T0.2
Poultry meat (in the fat)	*0.01	Horseradish	T0.1
Rape seed (canola)	2	Leek	T0.05
Rhubarb	5	Maize	T0.05
Rice	0.15	Mushrooms	T0.05
Root and tuber vegetables	T0.05	Onion, bulb	T0.05
Rucola (rocket)	T20	Peanut	T0.05
Soya bean (dry)	0.07	Potato	T0.05
Stone fruits [except cherries and plums]	4	Radish	T0.1
Sunflower seed	2	Rice	T0.05
Sweet corn (corn-on-the-cob)	*0.01	Sheep, edible offal of	T*0.1
Tree nuts [except almonds; pistachio nut]	0.02	Sheep meat (in the fat)	T0.2
<hr/>		Swede	T0.05
Agvet chemical: Chlorfenapyr		Sweet potato	T0.05
<i>Permitted residue: Chlorfenapyr</i>		Tomato	T0.1
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	0.5	Turnip, garden	T0.05
Brassica leafy vegetables [except Chinese cabbage]	T3	Wheat	T0.05
Chinese cabbage	3	<hr/>	
Cotton seed	0.5	Agvet chemical: Chlorfluazuron	
Edible offal (mammalian)	*0.05	<i>Permitted residue: Chlorfluazuron</i>	
Eggs	*0.01	Cattle, edible offal of	0.1
Meat (mammalian) (in the fat)	0.05	Cattle meat (in the fat)	1
Milks	*0.01	Cattle milk	0.1
Mizuna	T3	Cotton seed	0.1
Onion, Welsh	T1	Cotton seed oil, crude	0.1
Peach	1	Cotton seed oil, edible	*0.05
Peppers, chili	0.01	Eggs	0.2
Pome fruits	0.5	Poultry, edible offal of	0.1
Poultry, edible offal of	*0.01	Poultry meat (in the fat)	1
Poultry meat (in the fat)	*0.01	<hr/>	
Rucola (rocket)	T5	Agvet chemical: Chlorhexidine	
Shallot	T1	<i>Permitted residue: Chlorhexidine</i>	
Spices	0.05	Milks	0.05
Spring onion	T1	Sheep, edible offal of	*0.5
		Sheep fat	*0.5
		Sheep meat	*0.5

Agvet chemical: Chloridazon	
<i>Permitted residue: Chloridazon</i>	
Beetroot	*0.05
Agvet chemical: Chlormequat	
<i>Permitted residue: Chlormequat cation</i>	
Barley	T2
Dried grapes	0.75
Edible offal (mammalian)	0.5
Eggs	0.1
Grapes	0.75
Meat (mammalian)	0.2
Milks	0.5
Poultry, edible offal of	0.1
Poultry meat	*0.05
Wheat	5
Agvet chemical: Chloropicrin	
<i>Permitted residue: Chloropicrin</i>	
Cereal grains	*0.1
Agvet chemical: Chlorothalonil	
<i>Permitted residue—commodities of plant origin: Chlorothalonil</i>	
<i>Permitted residue—commodities of animal origin: 4-hydroxy-2,5,6-trichloroisophthalonitrile metabolite, expressed as chlorothalonil</i>	
Almonds	T0.1
Apricot	7
Asparagus	T*0.1
Banana	3
Berries and other small fruits [except blackcurrant; grapes]	T10
Brussels sprouts	7
Carrot	7
Celery	10
Cherries	10
Coriander (leaves, roots, stems)	T20
Currant, black	10
Edible offal (mammalian)	7
Egg plant	T10
Fennel, bulb	5
Fennel, leaf	5
Fennel, seed	5
Fruiting vegetables, cucurbits	5
Galangal, Greater	T7
Galangal, Lesser	T7
Garlic	10
Grapes	10
Herbs [except fennel, leaf]	T20
Leafy vegetables [except lettuce]	T100
Leek	T10
Lettuce, head	T10

Lettuce, leaf	T10
Mango	T1
Meat (mammalian) (in the fat)	2
Milks	0.05
Nectarine	7
Onion, bulb	10
Onion, Welsh	T10
Papaya (pawpaw)	10
Peach	30
Peanut	0.2
Peas (pods and succulent, immature seeds)	10
Persimmon, American	T5
Persimmon, Japanese	T5
Plums (including prunes)	10
Potato	0.1
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Pulses	3
Rice	T*0.1
Shallot	T10
Spring onion	T10
Sunflower seed	T*0.01
Tomato	10
Tree tomato	T10
Turmeric, root	T7
Vegetables [except asparagus; Brussels sprouts; carrot; celery; egg plant; fennel bulb; fruiting vegetables, cucurbits; garlic; leafy vegetables; leek; onion, bulb; peas (pods and succulent, immature seeds); potato; pulses; spring onion; tomato]	T7
Wasabi	T7

Agvet chemical: Chlorpropham

Permitted residue: Chlorpropham

Garlic	*0.05
Onion, bulb	*0.05
Potato	30

Agvet chemical: Chlorpyrifos

Permitted residue: Chlorpyrifos

Asparagus	T0.5
Avocado	0.5
Banana	T0.5
Blackberries	0.5
Blueberries	*0.01
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	T0.5
Cassava	T*0.02
Celery	T5
Cereal grains [except sorghum]	T0.1
Cherries	1
Citrus fruits	1
Coffee beans	T0.5

Cotton seed	0.05	Poultry, edible offal of	*0.05
Cotton seed oil, crude	0.2	Poultry meat (in the fat)	*0.05
Cranberry	1	Rice	0.1
Dried fruits	T2	Tea, green, black	0.1
Edible offal (mammalian)	T0.1	Wheat bran, unprocessed	20
Eggs	T*0.01	Wheat germ	30
Ginger, root	*0.02		
Grapes	T1		
Kiwifruit	2		
Leek	T5		
Mango	*0.05		
Meat (mammalian) (in the fat)	T0.5		
Milks (in the fat)	T0.2		
Oilseed [except cotton seed; peanut]	T*0.05		
Olives	T*0.05		
Onion, bulb	0.2		
Parsley	0.05		
Passionfruit	*0.05		
Peanut	0.05		
Peppers, chili (dry)	20		
Peppers, sweet	T1		
Persimmon, American	T1		
Persimmon, Japanese	T1		
Pineapple	T0.5		
Pitaya (dragon fruit)	T*0.05		
Pome fruits	T0.5		
Potato	0.05		
Poultry, edible offal of	T0.1		
Poultry meat (in the fat)	T0.1		
Sorghum	T3		
Spices	5		
Star apple	T*0.05		
Stone fruits [except cherries]	T1		
Strawberry	0.3		
Sugar cane	T0.1		
Swede	T0.3		
Sweet potato	T0.05		
Taro	0.05		
Tea, green, black	2		
Tomato	T0.5		
Tree nuts	T0.05		
Vegetables [except asparagus; brassica vegetables; cassava; celery; leek; peppers, chili (dry); peppers, sweet; potato; swede; sweet potato; taro; tomato]	T*0.01		
<hr/>			
Agvet chemical: Chlorpyrifos-methyl			
<i>Permitted residue: Chlorpyrifos-methyl</i>			
Cereal grains [except rice]	10		
Cotton seed	*0.01		
Edible offal (mammalian)	*0.05		
Eggs	*0.05		
Lupin (dry)	10		
Meat (mammalian) (in the fat)	*0.05		
Milks (in the fat)	*0.05		
<hr/>			
Agvet chemical: Chlorsulfuron			
<i>Permitted residue: Chlorsulfuron</i>			
Cereal grains		*0.05	
Edible offal (mammalian)		*0.05	
Meat (mammalian)		*0.05	
Milks		*0.05	
<hr/>			
Agvet chemical: Chlortetracycline			
<i>Permitted residue: Inhibitory substance, identified as chlortetracycline</i>			
Cattle kidney		0.6	
Cattle liver		0.3	
Cattle meat		0.1	
Eggs		0.2	
Pig kidney		0.6	
Pig liver		0.3	
Pig meat		0.1	
Poultry, edible offal of		0.6	
Poultry meat		0.1	
<hr/>			
Agvet chemical: Chlorthal-dimethyl			
<i>Permitted residue: Chlorthal-dimethyl</i>			
Eggs		*0.05	
Edible offal (mammalian)		*0.05	
Meat (mammalian)		*0.05	
Lettuce, head		2	
Lettuce, leaf		2	
Milks		*0.05	
Parsley		T2	
Poultry, edible offal of		*0.05	
Poultry meat		*0.05	
Vegetables [except as otherwise listed under this chemical]		5	
<hr/>			
Agvet chemical: Clavulanic acid			
<i>Permitted residue: Clavulanic acid</i>			
Cattle, edible offal of		*0.01	
Cattle meat		*0.01	
Cattle milk		*0.01	
<hr/>			
Agvet chemical: Clethodim			
<i>see Sethoxydim</i>			

Agvet chemical: Clodinafop-propargyl	
<i>Permitted residue: Clodinafop-propargyl</i>	
Barley	T*0.02
Edible offal (mammalian)	*0.05
Eggs	*0.05
Meat (mammalian)	*0.05
Milks	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Wheat	*0.05

Agvet chemical: Clodinafop acid	
<i>Permitted residue: (R)-2-[4-(5-chloro-3-fluoro-2-pyridinyloxy) phenoxy] propanoic acid</i>	
Barley	T*0.02
Edible offal (mammalian)	*0.1
Eggs	*0.1
Meat (mammalian)	*0.1
Milks	*0.1
Poultry, edible offal of	*0.1
Poultry meat	*0.1
Wheat	*0.1

Agvet chemical: Clofentezine	
<i>Permitted residue: Clofentezine</i>	
Almonds	T0.5
Banana	*0.01
Edible offal (mammalian)	T*0.05
Grapes	1
Hops, dry	*0.2
Meat (mammalian)	T*0.05
Milks	T*0.05
Pome fruits	0.1
Stone fruits	0.1
Tomato	T1

Agvet chemical: Clomazone	
<i>Permitted residue: Clomazone</i>	
Beans [except broad bean; soya bean]	*0.05
Common bean (pod and/or immature seeds)	T*0.05
Fruiting vegetables, cucurbits	*0.05
Poppy seed	*0.05
Potato	*0.05
Rice	*0.01

Agvet chemical: Clopyralid	
<i>Permitted residue: Clopyralid</i>	
Blueberries	0.5
Cauliflower	T0.2
Cereal grains	2
Edible offal (mammalian) [except kidney]	0.5

Hops, dry	2
Kidney of cattle, goats, pigs and sheep	5
Meat (mammalian)	0.1
Milks	0.05
Poppy seed	T0.5
Rape seed (canola)	0.5
Strawberry	4

Agvet chemical: Cloquintocet-mexyl	
<i>Permitted residue: Sum of cloquintocet mexyl and 5-chloro-8-quinolinoxyacetic acid, expressed as cloquintocet mexyl</i>	
Barley	*0.1
Edible offal (mammalian)	*0.1
Eggs	*0.1
Meat (mammalian)	*0.1
Milks	*0.1
Poppy seed	T*0.02
Poultry, edible offal of	*0.1
Poultry meat	*0.1
Rye	*0.1
Triticale	*0.1
Wheat	*0.1

Agvet chemical: Clorsulon	
<i>Permitted residue: Clorsulon</i>	
Cattle, edible offal of	*0.1
Cattle meat	*0.1
Cattle milk	1.5

Agvet chemical: Closantel	
<i>Permitted residue: Closantel</i>	
Sheep, edible offal of	5
Sheep meat	2

Agvet chemical: Clothianidin	
<i>Permitted residue: Clothianidin</i>	
Banana	*0.02
Cherimoya	T2
Cherries	T5
Cotton seed	*0.02
Cranberry	0.01
Custard apple	T2
Dried grapes	10
Edible offal (mammalian)	*0.02
Eggs	*0.02
Fruiting vegetables, cucurbits	T1
Fruiting vegetables, other than cucurbits [except mushrooms; sweet corn (corn-on-the-cob)]	T0.7
Grapes [except wine grapes]	3
llama	T2
Maize	*0.01
Meat (mammalian)	*0.02

Milks	*0.01
Olives	T0.5
Persimmon, American	T2
Persimmon, Japanese	T2
Pome fruits	T2
Popcorn	*0.01
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Rape seed (canola)	*0.01
Sorghum	*0.01
Soursop	T2
Soya bean (dry)	T0.02
Spices	0.05
Stone fruits [except cherries]	T3
Sugar apple	T2
Sugar cane	0.1
Sunflower seed	*0.01
Sweet corn (corn-on-the-cob)	0.02
Tea, green, black	T0.7
Wine grapes	*0.02

Agvet chemical: Cloxacillin

Permitted residue: Inhibitory substance, identified as Cloxacillin

Cattle milk	*0.01
-------------	-------

Agvet chemical: Coumaphos

Permitted residue: Sum of coumaphos and its oxygen analogue, expressed as coumaphos

Cattle fat	*0.02
Cattle kidney	*0.02
Cattle liver	*0.02
Cattle milk	*0.01
Cattle milk fat	0.1
Cattle muscle	*0.02

Agvet chemical: Cyanamide

Permitted residue: Cyanamide

Apple	*0.02
Blueberries	*0.05
Grapes	*0.05
Kiwifruit	*0.1
Pear, Oriental (nashi)	*0.1
Plums (including prunes)	*0.02

Agvet chemical: Cyanazine

Permitted residue: Cyanazine

Bulb vegetables	*0.02
Cereal grains	*0.01
Leek	0.05
Peas	0.02
Podded pea (young pods) (snow and sugar snap)	0.05
Potato	0.02

Pulses	*0.01
Sweet corn (corn-on-the-cob)	*0.02

Agvet chemical: Cyantraniliprole

Permitted residue—commodities of plant origin: Cyantraniliprole

Permitted residue—commodities of animal origin for enforcement: Cyantraniliprole

Permitted residue—commodities of animal origin for dietary exposure assessment: Sum of cyantraniliprole and 2-[3-bromo-1-(3-chloropyridin-2-yl)-1H-pyrazol-5-yl]-3,8-dimethyl-4-oxo-3,4-dihydroquinazoline-6-carbonitrile (IN-J9Z38), 2-[3-bromo-1-(3-chloropyridin-2-yl)-1H-pyrazol-5-yl]-8-methyl-4-oxo-3,4-dihydroquinazoline-6-carbonitrile (IN-MLA84), 3-bromo-1-(3-chloropyridin-2-yl)-N-[4-cyano-2-[(hydroxymethyl)carbamoyl]-6-methylphenyl]-1H-pyrazole-5-carboxamide (IN-MYX98) and 3-bromo-1-(3-chloropyridin-2-yl)-N-[4-cyano-2-(hydroxymethyl)-6-(methylcarbamoyl)phenyl]-1H-pyrazole-5-carboxamide (IN-N7B69), expressed as cyantraniliprole

All other foods	0.05
Bulb vegetables [except onion, bulb]	7
Cotton seed	*0.01
Edible offal (mammalian)	*0.01
Eggs	*0.01
Fruiting vegetables, cucurbits	0.5
Fruiting vegetables, other than cucurbits	2
Meat (mammalian) (in the fat)	*0.01
Milk fats	*0.01
Milks	*0.01
Onion, bulb	0.05
Potato	0.05
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01

Agvet chemical: Cyazofamid

Permitted residue—commodities of plant origin and of animal origin for enforcement: Cyazofamid

Permitted residue—commodities of plant origin and animal origin for dietary risk assessment: The sum of cyazofamid and 4-chloro-5-(4-methylphenyl)-1H-imidazole-2-carbonitrile, expressed as cyazofamid

Hops, dry	10
-----------	----

Agvet chemical: Cyclanilide

Permitted residue: Sum of cyclanilide and its methyl ester, expressed as cyclanilide

Cotton seed	0.2
Cotton seed oil, crude	*0.01
Edible offal (mammalian)	2
Eggs	*0.01
Meat (mammalian)	0.05

Milks	0.05
Poultry, edible offal of	*0.01
Poultry meat	*0.01

Agvet chemical: Cyflufenamid

Permitted residue: Cyflufenamid

Dried grapes (currants, raisins and sultanas)	0.5
Edible offal (mammalian)	*0.01
Eggs	*0.01
Fruiting vegetables, cucurbits	0.1
Grapes	0.15
Meat (mammalian) (in the fat)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01

Agvet chemical: Cyfluthrin

Permitted residue: Cyfluthrin, sum of isomers

Avocado	0.1
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	0.5
Carambola	T0.1
Cereal grains	2
Chia	T0.5
Citrus fruits	0.2
Cotton seed	0.01
Cotton seed oil, crude	0.02
Custard apple	T0.1
Edible offal (mammalian)	*0.01
Egg plant	T0.2
Eggs	*0.01
Grapes	1
Legume vegetables	0.5
Lemon aspen	T1
Litchi	T0.3
Macadamia nuts	0.05
Mango	T0.1
Mammalian fats [except milk fats]	0.5
Meat (mammalian)	0.02
Milks	0.1
Okra	T0.2
Papaya (pawpaw)	T0.2
Pecan	T0.05
Peppers, sweet	T0.2
Persimmon, American	T0.1
Persimmon, Japanese	T0.1
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01
Pulses	0.5
Rape seed (canola)	*0.05
Stone fruits	0.3
Tomato	0.2
Wheat bran, unprocessed	5

Agvet chemical: Cyhalofop-butyl

Permitted residue: Sum of cyhalofop-butyl, cyhalofop and metabolites expressed as cyhalofop-butyl

Edible offal (mammalian)	*0.05
Eggs	*0.05
Meat (mammalian) (in the fat)	*0.05
Milks	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Rice	*0.01

Agvet chemical: Cyhalothrin

Permitted residue: Cyhalothrin, sum of isomers

Barley	0.2
Beetroot	*0.01
Berries and other small fruits	0.2
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	0.1
Cereal grains [except barley; sorghum; wheat]	*0.01
Chard	T0.5
Citrus fruits	*0.01
Coriander (leaves, roots, stems)	T1
Cotton seed	*0.02
Cucumber	T0.05
Edible offal (mammalian)	*0.02
Eggs	*0.02
Garlic	*0.05
Legume vegetables	0.1
Meat (mammalian) (in the fat)	0.5
Milks (in the fat)	0.5
Onion, bulb	*0.05
Onion, Welsh	T0.05
Parsley	T1
Potato	*0.01
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Pulses [except soya bean (dry)]	0.2
Radish	*0.01
Rape seed (canola)	0.02
Shallot	T0.05
Sorghum	0.5
Soya bean (dry)	*0.02
Spring onion	T0.05
Stone fruits	0.5
Sunflower seed	*0.01
Tea, green, black	1
Tomato	0.02
Wheat	*0.05

Agvet chemical: Cypermethrin

Permitted residue: Cypermethrin, sum of isomers

Adzuki bean (dry)	T0.05
All other foods	*0.01

Asparagus	0.5	Rape seed oil, edible	0.2
Avocado	T0.2	Shallot	T0.5
Beetroot	T0.1	Sheep, edible offal of	0.05
Berries and other small fruits [except grapes]	0.5	Sheep meat (in the fat)	0.5
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	1	Soya bean (dry)	0.05
Broad bean (dry) (fava bean)	0.05	Soya bean oil, crude	0.1
Cattle, edible offal of	0.05	Spring onion	T0.5
Cattle meat (in the fat)	0.5	Stone fruits	1
Celery	T1	Sunflower seed	0.1
Cereal grains [except wheat]	1	Sunflower seed oil, crude	0.1
Chick-pea (dry)	0.2	Sweet corn (corn-on-the-cob)	0.05
Citrus fruits [except kumquats]	0.3	Tea, green, black	0.5
Common bean (dry) (navy bean)	0.05	Tomato	0.5
Coriander (leaves, roots, stems)	T5	Wheat	0.2
Coriander, seed	T1		
Cotton seed	0.2		
Cotton seed oil, crude	*0.02		
Deer meat (in the fat)	T0.5		
Durian	1		
Eggs	0.05		
Field pea (dry)	0.05		
Fruiting vegetables, cucurbits	T0.3		
Goat, edible offal of	0.05		
Goat meat (in the fat)	0.5		
Grapes	2		
Herbs	T5		
Horse, edible offal of	*0.05		
Horse meat (in the fat)	*0.05		
Leafy vegetables [except lettuce, head]	T5		
Leek	T0.5		
Lemon balm	T5		
Lettuce, head	2		
Linola oil, edible	0.1		
Linola seed	0.1		
Linseed	0.5		
Longan	1		
Lupin (dry)	*0.01		
Milks (in the fat)	1		
Mung bean (dry)	0.05		
Olives	T*0.05		
Onion, bulb	*0.01		
Onion, Welsh	T0.5		
Peas	1		
Peppers, chili	1		
Pig, edible offal of	*0.05		
Pig meat (in the fat)	*0.05		
Persimmon, American	T2		
Persimmon, Japanese	T2		
Pome fruits	1		
Poppy seed	T*0.01		
Potato	*0.01		
Poultry, edible offal of	*0.05		
Poultry meat (in the fat)	*0.05		
Radish	T0.05		
Rape seed (canola)	0.2		

Agvet chemical: Cyproconazole	
<i>Permitted residue: Cyproconazole, sum of isomers</i>	
Barley	*0.02
Chick-pea (dry)	T*0.01
Edible offal (mammalian)	1
Eggs	*0.01
Lentil (dry)	T*0.01
Meat (mammalian)	0.03
Milks	*0.01
Peanut	0.02
Potato	*0.02
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Wheat	*0.02

Agvet chemical: Cyprodinil	
<i>Permitted residue: Cyprodinil</i>	
Blackberries	10
Blueberries	3
Boysenberry	10
Bulb vegetables [except fennel, bulb; garlic; onion, bulb]	T3
Chives	T3
Cloudberry	T5
Common bean (pods and/or immature seeds)	0.7
Cucumber	0.5
Dewberries (including boysenberry and loganberry) [except boysenberry]	T5
Dried grapes (currants, raisins and sultanas)	5
Dried stone fruits	0.05
Edible offal (mammalian)	*0.01
Egg plant	T0.2
Grapes	3
Leafy vegetables	10
Meat (mammalian)	*0.01
Melons, except watermelon	T0.2
Milks	*0.01
Onion, bulb	0.2

Peas (pods and succulent, immature seeds)	0.5
Peppers, sweet	0.7
Pistachio nut	T0.1
Pome fruits	0.05
Raspberries, red, black	10
Stone fruits	2
Strawberry	5
Tomato	T1

Agvet chemical: Cyromazine

Permitted residue: Cyromazine

Cattle, edible offal of	0.05
Cattle meat	0.05
Eggs	0.2
Goat, edible offal of	0.2
Goat meat	0.2
Milks	*0.01
Mushrooms	10
Pig, edible offal of	0.05
Pig meat	0.05
Poultry, edible offal of	0.1
Poultry meat	0.05
Sheep, edible offal of	0.2
Sheep meat	0.2

Agvet chemical: 2,4-D

Permitted residue: 2,4-D

Cereal grains	0.2
Citrus fruits	5
Edible offal (mammalian)	2
Eggs	*0.05
Grapes	T*0.05
Legume vegetables	*0.05
Lupin (dry)	*0.05
Meat (mammalian)	0.2
Milks	*0.05
Oilseed	*0.05
Pear	*0.05
Potato	0.1
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Pulses	*0.05
Sugar cane	5

Agvet chemical: 2,4-DB

Permitted residue: 2,4-DB

Cereal grains	*0.02
Edible offal (mammalian)	0.2
Eggs	*0.05
Meat (mammalian)	0.2
Milks	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05

Agvet chemical: Deltamethrin

Permitted residue: Deltamethrin

Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	*0.05
Cattle, edible offal of	0.1
Cattle meat (in the fat)	0.5
Cereal grains	2
Eggs	*0.01
Fruiting vegetables, other than cucurbits	0.1
Goat, edible offal of	0.1
Goat meat (in the fat)	0.2
Legume vegetables	0.1
Milks	0.05
Oilseed	0.1
Pig, edible offal of	*0.01
Pig meat (in the fat)	0.1
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01
Pulses	0.1
Sheep, edible offal of	0.1
Sheep meat (in the fat)	0.2
Sweet corn (kernels)	0.1
Tea, green, black	5
Wheat bran, unprocessed	5
Wheat germ	3

Agvet chemical: Derquantel

Permitted residue: Derquantel

Sheep fat	0.0002
Sheep kidney	0.0002
Sheep liver	0.0002
Sheep muscle	0.0002

Agvet chemical: Dexamethasone and Dexamethasone trimethylacetate

Permitted residue: Dexamethasone

Cattle, edible offal of	0.1
Cattle meat	0.1
Cattle milk	*0.05
Horse, edible offal of	0.1
Horse meat	0.1
Pig, edible offal of	0.1
Pig meat	0.1

Agvet chemical: Diafenthiuron

Permitted residue: Sum of diafenthiuron; N-[2,6-bis(1-methylethyl)-4-phenoxyphenyl]-N'-(1,1-dimethylethyl)urea; and N-[2,6-bis(1-methylethyl)-4-phenoxyphenyl]-N'-(1,1-dimethylethyl)carbodiimide, expressed as diafenthiuron

Cotton seed	0.2
Edible offal (mammalian)	*0.02

Eggs	*0.02
Meat (mammalian) (in the fat)	*0.02
Milks	*0.02
Peanut	T0.1
Poultry, edible offal of	*0.02
Poultry meat (in the fat)	*0.02

Agvet chemical: Diazinon

Permitted residue: Diazinon

Cereal grains	0.1
Citrus fruits	0.7
Coriander (leaves, roots, stems)	*0.05
Coriander, seed	*0.05
Edible offal (mammalian)	0.7
Eggs	*0.05
Fruit [except as otherwise listed under this chemical]	0.5
Kiwifruit	0.5
Meat (mammalian) (in the fat)	0.7
Milks (in the fat)	0.5
Olive oil, crude	2
Parsley	*0.05
Peach	0.7
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Shallot	T0.5
Spring onion	T0.5
Sugar cane	0.5
Sweet corn (corn-on-the-cob)	0.7
Tree nuts	0.1
Vegetable oils, crude [except olive oil, virgin]	0.1
Vegetables	0.7

Agvet chemical: Dicamba

Permitted residue: Dicamba

Cereal grains	*0.05
Edible offal (mammalian)	0.05
Eggs	*0.05
Meat (mammalian)	0.05
Milks	0.1
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Sugar cane	0.1
Sugar cane molasses	2

Agvet chemical: Dicamba

Permitted residue: Sum of dicamba, 3,6-dichloro-5-hydroxy-2-methoxybenzoic acid and 3,6-dichloro-2-hydroxybenzoic acid, expressed as dicamba

Soya bean	10
-----------	----

Agvet chemical: Dichlobenil

Permitted residue: Dichlobenil

Blueberries	T1
Citrus fruits	0.1
Currants, black, red, white	T1
Gooseberry	T1
Grapes	0.1
Pome fruits	0.1
Raspberries, red, black	T1
Stone fruits	0.1
Tomato	0.1

Agvet chemical: Dichlofluanid

Permitted residue: Dichlofluanid

Berries and other small fruits [except grapes; strawberry]	T50
Grapes	0.5
Peanut	*0.02
Strawberry	10
Tomato	1

Agvet chemical: 1,3-dichloropropene

Permitted residue: 1,3-dichloropropene

Grapes	0.018
--------	-------

Agvet chemical: Dichlorprop-P

Permitted residue: Sum of dichlorprop acid, its esters and conjugates, hydrolysed to dichlorprop acid, and expressed as dichlorprop acid

Citrus fruits	0.2
Edible offal (mammalian)	*0.05
Eggs	*0.02
Meat (mammalian)	*0.02
Milks	*0.01
Poultry, edible offal of	*0.05
Poultry meat	*0.02

Agvet chemical: Dichlorvos

Permitted residue: Dichlorvos

Cacao beans	5
Cereal grains	5
Coffee beans	2
Edible offal (mammalian)	0.05
Eggs	0.05
Fruit	0.1
Lentil (dry)	2
Lettuce, head	1
Lettuce, leaf	1
Meat (mammalian)	0.05
Milks	0.02
Mushrooms	0.5
Peanut	2
Poultry, edible offal of	0.05

Poultry meat	0.05
Rape seed (canola)	T0.1
Rice bran, unprocessed	10
Soya bean (dry)	2
Tomato	0.5
Tree nuts	2
Vegetables [except as otherwise listed under this chemical]	0.5
Wheat bran, unprocessed	10
Wheat germ	10

Agvet chemical: Diclofop-methyl

Permitted residue: Diclofop-methyl

Cereal grains	0.1
Edible offal (mammalian)	*0.05
Eggs	*0.05
Lupin (dry)	0.1
Meat (mammalian)	*0.05
Milks	*0.05
Oilseed	0.1
Peas	0.1
Poppy seed	0.1
Poultry, edible offal of	*0.05
Poultry meat	*0.05

Agvet chemical: Dicloran

Permitted residue: Dicloran

Beans [except broad bean; soya bean]	20
Berries and other small fruits [except grapes]	20
Broad bean (green pods and immature seeds)	20
Carrot	15
Grapes	10
Lettuce, head	20
Lettuce, leaf	20
Onion, bulb	20
Stone fruits	15
Sweet potato	20
Tomato	20

Agvet chemical: Dicofof

Permitted residue: Sum of dicofof and 2,2,2-trichloro-1-(4-chlorophenyl)-1-(2-chlorophenyl)ethanol, expressed as dicofof

Almonds	5
Cotton seed	0.1
Cucumber	2
Fruit [except strawberry]	5
Gherkin	2
Hops, dry	5
Strawberry	1
Tea, green, black	5
Tomato	1

Vegetables [except as otherwise listed under this chemical]	5
---	---

Agvet chemical: Dicyclanil

Permitted residue: Sum of dicyclanil and its triaminopyridyl metabolite expressed as dicyclanil

Sheep fat	0.3
Sheep kidney	0.3
Sheep liver	0.3
Sheep meat	0.3

Agvet chemical: Didecyldimethylammonium chloride

Permitted residue: Didecyldimethylammonium chloride

Assorted tropical and sub-tropical fruits – inedible peel	20
---	----

Agvet chemical: Dieldrin

see Aldrin and Dieldrin

Agvet chemical: Difenoconazole

Permitted residue: Difenoconazole

Anise myrtle (dried)	T10
Asparagus	*0.05
Avocado	0.5
Banana	*0.02
Beetroot	T0.5
Carrot	0.2
Cereal grains	*0.01
Celeriac	T0.5
Celery	T5
Chard (silver beet)	T3
Cherries	2.5
Chicory leaves (green and red cultivars)	T3
Chives	2
Coriander (leaves, roots, stems)	T20
Dried grapes	6
Edible offal (mammalian)	*0.05
Eggs	*0.05
Endive	T3
Grapes	4
Lemon myrtle leaves (dried)	T10
Macadamia nuts	*0.01
Meat (mammalian)	*0.05
Milks	*0.01
Papaya (pawpaw)	1
Parsley	T20
Pome fruits	0.3
Poppy seed	T*0.01
Potato	*0.02
Poultry meat	*0.05
Poultry, edible offal of	*0.05
Riberry	T1

Spinach	T3
Tomato	0.5

Agvet chemical: Diflubenzuron

Permitted residue: Diflubenzuron

Cattle, edible offal of	*0.02
Cattle milk	0.05
Cereal grains	T2
Mushrooms	0.1
Sheep kidney	0.05
Sheep liver	0.05
Sheep meat (in the fat)	0.05
Sheep milk	0.05
Stone fruits [except cherries]	0.07
Tea, green, black	0.1
Wheat bran, unprocessed	T5

Agvet chemical: Diflufenican

Permitted residue: Diflufenican

Barley	0.05
Edible offal (mammalian)	0.1
Eggs	*0.02
Grapes	*0.002
Meat (mammalian)	0.01
Milks	0.01
Oats	0.05
Peas	0.05
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Pulses	0.05
Rye	0.05
Triticale	0.05
Wheat	0.02

Agvet chemical: Dimethenamid-P

Permitted residue: Sum of dimethenamid-P and its (R)-isomer

Common bean (pods and/or immature seeds)	*0.02
Edible offal (mammalian)	*0.01
Eggs	*0.01
Maize	*0.02
Meat (mammalian)	*0.01
Milks	*0.01
Onion, bulb	T*0.01
Peas	*0.02
Poppy seed	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Pulses	*0.02
Pumpkins	*0.02
Rape seed (canola)	T*0.01
Sweet corn (corn-on-the-cob)	*0.02

Agvet chemical: Dimethipin

Permitted residue: Dimethipin

Cotton seed	0.5
Cotton seed oil, crude	*0.1
Cotton seed oil, refined	*0.1
Edible offal (mammalian)	*0.01
Eggs	*0.02
Meat (mammalian)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01

Agvet chemical: Dimethirimol

Permitted residue: Dimethirimol

Fruiting vegetables, cucurbits	1
--------------------------------	---

Agvet chemical: Dimethoate

Permitted residue: Sum of dimethoate and omethoate, expressed as dimethoate

see also *Omethoate*

Abiu	5
Artichoke, globe	T1
Asparagus	0.02
Assorted tropical and sub-tropical fruits – inedible peel [except avocado; mango]	5
Avocado	3
Banana passionfruit	5
Bearberry	T5
Beetroot	T*0.1
Bilberry	T5
Bilberry, bog	T5
Bilberry, red	T5
Blackberries	T5
Blueberries	T5
Boysenberry	0.02
Broccoli	T0.3
Cabbages, head	T0.2
Cactus fruit	5
Carrot	T0.3
Cauliflower	T0.3
Celery	T0.5
Cereal grains	T0.05
Cherries	T0.2
Citrus fruits	5
Cranberry	T5
Edible offal (mammalian)	0.1
Egg plant	T0.2
Eggs	*0.05
Elderberries	0.02
Grapes	T*0.1
Legume vegetables	T2
Mango	1
Meat (mammalian)	*0.05

Melons, except watermelon	T5	Potato	0.05
Milks	*0.05	Radish	T0.1
Oilseed [except peanut]	T0.1	Shallot	0.6
Olive oil, refined	T0.1	Spices	0.05
Onion, bulb	0.7	Spring onion	15
Parsnip	T0.3		
Peanut	T*0.05		
Peppers, chili	T5		
Peppers, sweet	0.7		
Potato	0.1		
Poultry, edible offal of	*0.05		
Poultry meat	*0.05		
Pulses	T0.5		
Radish	T3		
Raspberries, red, black	T5		
Rhubarb	0.7		
Rollinia	5		
Santols	5		
Squash, summer (including zucchini)	0.7		
Stone fruits [except cherries]	T*0.02		
Strawberry	0.02		
Sweet corn (corn-on-the-cob)	T0.3		
Sweet potato	0.1		
Tomato	0.02		
Turnip, garden	*0.2		
Watermelon	T5		
Wheat bran, processed	T1		
<hr/>			
Agvet chemical: Dimethomorph			
<i>Permitted residue: Sum of E and Z isomers of dimethomorph</i>			
<hr/>			
Beetroot	T0.1		
Brassica (cole or cabbage) vegetables, Head cabbage, Flowerhead brassicas	6		
Corn salad (lamb's lettuce)	10		
Edible offal (mammalian)	*0.01		
Fruiting vegetables, cucurbits	0.5		
Fruiting vegetables, other than cucurbits	1.5		
Garlic	0.6		
Grapes	3		
Herbs	10		
Hops, dry	80		
Leafy vegetables	30		
Leafy vegetables [except lettuce, head]	T10		
Leek	0.5		
Lima bean (young pods and/or immature seeds)	0.6		
Meat (mammalian)	*0.01		
Milks	*0.01		
Mizuna	T10		
Onion, bulb	0.6		
Onion, Welsh	2		
Parsley	T2		
Peas	1		
Poppy seed	*0.02		
<hr/>			
Agvet chemical: Dinitolmide			
<i>Permitted residue: Sum of dinitolmide and its metabolite 3-amino-5-nitro-o-toluamide, expressed as dinitolmide equivalents</i>			
<hr/>			
Poultry, edible offal of	6		
Poultry fats	2		
Poultry meat	3		
<hr/>			
Agvet chemical: Dinitro-o-toluamide			
<i>see Dinitolmide</i>			
<hr/>			
Agvet chemical: Dinotefuran			
<i>Permitted residue: Sum of dinotefuran and its metabolites DN, 1-methyl-3-(tetrahydro-3-furylmethyl)guanidine and UF, 1-methyl-3-(tetrahydro-3-furylmethyl)urea expressed as dinotefuran</i>			
<hr/>			
Cranberry	0.2		
Grapes	0.9		
<hr/>			
Agvet chemical: Diphenylamine			
<i>Permitted residue: Diphenylamine</i>			
<hr/>			
Apple	10		
Edible offal (mammalian) [except liver]	*0.01		
Eggs	0.05		
Liver of cattle, goats, pigs and sheep	0.05		
Meat (mammalian) (in the fat)	*0.01		
Milks (in the fat)	*0.01		
Pear	7		
Poultry, edible offal of	*0.01		
Poultry meat (in the fat)	*0.01		
<hr/>			
Agvet chemical: Diquat			
<i>Permitted residue: Diquat cation</i>			
<hr/>			
Anise myrtle leaves	T0.5		
Barley	5		
Beans [except broad bean; soya bean]	1		
Broad bean (green pods and/or immature seeds)	1		
Edible offal (mammalian)	*0.05		
Eggs	*0.01		
Fruit	*0.05		
Hops, dry	T0.2		
Lemon myrtle leaves	T0.5		
Linseed	*0.01		
Maize	0.1		
Meat (mammalian)	*0.05		
Milks	*0.01		

Native pepper (<i>Tasmannia lanceolata</i>) leaves	T0.5	Beetroot	1
Oats	5	Berries and other small fruits [except strawberry]	T10
Oilseed [except linseed; poppy seed]	5	Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	2
Onion, bulb	0.1	Broad bean (green pods and immature seeds)	2
Peas	0.1	Bulb vegetables [except garlic; onion, bulb]	T10
Poppy seed	*0.01	Carrot	1
Potato	0.2	Celery	5
Poultry, edible offal of	*0.05	Cereal grains	0.5
Poultry meat	*0.05	Citrus fruits	0.2
Pulses	1	Coconut	5
Rice	5	Coffee beans	5
Rice, polished	1	Common bean (pods and/or immature seeds)	2
Rye	2	Cotton seed	10
Sorghum	2	Custard apple	5
Sugar beet	0.1	Edible offal (mammalian)	2
Sugar cane	*0.05	Eggs	*0.5
Tea, green, black	T0.5	Fig	3
Tree nuts	*0.05	Fruiting vegetables, cucurbits	2
Triticale	2	Fruiting vegetables, other than cucurbits [except roselle]	3
Vegetable oils, crude	1	Garlic	4
Vegetables [except beans; broad bean; onion, bulb; peas; potato; pulses; sugar beet]	*0.05	Herbs [except parsley]	T5
Wheat	2	Hops	T10
<hr/>		Leafy vegetables	5
Agvet chemical: Disulfoton		Litchi	5
<i>Permitted residue: Sum of disulfoton and demeton-S and their sulfoxides and sulfones, expressed as disulfoton</i>		Macadamia nuts	*0.2
<hr/>		Mango	7
Cotton seed	0.5	Meat (mammalian)	*0.5
Edible offal (mammalian)	0.02	Milks	*0.2
Eggs	*0.02	Olives	T2
Hops, dry	0.5	Onion, bulb	4
Meat (mammalian)	0.02	Papaya (pawpaw)	5
Milks	0.01	Parsley	5
Potato	0.5	Parsnip	T1
Poultry, edible offal of	*0.02	Passionfruit (including Granadilla)	3
Poultry meat	*0.02	Peanut	0.2
Vegetables	0.5	Peas (pods and succulent, immature seeds)	2
<hr/>		Persimmon, Japanese	3
Agvet chemical: Dithianon		Pistachio nut	T3
<i>Permitted residue: Dithianon</i>		Pome fruits	3
<hr/>		Pomegranate	3
Fruit	2	Poppy seed	*0.2
<hr/>		Potato	1
Agvet chemical: Dithiocarbamates		Poultry meat	*0.5
<i>Permitted residue: Total dithiocarbamates, determined as carbon disulphide evolved during acid digestion and expressed as milligrams of carbon disulphide per kilogram of food</i>		Poultry, edible offal of	*0.5
<hr/>		Pulses	0.5
Almonds	3	Radish	T1
Asparagus	T1	Rhubarb	2
Avocado	7	Roselle (rosella)	5
Banana	2	Stone fruits	3
Beans [except broad bean; soya bean]	2	Strawberry	5

Sunflower seed	T*0.05
Swede	T1
Tree tomato	T5
Turnip, garden	T1
Walnuts	T*0.2
Wasabi	T2

Agvet chemical: Diuron

Permitted residue: Sum of diuron and 3,4-dichloroaniline, expressed as diuron

Asparagus	2
Cereal grains	0.1
Cotton seed oil, crude	0.5
Edible offal (mammalian)	3
Fruit	0.5
Meat (mammalian)	0.1
Milks	0.1
Oilseed	0.5
Pulses	*0.05
Sugar cane	0.2

Agvet chemical: Dodine

Permitted residue: Dodine

Pome fruits	5
Stone fruits	*0.05

Agvet chemical: Doramectin

Permitted residue: Doramectin

Cattle, edible offal of	0.1
Cattle fat	0.1
Cattle meat	0.01
Cattle milk	0.05
Pig kidney	0.03
Pig liver	0.05
Pig meat (in the fat)	0.1
Sheep, edible offal of	0.05
Sheep fat	0.1
Sheep meat	0.02

Agvet chemical: 2,2-DPA

Permitted residue: 2,2-dichloropropionic acid

Avocado	*0.1
Banana	*0.1
Cereal grains	*0.1
Citrus fruits	*0.1
Cotton seed	*0.1
Currants, black, red, white	15
Edible offal (mammalian)	0.2
Grapes	3
Meat (mammalian)	0.2
Milks	*0.1
Papaya (pawpaw)	*0.1
Pecan	*0.1

Pineapple	*0.1
Pome fruits	*0.1
Stone fruits	1
Sugar cane	*0.1
Sunflower seed	*0.1
Vegetables	*0.1

Agvet chemical: EDC

see *Ethylene dichloride*

Agvet chemical: Emamectin

Permitted residue: Sum of emamectin B1a and emamectin B1b

Beetroot	T0.05
Bergamot	T0.05
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	0.02
Burnet, salad	T0.05
Celery	T0.2
Coriander (leaves, roots, stems)	T0.05
Coriander, seed	T0.05
Cotton seed	0.005
Dill, seed	T0.05
Edible offal (mammalian)	0.02
Egg plant	T0.1
Fennel, seed	T0.05
Grapes	*0.002
Herbs	T0.05
Kaffir lime leaves	T0.05
Leafy vegetables [except lettuce, head; lettuce, leaf; mizuna]	T0.5
Lemon grass	T0.05
Lemon verbena (fresh weight)	T0.05
Lettuce, head	0.2
Lettuce, leaf	0.2
Meat (mammalian) (in the fat)	0.01
Milks	*0.001
Milk fats	0.01
Mizuna	T0.5
Parsnip	T0.05
Peppers, sweet	0.01
Pulses	*0.01
Radish	T0.05
Rape seed (canola)	*0.01
Strawberry	T0.1
Swede	T0.05
Sweet corn (corn-on-the-cob)	*0.002
Tomato	0.01
Turnip, garden	T0.05

Agvet chemical: Endosulfan

Permitted residue: Sum of A- and B- endosulfan and endosulfan sulphate

Tea, green, black	10
-------------------	----

Agvet chemical: Endothal	
<i>Permitted residue: Endothal</i>	
Cotton seed	0.1
Potato	0.1

Agvet chemical: Enilconazole	
<i>see Imazalil</i>	

Agvet chemical: Epoxiconazole	
<i>Permitted residue: Epoxiconazole</i>	
Avocado	0.5
Banana	1
Cereal grains	0.05
Edible offal (mammalian)	0.05
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.005
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01
Wheat bran, unprocessed	0.3
Wheat germ	0.2

Agvet chemical: Eprinomectin	
<i>Permitted residue: Eprinomectin B1a</i>	
Cattle, edible offal of	2
Cattle fat	0.5
Cattle milk	0.03
Cattle meat	0.1
Deer, edible offal of	2
Deer meat	0.1

Agvet chemical: EPTC	
<i>Permitted residue: EPTC</i>	
Cereal grains	*0.04
Edible offal (mammalian)	*0.1
Eggs	*0.01
Meat (mammalian)	*0.1
Milks	*0.1
Oilseed	0.1
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Vegetables	*0.04

Agvet chemical: Erythromycin	
<i>Permitted residue: Inhibitory substance, identified as erythromycin</i>	
Edible offal (mammalian)	*0.3
Meat (mammalian)	*0.3
Milks	*0.04
Poultry, edible offal of	*0.3
Poultry meat	*0.3

Agvet chemical: Esfenvalerate	
<i>see Fenvalerate</i>	

Agvet chemical: Ethephon	
<i>Permitted residue: Ethephon</i>	
Apple	1
Banana	T*0.05
Barley	1
Cherries	15
Cotton seed	2
Cotton seed oil, crude	*0.1
Currant, black	1
Edible offal (mammalian)	0.2
Eggs	*0.2
Grapes	10
Kiwifruit	0.1
Macadamia nuts	*0.1
Mandarins	2
Mango	T*0.02
Meat (mammalian)	0.1
Milks	0.1
Nectarine	0.01
Olives	T5
Oranges, sweet, sour	2
Peach	0.5
Pineapple	2
Poultry, edible offal of	*0.2
Poultry meat	*0.1
Sugar cane	0.5
Sugar cane molasses	7
Tomato	2
Walnuts	T5
Wheat	T1

Agvet chemical: Ethion	
<i>Permitted residue: Ethion</i>	
Cattle, edible offal of	2.5
Cattle meat (in the fat)	2.5
Citrus fruits	1
Cotton seed	0.1
Cotton seed oil, crude	0.05
Grapes	2
Milks (in the fat)	0.5
Pome fruits	1
Stone fruits	1
Tea, green, black	5

Agvet chemical: Ethofumesate	
<i>Permitted residue: Ethofumesate</i>	
Beetroot	0.1
Bulb vegetables	*0.1
Chard (silver beet)	1
Edible offal (mammalian)	0.5

Meat (mammalian) (in the fat)	0.5
Milks (in the fat)	0.2
Poppy seed	*0.02
Spinach	T1
Sugar beet	0.1

Agvet chemical: Ethopabate

Permitted residue: Ethopabate

Poultry, edible offal of	15
Poultry meat	5

Agvet chemical: Ethoprophos

Permitted residue: Ethoprophos

Banana	*0.05
Cereal grains	*0.005
Custard apple	*0.02
Litchi	*0.02
Potato	*0.02
Sugar cane	*0.1
Sweet potato	*0.02
Tomato	*0.01

Agvet chemical: Ethoxyquin

Permitted residue: Ethoxyquin

Crustaceans	1
Diadromous fish	1
Edible offal (mammalian)	1
Eggs	0.1
Freshwater fish	1
Marine fish	1
Meat (mammalian)	0.5
Poultry, edible offal of	0.1
Poultry meat (in the fat)	0.5

Agvet chemical: Ethoxysulfuron

Permitted residue—commodities of plant origin: Ethoxysulfuron

Permitted residue—commodities of animal origin: 2-amino-4, 6-dimethoxypyrimidine, expressed as ethoxysulfuron

Edible offal (mammalian)	*0.05
Meat (mammalian)	*0.05
Milks	*0.01
Sugar cane	*0.01

Agvet chemical: Ethyl formate

Permitted residue: Ethyl formate

Dried fruits	1
--------------	---

Agvet chemical: Ethylene dichloride (EDC)

Permitted residue: 1,2-dichloroethane

Cereal grains	*0.1
---------------	------

Agvet chemical: Etoxazole

Permitted residue: Etoxazole

Banana	0.2
Cherries	1
Chervil	T1
Citrus fruits	0.5
Coriander (leaves, roots, stems)	T1
Cotton seed	0.2
Custard apple	T0.1
Dried grapes	1.5
Edible offal (mammalian)	*0.01
Eggs	*0.01
Fruiting vegetables, other than cucurbits	0.05
Fruiting vegetables, cucurbits	T0.1
Grapes	0.5
Herbs	T1
Hops, dry	7
Ivy gourd	T0.1
Meat (mammalian) (in the fat)	*0.02
Milks	*0.01
Mizuna	T1
Papaya	T0.1
Podded pea (young pods) (snow and sugar snap)	T0.1
Pointed gourd	T0.1
Pome fruits	0.2
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.02
Rucola (Rocket)	T1
Stone fruits [except cherries]	0.3
Tea, green, black	15

Agvet chemical: Etridiazole

Permitted residue: Etridiazole

Beetroot	*0.02
Cotton seed	*0.02
Peanut	*0.02
Vegetables [except as otherwise listed under this chemical]	0.2

Agvet chemical: Fenamiphos

Permitted residue: Sum of fenamiphos, its sulfoxide and sulfone, expressed as fenamiphos

Aloe vera	1
Banana	*0.05
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	*0.05
Celery	*0.05
Citrus fruits	*0.05
Edible offal (mammalian)	*0.05
Eggs	*0.05
Fruiting vegetables, cucurbits	*0.05
Ginger, root	*0.05

Grapes	*0.05
Leafy vegetables [except lettuce, head; lettuce, leaf]	*0.05
Lettuce, head	0.2
Lettuce, leaf	0.2
Meat (mammalian)	*0.05
Milks	*0.005
Mushrooms	0.1
Onion, bulb	*0.05
Peanut	*0.05
Pineapple	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Root and tuber vegetables	0.2
Strawberry	0.2
Sugar cane	*0.05
Tomato	0.5

Agvet chemical: Fenarimol

Permitted residue: Fenarimol

Berries and other small fruits [except grapes]	T0.1
Cherries	1
Fruiting vegetables, cucurbits	0.2
Grapes	0.1
Pome fruits	0.2

Agvet chemical: Fenbendazole

Permitted residue: Fenbendazole

Cattle, edible offal of	*0.1
Cattle meat	*0.1
Goat, edible offal of	0.5
Goat meat	0.5
Milks	0.1
Sheep, edible offal of	0.5
Sheep meat	0.5

Agvet chemical: Fenbuconazole

Permitted residue: Fenbuconazole

Banana	0.5
Blueberries	0.3
Cranberry	0.5
Edible offal (mammalian)	0.05
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Nectarine	0.5
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Stone fruits [except nectarine]	1
Wheat	*0.01

Agvet chemical: Fenbutatin oxide

Permitted residue: Bis[tris(2-methyl-2-phenylpropyl)tin]-oxide

Assorted tropical and sub-tropical fruits – inedible peel	5
Berries and other small fruits [except table grapes]	1
Cherries	6
Citrus fruits	5
Citrus peel	30
Dried grapes	T10
Fig	T10
Grapes [except wine grapes]	5
Hops, dry	20
Nectarine	3
Peach	3
Pome fruits	3
Tomato	T2

Agvet chemical: Fenhexamid

Permitted residue: Fenhexamid

Blackberries	T20
Blueberries	5
Chervil	T15
Cloudberry	T20
Coriander (leaves, roots, stems)	T15
Cucumber	T10
Dewberries (including boysenberry, loganberry and youngberry)	T20
Dried grapes	20
Edible offal (mammalian)	2
Grapes	10
Herbs	T15
Kiwifruit	15
Lettuce, head	T50
Lettuce, leaf	T50
Meat (mammalian) (in the fat)	*0.05
Milks	*0.01
Mizuna	T15
Peas (pods and succulent, immature seeds)	T5
Peppers	T30
Raspberries, red, black	T20
Rucola (rocket)	T15
Stone fruits [except plums]	10
Strawberry	10
Tomato	T2

Agvet chemical: Fenitrothion

Permitted residue: Fenitrothion

Apple	0.5
Cabbages, head	0.5
Cacao beans	0.1
Cereal grains	10
Cherries	0.5

Edible offal (mammalian)	*0.05
Eggs	*0.05
Fruit [except as otherwise listed under this chemical]	0.1
Grapes	0.5
Lettuce, head	0.5
Lettuce, leaf	0.5
Meat (mammalian)	T*0.05
Milks (in the fat)	T*0.05
Oilseed	0.1
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Pulses [except soya bean (dry)]	0.1
Rice, polished	0.1
Soya bean (dry)	0.3
Sugar cane	0.02
Tea, green, black	0.5
Tomato	0.5
Tree nuts	0.1
Vegetables [except as otherwise listed under this chemical]	0.1
Wheat bran, unprocessed	20
Wheat germ	20

Agvet chemical: Fenoxaprop-ethyl

Permitted residue: Sum of fenoxaprop-ethyl (all isomers) and 2-(4-(6-chloro-2-benzoxazolyloxy)phenoxy)-propanoate and 6-chloro-2,3-dihydrobenzoxazol-2-one, expressed as fenoxaprop-ethyl

Barley	*0.01
Chick-pea (dry)	*0.01
Edible offal (mammalian)	0.2
Eggs	*0.02
Meat (mammalian)	0.05
Milks	0.02
Poultry, edible offal of	*0.1
Poultry meat	*0.01
Rice	T*0.02
Rye	*0.01
Triticale	*0.01
Wheat	*0.01

Agvet chemical: Fenoxycarb

Permitted residue: Fenoxycarb

Currant, black	T2
Currant, red	T2
Gooseberry	T2
Olive oil, virgin	T3
Olives	T1
Pome fruits	2

Agvet chemical: Fenprothrin

Permitted residue: Fenprothrin

Cherries	5
----------	---

Citrus fruits	2
Grapes	5
Stone fruits [except cherries and peach]	1.4
Tea, green, black	2

Agvet chemical: Fenpyrazamine

Permitted residue: Fenpyrazamine

Dried grapes (currants, raisins and sultanas)	20
Edible offal (mammalian)	*0.01
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.005
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Table grapes	5
Wine grapes	0.05

Agvet chemical: Fenpyroximate

Permitted residue: Fenpyroximate

Apple	0.3
Cherries	2
Citrus fruits	0.6
Grapes	1
Hops, dry	10
Pear	0.3
Strawberry	1
Tea, green, black	0.1

Agvet chemical: Fenthion

Permitted residue: Sum of fenthion, its oxygen analogue, and their sulfoxides and sulfones, expressed as fenthion

Apricot	T0.2
Assorted tropical and sub-tropical fruits – inedible peel	5
Cattle, edible offal of	1
Cattle meat	1
Cherries	T0.4
Citrus fruits	T0.7
Eggs	*0.05
Grapes	T0.2
Melons, except watermelon	T3
Milks	T0.2
Nectarine	T0.25
Olive oil, crude	T0.5
Olives	T0.2
Peach	T0.2
Peppers, chili	T7
Peppers, sweet	T0.5
Persimmon, Japanese	T0.3
Pig, edible offal of	0.5
Pig meat	0.5
Plums	T0.25

Pome fruits	T0.25
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Sheep, edible offal of	0.2
Sheep meat	0.2
Watermelon	T3

Agvet chemical: Fentin

Permitted residue: Fentin hydroxide, excluding inorganic tin and Di- and Mono-phenyltin

Cacao beans	*0.1
Carrot	0.2
Celeriac	0.1
Celery	1
Coffee beans	*0.1
Peanut	*0.05
Pecan	*0.05
Potato	0.1
Rice	*0.1
Sugar beet	0.2

Agvet chemical: Fenvalerate

Permitted residue: Fenvalerate, sum of isomers

Berries and other small fruits	1
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	1
Brassica leafy vegetables	1
Cereal grains	2
Celery	2
Dried grapes	0.5
Edible offal (mammalian)	0.05
Eggs	0.02
Grapes	0.1
Legume vegetables	0.5
Meat (mammalian) (in the fat)	1
Milks	0.2
Oilseed [except peanut]	0.5
Peanut	T0.1
Poultry, edible offal of	*0.02
Poultry meat (in the fat)	0.05
Pulses	0.5
Sweet corn (corn-on-the-cob)	0.05
Tea, green, black	0.05
Tomato	0.2
Wheat bran, unprocessed	5

Agvet chemical: Fipronil

Permitted residue: Sum of fipronil, the sulphenyl metabolite (5-amino-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-4-[(trifluoromethyl)sulphenyl]-1H-pyrazole-3-carbonitrile), the sulphonyl metabolite (5-amino-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-4-[(trifluoromethyl)sulphonyl]-1H-pyrazole-3-carbonitrile), and the trifluoromethyl metabolite (5-amino-4-trifluoromethyl-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-1H-pyrazole-3-carbonitrile)

Asparagus	0.2
Assorted tropical and sub-tropical fruit – inedible peel [except banana; custard apple]	T*0.01
Banana	0.01
Bergamot	T0.1
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	T0.05
Burnet, salad	T0.1
Celery	T0.3
Chervil	T0.1
Citrus fruits	T*0.01
Coriander (leaves, roots, stems)	T0.1
Coriander, seed	T0.1
Cotton seed	*0.01
Cotton seed oil, crude	*0.01
Custard apple	T0.05
Dill, seed	T0.1
Edible offal (mammalian)	0.02
Eggs	0.02
Fennel, seed	T0.1
Ginger, root	*0.01
Grapes [except wine grapes]	T*0.01
Herbs	T0.1
Honey	0.01
Kaffir lime leaves	T0.1
Lemon grass	T0.1
Lemon verbena (fresh weight)	T0.1
Lettuce, head	T0.1
Lettuce, leaf	T0.1
Meat (mammalian) (in the fat)	0.1
Milks	0.01
Mizuna	T0.1
Mushrooms	0.02
Peanut	T*0.01
Peanut oil, crude	T*0.01
Pecan	T*0.01
Peppers, chili	*0.005
Peppers, sweet	T0.1
Pome fruits	T*0.01
Poppy seed	*0.01
Potato	*0.01
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	0.02
Rape seed (canola)	*0.01
Rice	*0.005

Rucola (rocket)	T0.1
Sorghum	0.01
Stone fruits	0.01
Sugar cane	*0.01
Sunflower seed	*0.01
Swede	0.1
Sweet potato	*0.01
Turnip, garden	0.1
Wine grapes	*0.01

Agvet chemical: Flamprop-methyl

Permitted residue: Flamprop-methyl

Edible offal (mammalian)	*0.01
Lupin (dry)	0.05
Meat (mammalian)	*0.01
Milks	*0.01
Safflower seed	*0.05
Triticale	0.05
Wheat	0.05

Agvet chemical: Flamprop-M-methyl

see *Flamprop-methyl*

Agvet chemical: Flavophospholipol

Permitted residue: Flavophospholipol

Cattle fat	*0.01
Cattle kidney	*0.01
Cattle liver	*0.01
Cattle meat	*0.01
Cattle milk	T*0.01
Eggs	*0.02

Agvet chemical: Flonicamid

Permitted residue: Flonicamid [N -(cyanomethyl)-4-(trifluoromethyl)-3-pyridinecarboxamide] and its metabolites TFNA [4-trifluoromethylnicotinic acid], TFNA-AM [4-trifluoromethylnicotinamide] TFNG [N -(4-trifluoromethylnicotinoyl)glycine]

Apple	0.7
Cotton seed	1
Edible offal (mammalian)	*0.02
Eggs	*0.02
Fruiting vegetables, cucurbits	0.7
Hops, dry	7
Meat (mammalian)	*0.02
Milks	*0.02
Potato	0.2
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Stone fruits	0.6

Agvet chemical: Florasulam

Permitted residue: Florasulam

Cereal grains	*0.01
Edible offal (mammalian)	*0.01
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01

Agvet chemical: Florfenicol

Permitted residue: Sum of florfenicol and its metabolites florfenicol alcohol, florfenicol oxamic acid, monochloroflorfenicol and florfenicol amine expressed as florfenicol amine

Cattle kidney	0.5
Cattle liver	3
Cattle meat	0.3
Fish	T0.5
Pig fat/skin	1
Pig kidney	1
Pig liver	3
Pig meat	0.5

Agvet chemical: Fluazifop-p-butyl

Permitted residue: Sum of fluazifop-butyl, fluazifop and their conjugates, expressed as fluazifop

Assorted tropical and sub-tropical fruits – inedible peel [except avocado; banana]	0.05
Avocado	*0.02
Banana	*0.02
Berries and other small fruits	0.2
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	1
Celery	*0.02
Chia	T2
Citrus fruits	*0.02
Coriander (leaves, roots, stems)	T2
Date	T0.2
Edible offal (mammalian)	*0.05
Egg plant	T0.7
Eggs	*0.05
Fruiting vegetables, cucurbits	0.1
Galangal, rhizomes	0.05
Garlic	0.05
Ginger, root	0.05
Herbs	T2
Hops, dry	0.05
Leafy vegetables [except lettuce, head]	T2
Leek	T1
Legume vegetables	0.1
Lettuce, head	0.05
Lotus root	T3
Lupin (dry)	0.1

Meat (mammalian)	*0.05	Eggs	*0.01
Milks	0.1	Fruiting vegetables, cucurbits	0.2
Oilseed	0.5	Fruiting vegetables, other than cucurbits [except sweet corn (corn-on-the-cob)]	2
Onion, bulb	0.05	Grapes	1.4
Onion, Chinese	0.05	Herbs	20
Onion, Welsh	0.05	Leafy vegetables [except lettuce, head]	10
Peppers, sweet	*0.02	Lettuce, head	5
Pome fruits	*0.01	Meat (mammalian) (in the fat)	0.05
Potato	0.05	Milk fats	0.05
Poultry, edible offal of	*0.05	Milks	*0.01
Poultry meat	*0.05	Potato	*0.02
Pulses	0.5	Poultry, edible offal of	*0.01
Root and tuber vegetables [except potato; sweet potato; taro; yam bean; yams]	T1	Poultry meat (in the fat)	*0.01
Shallot	0.05	Root and tuber vegetables [except potato]	0.2
Spring Onion	0.05	Spices	0.02
Stone fruits	0.05	Stalk and stem vegetables	5
Sugar cane	T*0.1	Stone fruits	1.6
Sweet potato	T0.3	Sweet corn (corn-on-the-cob)	T*0.05
Taro	T3	Tea, green, black	0.02
Tea, green, black	T50		
Tomato	0.1		
Turmeric, root	0.05		
Water chestnut	T3		
Yam bean	T3		
Yams	T0.3		
<hr/>			
Agvet chemical: Fluazinam			
<i>Permitted residue: Fluazinam</i>			
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	*0.01		
Pome fruits	*0.01		
Potato	*0.01		
Wine grapes	*0.05		
<hr/>			
Agvet chemical: Fluazuron			
<i>Permitted residue: Fluazuron</i>			
Cattle, edible offal of	0.5		
Cattle meat (in the fat)	7		
<hr/>			
Agvet chemical: Flubendiamide			
<i>Permitted residue—commodities of plant origin: Flubendiamide</i>			
<i>Permitted residue—commodities of animal origin: Sum of flubendiamide and 3-iodo-N-(2-methyl-4-[1,2,2,2-tetrafluoro-1-(trifluoromethyl)ethyl]phenyl)phthalimide, expressed as flubendiamide</i>			
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	5		
Chia	1		
Common bean (pods and/or immature seeds)	T2		
Cotton seed	0.5		
Edible offal (mammalian)	0.03		
<hr/>			
Agvet chemical: Flucythrinate			
<i>Permitted residue: Flucythrinate</i>			
Cotton seed	*0.1		
Cotton seed oil, crude	*0.1		
Edible offal (mammalian)	*0.05		
Eggs	*0.05		
Meat (mammalian)	*0.05		
Milks	*0.05		
Poultry, edible offal of	*0.05		
Poultry meat	*0.05		
<hr/>			
Agvet chemical: Fludioxonil			
<i>Permitted residue—commodities of animal origin: Sum of fludioxonil and oxidisable metabolites, expressed as fludioxonil</i>			
<i>Permitted residue—commodities of plant origin: Fludioxonil</i>			
Apricot	10		
Blackberries	5		
Blueberries	2		
Boysenberry	5		
Broccoli	T*0.01		
Bulb vegetables [except fennel, bulb; garlic; onion, bulb]	T3		
Chestnuts	T1		
Chives	T3		
Citrus fruits	10		
Cloudberry	T5		
Common bean (pods and/or immature seeds)	0.7		
Cotton seed	*0.05		
Cucumber	0.5		

Dewberries (including boysenberry and loganberry) [except boysenberry]	T5
Edible offal (mammalian)	0.1
Egg plant	T0.2
Grapes	2
Kiwifruit	15
Leafy vegetables	10
Maize	*0.02
Mango	3
Meat (mammalian)	0.05
Melons, except watermelon	T0.2
Milks	0.05
Onion, bulb	0.2
Peach	10
Peanut	T*0.01
Peas (pods and succulent, immature seeds)	0.5
Peppers, sweet	2
Pistachio nut	T0.2
Pome fruits	5
Pomegranate	5
Potato	0.02
Rape seed (canola)	*0.01
Raspberries, red, black	5
Sorghum	*0.01
Stone fruits [except apricot; peach]	5
Strawberry	5
Sunflower seed	T*0.02
Sweet corn (corn-on-the-cob)	*0.02
Tomato	T1

Agvet chemical: Flumethrin

Permitted residue: Flumethrin, sum of isomers

Cattle, edible offal of	0.05
Cattle meat (in the fat)	0.2
Honey	T*0.005
Horse, edible offal of	0.1
Horse meat	0.1
Milks	0.05

Agvet chemical: Flumetsulam

Permitted residue: Flumetsulam

Barley	*0.05
Edible offal (mammalian)	0.3
Eggs	*0.1
Garden pea	*0.1
Maize	*0.05
Meat (mammalian)	*0.1
Milks	*0.1
Oats	*0.05
Peanut	*0.05
Poultry, edible offal of	*0.1
Poultry meat	*0.1
Pulses	*0.05
Rye	*0.05

Triticale	*0.05
Wheat	*0.05

Agvet chemical: Flumiclorac pentyl

Permitted residue: Flumiclorac pentyl

Cotton seed	0.1
Edible offal (mammalian)	*0.01
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01

Agvet chemical: Flumioxazin

Permitted residue: Flumioxazin

Cereal grains	*0.05
Edible offal (mammalian)	*0.01
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Oilseed	*0.1
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Pulses	*0.1

Agvet chemical: Flunixin

Permitted residue: Flunixin

Cattle kidney	0.02
Cattle liver	0.02
Cattle meat (in the fat)	0.02

Agvet chemical: Fluometuron

Permitted residue: Sum of fluometuron and 3-trifluoromethylaniline, expressed as fluometuron

Cereal grains	*0.1
Citrus fruits	0.5
Cotton seed	*0.1
Pineapple	*0.1

Agvet chemical: Fluopicolide

Permitted residue: Fluopicolide

Grapes	2
--------	---

Agvet chemical: Fluopyram

Permitted residue—commodities of plant origin: Fluopyram

Permitted residue—commodities of animal origin: Sum of fluopyram and 2-(trifluoromethyl)-benzamide, expressed as fluopyram

Almonds	0.05
Banana	0.1
Cherries	3

Dried grapes (currants, raisins and sultanas)	15
Edible offal (mammalian)	0.2
Grapes	2
Hops, dry	100
Meat (mammalian)	*0.02
Milks	*0.02
Pome fruits	0.5
Stone fruits [except cherries]	2

Agvet chemical: Fluoxastrobin

Permitted residue: Sum of fluoxastrobin and its Z isomer

Cranberry	1.9
-----------	-----

Agvet chemical: Flupropanate

Permitted residue: Flupropanate

Edible offal (mammalian)	*0.1
Meat (mammalian) (in the fat)	*0.1
Milks	0.1

Agvet chemical: Fluquinconazole

Permitted residue: Fluquinconazole

Barley	*0.02
Edible offal (mammalian)	0.2
Eggs	*0.02
Meat (mammalian) (in the fat)	0.5
Milks	*0.02
Pome fruits	0.3
Poultry, edible offal of	*0.02
Poultry meat (in the fat)	*0.02
Rape seed (canola)	*0.01
Wheat	*0.02

Agvet chemical: Fluroxypyr

Permitted residue: Fluroxypyr

Cereal grains	0.2
Edible offal (mammalian) [except kidney]	0.1
Eggs	*0.01
Kidney (mammalian)	1
Meat (mammalian) (in the fat)	0.1
Milks	0.1
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Sugar cane (in the juice)	0.2
Sweet corn (corn-on-the-cob)	0.2

Agvet chemical: Flusilazole

Permitted residue: Flusilazole

Grapes	0.5
Pome fruits	0.2
Sugar cane	*0.02

Agvet chemical: Flutolanil

Permitted residue—commodities of plant origin: Flutolanil

Permitted residue—commodities of animal origin: Flutolanil and metabolites hydrolysed to 2-trifluoromethyl-benzoic acid and expressed as flutolanil

Edible offal (mammalian)	*0.05
Eggs	*0.05
Meat (mammalian) (in the fat)	*0.05
Milks	*0.05
Potato	0.05
Poultry, edible offal of	*0.05
Poultry meat (in the fat)	*0.05

Agvet chemical: Flutriafol

Permitted residue: Flutriafol

Barley	0.2
Cereal grains [except as otherwise listed under this chemical]	*0.02
Edible offal (mammalian)	0.5
Eggs	*0.05
Garden pea (young pods)	*0.01
Meat (mammalian)	*0.05
Milks	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Rape seed (canola)	*0.02
Stone fruits	1.5
Sugar cane	*0.01

Agvet chemical: Fluvalinate

Permitted residue: Fluvalinate, sum of isomers

Apple	0.1
Asparagus	0.2
Cauliflower	0.5
Cotton seed	0.1
Honey	T*0.01
Stone fruits	0.05
Table grapes	0.05
Tomato	0.5

Agvet chemical: Fluxapyroxad

Permitted residue: Fluxapyroxad

All other foods	0.1
Barley	3
Barley bran, unprocessed	0.5
Blackberries	5
Blueberries	7
Brassica leafy vegetables	4
Bulb vegetables	1.5
Dried grapes (currants, raisins and sultanas)	5.7

Edible offal (mammalian)	0.03	Leafy vegetables [except rucola (rocket); spinach]	T0.2
Eggs	0.005	Peach	1
Fruiting vegetables, cucurbits	0.5	Pineapple	5
Fruiting vegetables, other than cucurbits [except mushrooms; sweet corn (corn-on-the-cob)]	0.6	Rucola (rocket)	T0.7
Grapes [except dried grapes]	2	Spinach	T0.7
Mango	0.5	Stone fruits [except cherries; peach]	T1
Meat (mammalian) (in the fat)	0.05	<hr/>	
Milk fats	0.1	Agvet chemical: Furathiocarb	
Milks	0.005	see <i>Carbofuran</i>	
Oilseed [except cotton; peanut]	0.9	<i>Residues arising from the use of furathiocarb are covered by MRLs for carbofuran</i>	
Oranges, sweet, sour	0.2	<hr/>	
Pecan	0.06	Agvet chemical: Glufosinate and Glufosinate-ammonium	
Peppers, chili (dry)	6	<i>Permitted residue: Sum of glufosinate-ammonium, N-acetyl glufosinate and 3-[hydroxy(methyl)-phosphinoyl] propionic acid, expressed as glufosinate (free acid)</i>	
Pome fruits	0.8	<hr/>	
Poultry, edible offal of	*0.01	Assorted tropical and sub-tropical fruits – inedible peel	0.2
Poultry meat (in the fat)	*0.01	Berries and other small fruits	0.1
Prunes	5	Cereal grains	*0.1
Pulses [except soya bean (dry)]	0.4	Citrus fruits	0.1
Raspberries, red, black	5	Coffee beans	T*0.05
Rice [except rice bran, unprocessed; rice hulls]	5	Cotton seed	3
Rice bran, unprocessed	8.5	Date	T0.1
Rice hulls	15	Edible offal (mammalian)	5
Root and tuber vegetables [except sugar beet]	0.9	Eggs	*0.05
Rye	3	Hops, dry	T1
Sorghum	3	Lemon myrtle	T20
Soya bean (dry)	0.3	Maize	0.2
Soya bean (immature seeds)	0.15	Meat (mammalian)	0.1
Stone fruits [except prunes]	3	Milks	*0.05
Strawberry	4	Native foods [except lemon myrtle]	T0.1
Sugar beet	0.15	Oilseed [except cotton seed; rape seed (canola)]	*0.1
Sugar cane	3	Olives	*0.1
Wheat	0.3	Peppers, sweet (capsicum)	*0.05
<hr/>		Podded pea (young pods) (snow and sugar snap)	T1
Agvet chemical: Forchlorfenuron		Pome fruits	*0.1
<i>Permitted residue: Forchlorfenuron</i>		Poultry, edible offal of	*0.1
Blueberries	T*0.01	Poultry meat	*0.05
Grapes	0.03	Pulses [except soya bean (dry)]	*0.1
Kiwifruit	T*0.01	Rape seed (canola)	5
Mango	T*0.01	Saffron	T*0.05
Plums (including prunes)	T*0.01	Soya bean (dry)	2
Prunes	T*0.01	Stone fruits	*0.05
<hr/>		Sugar cane	T*0.2
Agvet chemical: Fosetyl		Tomato	*0.05
<i>Permitted residue: Fosetyl</i>		Tea, green, black	T20
Apple	1	Tree nuts	0.1
Avocado	5	<hr/>	
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	T0.1		
Citrus fruits	5		
Durian	T5		
Fruiting vegetables, other than cucurbits	T0.02		

Agvet chemical: Glyphosate

Permitted residue: Sum of glyphosate and Aminomethylphosphonic acid (AMPA) metabolite, expressed as glyphosate

Adzuki bean (dry)	10
Avocado	*0.05
Babaco	*0.05
Banana	0.2
Barley	10
Berries and other small fruits	*0.05
Bulb vegetables	*0.1
Cereal grains [except barley; maize; sorghum; wheat]	T*0.1
Citrus fruits	0.5
Coffee beans	T0.2
Cotton seed	15
Cotton seed oil, crude	*0.1
Cowpea (dry)	10
Custard apple	*0.05
Date	T2
Edible offal (mammalian)	2
Eggs	*0.05
Fig	*0.05
Fruiting vegetables, cucurbits	*0.1
Fruiting vegetables, other than cucurbits	*0.1
Guar bean (dry)	10
Guava	*0.05
Hops, dry	*0.1
Kiwifruit	*0.05
Leafy vegetables	*0.1
Legume vegetables	*0.1
Lemon myrtle	T20
Linseed	T5
Litchi	0.2
Maize	5
Mango	*0.05
Meat (mammalian)	*0.1
Milks	*0.1
Monstero	*0.05
Mung bean (dry)	10
Native foods [except lemon myrtle]	T2
Oilseed [except cotton seed; peanut; poppy seed; linseed; rape seed (canola); sunflower seed]	T*0.1
Olives	*0.1
Papaya (pawpaw)	*0.05
Passionfruit	3
Peanut	*0.1
Persimmon, American	*0.05
Persimmon, Japanese	*0.05
Pome fruits	*0.05
Poppy seed	T20
Poultry, edible offal of	1
Poultry meat	*0.1

Pulses [except adzuki bean (dry); cowpea (dry); guar bean (dry); mung bean (dry); soya bean (dry)]	5
Rape seed (canola)	20
Rollinia	*0.05
Root and tuber vegetables	*0.1
Saffron	T*0.05
Sorghum	15
Soya bean (dry)	20
Stalk and stem vegetables	*0.01
Stone fruits	0.2
Sugar cane	T0.3
Sugar cane molasses	T5
Sunflower seed	T20
Tea, green, black	2
Tree nuts	0.2
Wheat	5
Wheat bran, unprocessed	20

Agvet chemical: Guazatine

Permitted residue: Guazatine

Citrus fruits	5
Melons, except watermelon	10
Tomato	5

Agvet chemical: Halauxifen-methyl

Permitted residue—commodities of plant origin: Halauxifen-methyl

Permitted residue—commodities of animal origin: 4-Amino-3-chloro-6-(4-chloro-2-fluoro-3-hydroxyphenyl)-pyridine-2-carboxylic acid, expressed as halauxifen-methyl

Cereal grains	*0.01
Edible offal (mammalian)	0.01
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01

Agvet chemical: Halofuginone

Permitted residue: Halofuginone

Cattle fat	0.025
Cattle kidney	0.03
Cattle liver	0.03
Cattle muscle	0.01

Agvet chemical: Halosulfuron-methyl

Permitted residue: Halosulfuron-methyl

Cotton seed	*0.05
Edible offal (mammalian)	0.2
Maize	*0.05
Meat (mammalian)	*0.01
Milks	*0.01

Poultry, edible offal of	*0.01
Poultry meat	*0.01
Sorghum	*0.05
Sugar cane	*0.05

Agvet chemical: Haloxyfop

Permitted residue: Sum of haloxyfop, its esters and conjugates, expressed as haloxyfop

Assorted tropical and sub-tropical fruits – inedible peel	*0.05
Berries and other small fruits	*0.05
Chia	T3
Citrus fruits	*0.05
Cotton seed	0.1
Cotton seed oil, crude	0.2
Edible offal (mammalian)	0.5
Eggs	*0.01
Garlic	T0.05
Guar bean (dry)	T2
Leafy vegetables [except mizuna]	T0.5
Linola seed	0.1
Linseed	0.1
Meat (mammalian) (in the fat)	0.02
Milks	0.02
Mizuna	T0.5
Onion, bulb	T*0.05
Peanut	0.05
Persimmon, Japanese	*0.05
Pome fruits	*0.05
Poultry, edible offal of	0.05
Poultry meat (in the fat)	*0.01
Pulses	0.1
Rape seed (canola)	0.1
Stone fruits	*0.05
Sugar cane	T0.03
Sunflower seed	*0.05
Tree nuts	*0.05

Agvet chemical: Hexaconazole

Permitted residue: Hexaconazole

Apple	0.1
Grapes	0.05
Pear	0.1

Agvet chemical: Hexazinone

Permitted residue: Hexazinone

Blueberries	0.6
Edible offal (mammalian)	*0.1
Eggs	*0.05
Meat (mammalian)	*0.1
Milks	*0.05
Pineapple	1
Poultry, edible offal of	*0.05
Poultry meat	*0.05

Sugar cane	*0.1
------------	------

Agvet chemical: Hexythiazox

Permitted residue: Hexythiazox

Berries and other small fruits	1
Fruiting vegetables, cucurbits	T0.05
Fruiting vegetables, other than cucurbits [except mushrooms; sweet corn (corn-on-the-cob)]	T1
Hops, dry	2
Peas	T*0.05
Pome fruits	1
Potato	T*0.02
Stone fruits	1
Tea, green, black	4

Agvet chemical: Hydrogen phosphide

see Phosphine

Agvet chemical: Imazalil

Permitted residue: Imazalil

Chicken, edible offal of	*0.01
Chicken meat	*0.01
Citrus fruits	10
Eggs	*0.01
Melons, except watermelon	10
Mushrooms	T1
Onion, bulb	0.05
Pome fruits	5
Potato	5

Agvet chemical: Imazamox

Permitted residue: Imazamox

Adzuki bean (dry)	T*0.05
Barley	*0.05
Broad bean (dry) (fava beans)	T*0.05
Edible offal (mammalian)	*0.05
Field pea (dry)	*0.05
Lentil (dry)	0.25
Meat (mammalian)	*0.05
Milks	*0.05
Peanut	*0.05
Poppy seed	T*0.05
Rape seed (canola)	*0.05
Rice	0.05
Soya bean (dry)	0.1
Sunflower seed	0.3
Wheat	*0.05

Agvet chemical: Imazapic

Permitted residue: Sum of imazapic and its hydroxymethyl derivative

Edible offal (mammalian)	*0.05
--------------------------	-------

Eggs	*0.01	Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	0.5
Maize	0.1	Broad bean (dry)	*0.05
Meat (mammalian) (in the fat)	*0.05	Burdock, greater	T0.05
Milks	*0.01	Burnet, Salad	T5
Peanut	*0.1	Cereal grains [except maize; popcorn; sorghum]	*0.05
Poultry, edible offal of	*0.01	Celery	0.3
Poultry meat	*0.01	Citrus fruits	2
Rape seed (canola)	*0.05	Common bean (dry) (navy bean)	T1
Rice	0.05	Common bean (pods and/or immature seeds)	T1
Sugar cane	0.1	Coriander (leaves, roots, stems)	T5
Wheat	*0.05	Coriander, seed	T5
<hr/>		Cotton seed	*0.02
Agvet chemical: Imazapyr		Cranberry	0.05
<i>Permitted residue: Imazapyr</i>		Date	T1
<hr/>		Dill, seed	T5
Barley	*0.05	Edible offal (mammalian)	0.2
Edible offal (mammalian)	*0.05	Eggs	*0.02
Lentil (dry)	0.2	Fennel, bulb	T0.1
Meat (mammalian) (in the fat)	*0.05	Fennel, seed	T5
Maize	0.1	Field pea (dry)	*0.05
Milks	*0.01	Fruiting vegetables, cucurbits	0.2
Poppy seed	T*0.05	Fruiting vegetables, other than cucurbits [except sweet corn (corn-on- the-cob)]	0.5
Rape seed (canola)	*0.05	Galangal, Greater	T0.05
Rice	0.05	Garlic	T0.5
Sugar cane	0.05	Ginger, Japanese	T5
Sunflower seed	0.05	Ginger, root	T0.3
Wheat	*0.05	Grapes	1
<hr/>		Hazelnuts	T*0.01
Agvet chemical: Imazethapyr		Herbs	T5
<i>Permitted residue: Imazethapyr</i>		Hops, dry	T10
<hr/>		Kaffir lime leaves	T5
Edible offal (mammalian)	*0.1	Leafy vegetables [except lettuce, head]	20
Eggs	*0.1	Lemon balm	T5
Legume vegetables	*0.1	Lemon grass	T5
Maize	*0.05	Lemon verbena (fresh weight)	T5
Meat (mammalian)	*0.1	Lentil (dry)	0.2
Milks	*0.1	Lettuce, head	5
Peanut	*0.1	Lupin (dry)	0.2
Poultry, edible offal of	*0.1	Maize	0.05
Poultry meat	*0.1	Meat (mammalian)	0.05
Pulses	*0.1	Milks	0.05
<hr/>		Peanut	T0.5
Agvet chemical: Imidacloprid		Persimmon, Japanese	T1
<i>Permitted residue: Sum of imidacloprid and metabolites containing the 6- chloropyridinylmethylene moiety, expressed as imidacloprid</i>		Popcorn	0.05
<hr/>		Potato	0.3
Apple	0.3	Poultry, edible offal of	*0.02
Assorted tropical and sub-tropical fruits – inedible peel [except banana]	T1	Poultry meat	*0.02
Banana	0.5	Radish, Japanese	T0.05
Beetroot	T0.05	Rape seed (canola)	*0.05
Bergamot	T5	Rhubarb	T0.2
Berries and other small fruits [except blueberries; cranberry; grapes; strawberry]	5	Rose and dianthus (edible flowers)	T5
Blueberries	T0.1	Sorghum	*0.02

Spices [except coriander (leaves, roots, stems); coriander seed; dill seed; fennel seed; ginger root]	0.05	Peppers, sweet	0.5
Stone fruits	0.5	Pome fruits	2
Strawberry	0.5	Poultry (edible offal of)	*0.01
Sugar cane	*0.05	Poultry meat (in the fat)	*0.01
Sunflower seed	*0.02	Pulses	0.2
Sweet corn (corn-on-the-cob)	*0.05	Rape seed (canola)	T*0.05
Sweet potato	0.3	Rucola (rocket)	T20
Taro	T0.05	Safflower seed	T0.5
Teas (tea and herb teas)	T10	Stone fruits [except cherries]	2
Tree tomato	T2	Sunflower seed	T1
Yam bean	T0.05	Tomato	T0.5
Yams	T0.05		
Agvet chemical: Imidocarb (dipropionate salt)		Agvet chemical: Inorganic bromide	
<i>Permitted residue: Imidocarb</i>		<i>Permitted residue: Bromide ion</i>	
Cattle, edible offal of	5	Avocado	75
Cattle meat	1	Cereal grains	50
Cattle milk	0.2	Citrus fruits	30
		Dates, dried	100
		Dried fruits [except as otherwise listed under this chemical]	30
		Dried grapes	100
		Dried herbs	400
		Dried peach	50
		Figs, dried	250
		Fruit [except as otherwise listed under this chemical]	20
		Peppers, sweet	50
		Prunes	20
		Spices	400
		Strawberry	30
		Vegetables [except as otherwise listed under this chemical]	20
Agvet chemical: Indoxacarb		Agvet chemical: Iodosulfuron methyl	
<i>Permitted residue: Sum of indoxacarb and its R-isomer</i>		<i>Permitted residue: Iodosulfuron methyl</i>	
Asparagus	T1	Barley	*0.01
Berries and other small fruits [except grapes]	T1	Edible offal (mammalian)	*0.01
Brassica (cole or cabbage) vegetables, head cabbages and Flowerhead brassicas	2	Eggs	*0.01
Celery	T5	Meat (mammalian) (in the fat)	*0.01
Cherries	T2	Milks	*0.01
Chervil	T10	Poultry, edible offal of	*0.01
Chia	T0.5	Poultry meat (in the fat)	*0.01
Coriander (leaves, roots, stems)	T20	Wheat	*0.01
Cotton seed	1		
Dried grapes	2	Agvet chemical: Ioxynil	
Edible offal (mammalian) [except kidney]	*0.01	<i>Permitted residue: Ioxynil</i>	
Egg plant	0.5	Garlic	*0.02
Eggs	*0.01	Leek	T2
Grapes	2	Onion, bulb	*0.02
Herbs	T20	Onion, Welsh	T10
Kidney (mammalian)	0.2	Shallot	T10
Leafy vegetables [except chervil; lettuce, head; mizuna; rucola]	5	Spring onion	T10
Lemon balm	T10	Sugar cane	*0.02
Lettuce, head	3		
Linseed	T0.5		
Meat (mammalian) (in the fat)	1		
Mexican tarragon	T20		
Milk fats	1		
Milks	0.1		
Mizuna	T10		
Olives	T0.2		
Peanut	T0.02		

Agvet chemical: Ipconazole	
<i>Permitted residue: Ipconazole</i>	
Cereal grains	*0.01
Edible offal (mammalian)	*0.01
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01

Agvet chemical: Iprodione	
<i>Permitted residue: Iprodione</i>	
Almonds	*0.02
Beans [except broad bean; soya bean]	T2
Beetroot	T0.1
Berries and other small fruits [except grapes]	12
Brassica leafy vegetables	15
Broad bean (green pods and immature seeds)	0.2
Broccoli	T*0.05
Brussels sprouts	0.5
Cabbages, head	T*0.05
Carrot	T0.5
Cauliflower	T*0.05
Celeriac	T0.7
Celery	2
Chard (silver beet)	T15
Edible offal (mammalian)	*0.1
Egg plant	T1
Garlic	T10
Grapes	20
Kiwifruit	10
Lettuce, head	5
Lettuce, leaf	5
Lupin (dry)	*0.1
Macadamia nuts	*0.01
Mandarins	T5
Meat (mammalian)	*0.1
Milks	*0.1
Onion, bulb	T0.7
Passionfruit	10
Peanut	0.05
Peanut oil, crude	0.05
Peppers	T3
Pistachio nut	T*0.05
Pome fruits	3
Potato	*0.05
Rape seed (canola)	0.5
Soya bean (dry)	0.05
Spinach	T5
Stone fruits	10
Tangelo, large-sized cultivars	T5
Tomato	2

Agvet chemical: Isoeugenol	
<i>Permitted residue: Isoeugenol, sum of cis- and trans- isomers</i>	
Diadromous fish (whole commodity)	100
Freshwater fish (whole commodity)	100
Marine fish (whole commodity)	100

Agvet chemical: Isoxaben	
<i>Permitted residue: Isoxaben</i>	
Assorted tropical and sub-tropical fruits – edible peel	*0.01
Assorted tropical and sub-tropical fruits – inedible peel	*0.01
Barley	*0.01
Citrus fruits	*0.01
Edible offal (mammalian)	*0.01
Eggs	*0.01
Grapes	*0.01
Hops, dry	*0.1
Meat (mammalian)	*0.01
Milks	*0.01
Pome fruits	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Stone fruits	*0.01
Tree nuts	*0.01
Triticale	*0.01
Wheat	*0.01

Agvet chemical: Isoxaflutole	
<i>Permitted residue: Sum of isoxaflutole and 2-cyclopropylcarbonyl-3-(2-methylsulfonyl-4-trifluoromethylphenyl)-3-oxopropanenitrile, expressed as isoxaflutole</i>	
Cereal grains	*0.02
Chick-pea (dry)	*0.02
Edible offal (mammalian)	0.1
Eggs	*0.05
Meat (mammalian)	*0.05
Milks	*0.05
Poppy seed	*0.02
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Soya bean (dry)	0.05

Agvet chemical: Ivermectin	
<i>Permitted residue: H₂B_{1a}</i>	
Cattle kidney	*0.01
Cattle liver	0.1
Cattle meat (in the fat)	0.04
Cattle milk	0.05
Deer kidney	*0.01
Deer liver	*0.01
Deer meat (in the fat)	*0.01

Horse, edible offal of	*0.01
Horse meat	*0.01
Pig kidney	*0.01
Pig liver	*0.01
Pig meat (in the fat)	0.02
Sheep kidney	*0.01
Sheep liver	0.015
Sheep meat (in the fat)	0.02

Agvet chemical: Ketoprofen

Permitted residue: Ketoprofen

Cattle, edible offal of	*0.05
Cattle meat	*0.05
Cattle milk	*0.05

Agvet chemical: Kitasamycin

Permitted residue: Inhibitory substance, identified as kitasamycin

Eggs	*0.2
Pig, edible offal of	*0.2
Pig meat	*0.2

Agvet chemical: Kresoxim-methyl

Permitted residue—commodities of plant origin: Kresoxim-methyl

Permitted residue—commodities of animal origin: Sum of a-(p-hydroxy-o-tolyloxy)-o-tolyl (methoxyimino) acetic acid and (E)-methoxyimino[a-(o-tolyloxy)-o-tolyl]acetic acid, expressed as kresoxim-methyl

Asparagus	0.05
Barley	0.1
Beetroot	0.05
Berries and other small fruits	1.5
Chard (beet leaves)	0.05
Coffee beans	0.05
Cotton seed	0.05
Dried grapes (currants, raisins and sultanas)	2
Edible offal (mammalian)	0.05
Egg plant	0.6
Fruiting vegetables, cucurbits	0.4
Egg plant	0.6
Garlic	0.3
Ginseng (dried)	1
Grape leaves	15
Grapefruit	0.5
Leek	5
Mammalian fats [except milk fats]	0.05
Meat (mammalian)	0.05
Milks	0.05
Oats	0.1
Olive oil, virgin	0.7
Olives	0.2
Onion, bulb	0.3

Oranges, sweet, sour	0.5
Pear	5
Pecan	0.15
Peppers, sweet	1
Pome fruits [except pear]	0.2
Potato	0.1
Poultry meat	0.05
Rice	0.02
Rye	0.1
Shallot	0.3
Soya bean (dry)	0.05
Sugar beet	0.05
Sunflower seed	0.1
Tea, green, black	15
Tomato	0.6
Turnip, garden	0.05
Wheat	0.1

Agvet chemical: Lambda-cyhalothrin

see Cyhalothrin

Agvet chemical: Lasalocid

Permitted residue: Lasalocid

Cattle milk	*0.01
Edible offal (mammalian)	0.7
Eggs	*0.05
Meat (mammalian)	*0.05
Poultry, edible offal of	0.4
Poultry fat/skin	1
Poultry meat	*0.1

Agvet chemical: Levamisole

Permitted residue: Levamisole

Edible offal (mammalian)	1
Eggs	1
Goat milk	0.1
Meat (mammalian)	0.1
Milks [except goat milk]	0.3
Poultry, edible offal of	0.1
Poultry meat	0.1

Agvet chemical: Lincomycin

Permitted residue: Inhibitory substance, identified as lincomycin

Cattle milk	*0.02
Edible offal (mammalian) [except sheep, edible offal of]	0.2
Eggs	0.2
Goat milk	*0.1
Meat (mammalian) [except sheep meat]	0.2
Poultry, edible offal of	0.1
Poultry meat	0.1

Agvet chemical: Lindane	
<i>Permitted residue: Lindane</i>	
Pineapple	0.5
Agvet chemical: Linuron	
<i>Permitted residue: Sum of linuron plus 3,4-dichloroaniline, expressed as linuron</i>	
Celeriac	T0.5
Celery	*0.05
Cereal grains	*0.05
Chervil	T1
Coriander (leaves, roots, stems)	T1
Coriander, seed	0.2
Edible offal (mammalian)	1
Eggs	*0.05
Herbs	T1
Leek	*0.02
Lemon grass	T1
Lemon verbena (dry leaves)	T1
Meat (mammalian)	*0.05
Milks	*0.05
Mizuna	T1
Parsnip	T0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Rucola (rocket)	T1
Turmeric, root	T*0.05
Vegetables [except celeriac; celery; leek; parsnip]	*0.05
Agvet chemical: Lufenuron	
<i>Permitted residue: Lufenuron</i>	
Cotton seed	T0.2
Cotton seed oil, crude	T0.5
Edible offal (mammalian)	T*0.01
Eggs	T0.05
Meat (mammalian) (in the fat)	T1
Milks	T0.2
Poultry, edible offal of	T*0.01
Poultry meat (in the fat)	T1
Agvet chemical: Maduramicin	
<i>Permitted residue: Maduramicin</i>	
Poultry, edible offal of	1
Poultry meat	0.1
Agvet chemical: Magnesium phosphide	
<i>see Phosphine</i>	
Agvet chemical: Malathion	
<i>see Maldison</i>	

Agvet chemical: Maldison	
<i>Permitted residue: Maldison</i>	
Beans (dry)	8
Cauliflower	0.5
Cereal grains	8
Chard (silver beet)	0.5
Citrus fruits	4
Currant, black	T2
Dried fruits	8
Edible offal (mammalian)	1
Egg plant	0.5
Eggs	1
Fruit [except citrus fruits; currant, black; dried fruits; grapes; pear; strawberry]	2
Garden pea	0.5
Grapes	8
Kale	3
Kohlrabi	0.5
Lentil (dry)	8
Meat (mammalian) (in the fat)	1
Milks (in the fat)	1
Oilseed [except peanut]	T10
Onion, Welsh	T0.1
Peanut	8
Pear	0.5
Peppers, sweet	0.5
Poultry, edible offal of	1
Poultry meat (in the fat)	1
Root and tuber vegetables	0.5
Shallot	T0.1
Spring onion	T0.1
Strawberry	1
Tomato	3
Tree nuts	8
Turnip, garden	0.5
Vegetables [except beans (dry); cauliflower; chard (silver beet); egg plant; garden pea; kale; kohlrabi; lentil (dry); onion, Welsh; peppers, sweet; root and tuber vegetables; shallot; spring onion; tomato; turnip, garden]	2
Wheat bran, unprocessed	20
Agvet chemical: Maleic hydrazide	
<i>Permitted residue: Sum of free and conjugated maleic hydrazide, expressed as maleic hydrazide</i>	
Carrot	T40
Garlic	15
Onion, bulb	15
Potato	50
Agvet chemical: Mancozeb	
<i>see Dithiocarbamates</i>	

Agvet chemical: Mandipropamid	
<i>Permitted residue: Mandipropamid</i>	
Dried grapes (currants, raisins and sultanas)	2
Edible offal (mammalian)	*0.01
Eggs	*0.01
Grapes	2
Hops, dry	50
Leafy vegetables	T20
Meat (mammalian) (in the fat)	*0.01
Milks	*0.01
Poppy seed	*0.01
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01

Agvet chemical: MCPA	
<i>Permitted residue: MCPA</i>	
Cereal grains	*0.02
Edible offal (mammalian)	*0.05
Eggs	*0.05
Field pea (dry)	*0.05
Meat (mammalian)	*0.05
Milks	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Rhubarb	*0.02

Agvet chemical: MCPB	
<i>Permitted residue: MCPB</i>	
Cereal grains	*0.02
Edible offal (mammalian)	*0.05
Eggs	*0.05
Legume vegetables	*0.02
Meat (mammalian)	*0.05
Milks	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Pulses	*0.02

Agvet chemical: Mebendazole	
<i>Permitted residue: Mebendazole</i>	
Edible offal (mammalian)	*0.02
Meat (mammalian)	*0.02
Milks	0.02

Agvet chemical: Mefenpyr-diethyl	
<i>Permitted residue—commodities of plant origin: Sum of mefenpyr-diethyl and metabolites hydrolysed to 1-(2,4-dichlorophenyl)-5-methyl-2-pyrazoline-3,5-dicarboxylic acid, and 1-(2,4-dichlorophenyl)-5-methyl-pyrazole-3-carboxylic acid, expressed as mefenpyr-diethyl</i>	
<i>Permitted residue—commodities of animal origin: Sum of mefenpyr-diethyl and 1-(2,4-dichlorophenyl)-5-ethoxycarbonyl-5-methyl-2-pyrazoline-3-carboxylic acid, expressed as mefenpyr-diethyl</i>	
Cereal grains	*0.01
Edible offal (mammalian)	*0.05
Eggs	*0.01
Meat (mammalian)	*0.05
Milks	*0.01
Poultry, edible offal of	*0.05
Poultry meat	*0.05

Agvet chemical: Meloxicam	
<i>Permitted residue: Meloxicam</i>	
Cattle kidney	0.2
Cattle liver	0.1
Cattle meat	*0.01
Cattle milk	0.005
Pig fat/skin	0.1
Pig kidney	*0.01
Pig liver	*0.01
Pig meat	0.02

Agvet chemical: Mepanipyrim	
<i>Permitted residue: Mepanipyrim</i>	
Strawberry	2

Agvet chemical: Mepiquat	
<i>Permitted residue: Mepiquat</i>	
Cotton seed	1
Cotton seed oil, crude	0.2
Edible offal (mammalian)	0.1
Eggs	0.05
Meat (mammalian)	0.1
Milks	0.05
Poultry, edible offal of	0.1
Poultry meat	0.1

Agvet chemical: Mesosulfuron-methyl	
<i>Permitted residue: Mesosulfuron-methyl</i>	
Edible offal (mammalian)	*0.01
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01

Wheat	*0.02
-------	-------

Agvet chemical: Metaflumizone

Permitted residue: Sum of metaflumizone, its E and Z isomers and its metabolite 4-{2-oxo-2-[3-(trifluoromethyl) phenyl]ethyl}-benzotrile expressed as metaflumizone

Citrus fruits	0.04
Grapes	0.04
Tree nuts	0.04

Agvet chemical: Metalaxyl

Permitted residue: Metalaxyl

Asparagus	0.05
Avocado	0.5
Beetroot	T*0.01
Beetroot leaves	T0.1
Berries and other small fruits [except grapes]	T0.5
Bulb vegetables	0.1
Cereal grains	*0.1
Chives	2
Coriander (leaves, roots, stems)	2
Durian	T0.5
Edible offal (mammalian)	*0.05
Eggs	*0.05
Fruiting vegetables, cucurbits	0.2
Ginger, root	0.5
Grapes	1
Herbs [except chives; thyme]	T0.3
Kaffir lime leaves	T0.3
Leafy vegetables	0.3
Lemon grass	T0.3
Lemon verbena (dry leaves)	T0.3
Macadamia nuts	1
Meat (mammalian)	*0.05
Milks	*0.01
Papaya (pawpaw)	*0.01
Peppers	T0.1
Pineapple	0.1
Podded pea (young pods) (snow and sugar snap)	T0.1
Pome fruits	0.2
Poppy seed	*0.02
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Rose and dianthus (edible flowers)	T0.3
Spices	*0.1
Stone fruits	0.2
Thyme	T0.5
Turmeric, root	T0.1

Vegetables [except asparagus; beetroot; bulb vegetables [alliums]; fruiting vegetables, cucurbits; leafy vegetables; peppers; podded pea (young pods) (snow and sugar snap peas)]	T0.1
---	------

Agvet chemical: Metalaxyl-M

see *Metalaxyl*

Agvet chemical: Metaldehyde

Permitted residue: Metaldehyde

Cereal grains	1
Fruit	1
Herbs	1
Oilseed	1
Pulses	1
Spices	1
Teas (tea and herb teas)	1
Vegetables	1

Agvet chemical: Metconazole

Permitted residue: Metconazole

Potato	0.04
Stone fruits	0.2
Sweet potato	0.04

Agvet chemical: Methabenzthiazuron

Permitted residue: Methabenzthiazuron

Garlic	T*0.05
Leek	T*0.05
Onion, bulb	*0.05
Onion, Welsh	T0.2
Shallot	T0.2
Spring onion	T0.2

Agvet chemical: Metham

see *Dithiocarbamates*

Agvet chemical: Metham-sodium

see *Metham*

Agvet chemical: Methamidophos

Permitted residue: Methamidophos

see also *Acephate*

Banana	0.2
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	1
Celery	2
Citrus fruits	0.5
Cotton seed	0.1
Cucumber	0.5

Edible offal (mammalian)	*0.01	Pulses	0.1
Egg plant	1	Root and tuber vegetables	*0.01
Hops, dry	5	Stone fruits	*0.01
Leafy vegetables [except lettuce, head; lettuce, leaf]	T1	Strawberry	*0.01
Lettuce, head	1	Tomato	0.1
Lettuce, leaf	1	Vegetable oils, edible	0.1
Lupin (dry)	0.5	Vegetables [except garlic; lettuce, head; lettuce, leaf; onion, bulb; root and tuber vegetables]	0.1
Meat (mammalian)	*0.01		
Milks	*0.01		
Peach	1		
Peanut	*0.02		
Peppers, sweet	2		
Potato	0.25		
Rape seed (canola)	0.1		
Soya bean (dry)	0.1		
Sugar beet	0.05		
Tomato	2		
Tree tomato (tamarillo)	*0.01		

Agvet chemical: Methidathion

Permitted residue: Methidathion

Apple	0.2
Avocado	0.5
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	0.1
Cereal grains	*0.01
Citrus fruits [except mandarins]	2
Coffee beans	T1
Custard apple	0.2
Date	T*0.01
Dates, dried or dried and candied	T*0.01
Eggs	*0.05
Fruiting vegetables, other than cucurbits	0.1
Garlic	*0.01
Grapes	0.5
Legume vegetables	0.1
Lettuce, head	1
Lettuce, leaf	1
Litchi	T0.1
Longan	0.1
Macadamia nuts	*0.01
Mandarins	5
Mango	2
Meat (mammalian) (in the fat)	0.5
Milks (in the fat)	0.5
Oilseed	1
Olive oil, crude	T2
Olives	T1
Onion, bulb	*0.01
Passionfruit	0.2
Pear	0.2
Persimmon, Japanese	0.5
Poultry, edible offal of	*0.05
Poultry meat	*0.05

Agvet chemical: Methiocarb

Permitted residue: Sum of methiocarb, its sulfoxide and sulfone, expressed as methiocarb

Citrus fruits	0.1
Fruit [except as otherwise listed under this chemical]	T0.1
Grapes	0.5
Vegetables	0.1
Wine	0.1

Agvet chemical: Methomyl

Permitted residue: Methomyl

Apple	1
Avocado	*0.1
Beetroot	1
Blackberries	2
Blueberries	2
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	2
Cassava	T1
Celery	3
Cereal grains	*0.1
Chard	T2
Cherries	2
Chia	T1
Citrus fruits	1
Coffee beans	T1
Coriander (leaves, roots, stems)	T10
Cotton seed	*0.1
Dried grapes	*0.05
Edible offal (mammalian)	0.05
Eggs	*0.02
Fig	T0.7
Fruiting vegetables, cucurbits	0.1
Fruiting vegetables, other than cucurbits	1
Ginger, root	*0.1
Grapes	2
Guava	3
Herbs	T10
Hops, dry	0.5
Leafy vegetables [except chard; lettuce, head; lettuce, leaf]	1
Legume vegetables	1
Lettuce, head	2
Lettuce, leaf	2

Linseed	*0.1	Edible offal (mammalian)	*0.01
Macadamia nuts	T1	Fruiting vegetables, other than cucurbits [except sweet corn (corn-on-the-cob)]	3
Meat (mammalian)	0.05	Grapes	2
Milks	0.05	Herbs	T20
Mints	0.5	Kiwifruit	2
Nectarine	1	Lettuce, head	T30
Onion, Welsh	T2	Lettuce, leaf	T30
Peach	1	Litchi	2
Peanut	*0.05	Longan	2
Pear	3	Macadamia nuts	0.05
Persimmon, American	T0.2	Meat (mammalian) (in the fat)	*0.01
Persimmon, Japanese	T0.2	Mexican tarragon	T20
Plantago ovata seed	0.05	Milks	*0.01
Poppy seed	*0.05	Persimmon, American	1
Potato	1	Persimmon, Japanese	1
Poultry, edible offal of	*0.02	Plums (including prunes)	0.3
Poultry meat	*0.02	Pome fruits	0.5
Pulses	1	Rucola (rocket)	T20
Radish	T1	Stone fruits [except plums (including prunes)]	3
Rape seed (canola)	0.5	Sweet corn (corn-on-the-cob)	T0.02
Sesame seed	*0.1		
Shallot	T2		
Spring onion	T2		
Strawberry	3		
Sunflower seed	*0.1		
Swede	T1		
Sweet corn (corn-on-the-cob)	0.1		
Sweet potato	T1		
Taro	T1		
Tree tomato (tamarillo)	T1		
Turnip, garden	T1		
<hr/>			
Agvet chemical: Methoprene			
<i>Permitted residue: Methoprene, sum of cis- and trans-isomers</i>			
Cattle milk	0.1		
Cereal grains	2		
Edible offal (mammalian)	*0.01		
Meat (mammalian) (in the fat)	0.3		
Wheat bran, unprocessed	5		
Wheat germ	10		
<hr/>			
Agvet chemical: Methoxyfenozide			
<i>Permitted residue: Methoxyfenozide</i>			
Almonds	T0.2		
Avocado	0.5		
Blueberries	2		
Citrus fruits	3		
Coffee beans	0.2		
Coriander (leaves, roots, stems)	T20		
Cotton seed	3		
Cranberry	0.5		
Cucumber	T2		
Custard apple	0.3		
Dried grapes	6		
<hr/>			
Agvet chemical: Methyl benzoate			
<i>Permitted residue: Methyl benzoate</i>			
Poultry, edible offal of	0.1		
Poultry meat	0.1		
<hr/>			
Agvet chemical: Methyl bromide			
<i>Permitted residue: Methyl bromide</i>			
Cereal grains	50		
Cucumber	*0.05		
Dried fruits	*0.05		
Fruit [except jackfruit, litchi; mango; papaya]	T*0.05		
Herbs	*0.05		
Jackfruit	*0.05		
Litchi	*0.05		
Mango	*0.05		
Papaya (pawpaw)	*0.05		
Peppers, sweet	*0.05		
Spices	*0.05		
Vegetables [except cucumber; peppers, sweet]	T*0.05		
<hr/>			
Agvet chemical: Methyl isothiocyanate			
<i>Permitted residue: Methyl isothiocyanate</i>			
Barley	T0.1		
Rape seed (canola)	T0.1		
Wheat	T0.1		

Agvet chemical: Metiram	
see <i>Dithiocarbamates</i>	

Agvet chemical: Metolachlor	
<i>Permitted residue: Metolachlor</i>	

Adzuki bean (dry)	T*0.05
Bergamot	T*0.05
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	*0.02
Brassica leafy vegetables	*0.01
Burnet, salad	T*0.05
Celeriac	T*0.2
Celery	T0.05
Cereal grains [except maize; sorghum]	*0.02
Chard (silver beet)	T*0.01
Chervil	T*0.05
Coriander (leaves, stems)	T*0.05
Coriander, roots	T0.5
Coriander, seed	T*0.05
Cotton seed	*0.01
Dill, seed	T*0.05
Edible offal (mammalian)	*0.05
Eggs	*0.01
Fennel, seed	T*0.05
Fruiting vegetables, cucurbits	*0.05
Galangal, Greater	T0.5
Herbs	T*0.05
Kaffir lime leaves	T*0.05
Lemon grass	T*0.05
Lemon verbena (dry leaves)	T*0.05
Maize	0.1
Meat (mammalian)	*0.05
Milks	*0.05
Mizuna	T*0.05
Mung bean (dry)	T*0.05
Onion, Welsh	*0.01
Peanut	*0.05
Potato	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Pulses [except adzuki bean (dry); mung bean (dry); soya bean (dry)]	*0.01
Rape seed (canola)	*0.02
Rhubarb	*0.05
Rose and dianthus (edible flowers)	T*0.05
Rucola (rocket)	T*0.05
Safflower seed	*0.05
Shallot	*0.01
Sorghum	*0.05
Soya bean (dry)	*0.05
Spinach	T*0.01
Spring onion	*0.01
Sugar cane	*0.05
Sunflower seed	*0.05
Sweet corn (kernels)	0.1

Sweet potato	*0.2
Tomato	T*0.01
Turmeric, root	T0.5

Agvet chemical: Metosulam	
<i>Permitted residue: Metosulam</i>	

Cereal grains	*0.02
Edible offal (mammalian)	*0.01
Eggs	*0.01
Lupin (dry)	*0.02
Meat (mammalian)	*0.01
Milks	*0.01
Poppy seed	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01

Agvet chemical: Metrafenone	
<i>Permitted residue: Metrafenone</i>	

Dried grapes (currants, raisins and sultanas)	3
Edible offal (mammalian)	*0.05
Eggs	*0.05
Fruiting vegetables, cucurbits	0.2
Grapes	4.5
Meat (mammalian) (in the fat)	*0.05
Milks	*0.01
Poultry, edible offal of	*0.05
Poultry meat (in the fat)	*0.05

Agvet chemical: Metribuzin	
<i>Permitted residue: Metribuzin</i>	

Asparagus	0.2
Cereal grains	*0.05
Edible offal (mammalian)	*0.05
Eggs	*0.05
Meat (mammalian)	*0.05
Milks	*0.05
Peas [except peas, shelled]	T*0.05
Peas, shelled	*0.05
Potato	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Pulses [except soya bean (dry)]	*0.01
Rape seed (canola)	*0.02
Root and tuber vegetables [except potato]	T*0.05
Soya bean (dry)	*0.05
Sugar cane	*0.02
Sugar cane molasses	0.1
Tomato	0.1

Agvet chemical: Metsulfuron-methyl	
<i>Permitted residue: Metsulfuron-methyl</i>	
Cereal grains	*0.02
Chick-pea (dry)	T*0.05
Edible offal (mammalian)	*0.1
Linseed	*0.02
Meat (mammalian)	*0.1
Milks	*0.1
Poppy seed	*0.01
Safflower seed	*0.02

Agvet chemical: Mevinphos	
<i>Permitted residue: Mevinphos</i>	
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	0.3
Edible offal (mammalian)	*0.05
Meat (mammalian)	*0.05
Milks	*0.05

Agvet chemical: Milbemectin	
<i>Permitted residue: Sum of milbemycin MA₃ and milbemycin MA₄ and their photoisomers, milbemycin (Z) 8,9-MA₃ and (Z) 8,9Z-MA₄</i>	
Edible offal (mammalian)	*0.002
Fruiting vegetables, other than cucurbits	0.02
Meat (mammalian) (in the fat)	*0.002
Milk fats	*0.0005
Milks	*0.0005
Pome fruits	0.02
Stone fruits	0.1
Strawberry	0.2

Agvet chemical: Molinate	
<i>Permitted residue: Molinate</i>	
Rice	*0.05

Agvet chemical: Monensin	
<i>Permitted residue: Monensin</i>	
Cattle, edible offal of	*0.05
Cattle meat	*0.05
Cattle milk	*0.01
Goat, edible offal of	*0.05
Goat meat	*0.05
Poultry, edible offal of	*0.5
Poultry meat (in the fat)	*0.5
Sheep fat	0.07
Sheep kidney	0.015
Sheep liver	0.2
Sheep muscle	0.005

Agvet chemical: Monepantel	
<i>Permitted residue: Monepantel</i>	
Sheep fat	7
Sheep, kidney	2
Sheep muscle	0.7
Sheep, liver	5

Agvet chemical: Morantel	
<i>Permitted residue: Morantel</i>	
Cattle, edible offal of	2
Goat, edible offal of	2
Meat (mammalian)	0.3
Milks	*0.1
Pig, edible offal of	5
Sheep, edible offal of	2

Agvet chemical: Moxidectin	
<i>Permitted residue: Moxidectin</i>	
Cattle, edible offal of	0.5
Cattle meat (in the fat)	1
Cattle milk (in the fat)	2
Deer meat (in the fat)	1
Deer, edible offal of	0.2
Sheep, edible offal of	0.05
Sheep meat (in the fat)	0.5

Agvet chemical: MSMA	
<i>Permitted residue: Total arsenic, expressed as MSMA</i>	
Sugar cane	0.3

Agvet chemical: Myclobutanil	
<i>Permitted residue: Myclobutanil</i>	
Asparagus	T0.02
Blackberries	2
Boysenberry	2
Cherries	5
Chervil	T2
Coriander (leaves, roots, stems)	T2
Grapes	1
Herbs	T2
Mizuna	T2
Pome fruits	0.5
Raspberries, red, black	2
Rucola (rocket)	T2
Stone fruits [except cherries]	2
Strawberry	2

Agvet chemical: Naled	
<i>Permitted residue: Sum of naled and dichlorvos, expressed as Naled</i>	
Cotton seed	T*0.02

Edible offal (mammalian)	T*0.05
Meat (mammalian)	T*0.05
Milks	T*0.05

Agvet chemical: Naphthalene acetic acid

Permitted residue: 1-Naphthalene acetic acid

Apple	1
Pear	1
Pineapple	1
Rambutan	T*0.05

Agvet chemical: Naphthalophos

Permitted residue: Naphthalophos

Sheep, edible offal of	*0.01
Sheep meat	*0.01

Agvet chemical: Napropamide

Permitted residue: Napropamide

Almonds	*0.1
Berries and other small fruits	*0.1
Stone fruits	*0.1
Tomato	*0.1

Agvet chemical: Narasin

Permitted residue: Narasin

Cattle, edible offal of	0.05
Cattle meat	0.05
Poultry, edible offal of	0.1
Poultry meat	0.1

Agvet chemical: Neomycin

Permitted residue: Inhibitory substance, identified as neomycin

Eggs	T0.5
Fats (mammalian) [except milk fats]	T0.5
Kidney of cattle, goats, pigs and sheep	T10
Liver of cattle, goats, pigs and sheep	T0.5
Meat (mammalian)	T0.5
Milks	T1.5
Poultry kidney	T10
Poultry liver	T0.5
Poultry meat	T0.5

Agvet chemical: Netobimin

see *Albendazole*

Agvet chemical: Nicarbazin

Permitted residue: 4,4'-dinitrocarbanilide (DNC)

Chicken fat/skin	10
Chicken kidney	20
Chicken liver	35

Chicken muscle	5
----------------	---

Agvet chemical: Nitrothal-isopropyl

Permitted residue: Nitrothal-isopropyl

Apple	1
-------	---

Agvet chemical: Nitroxynil

Permitted residue: Nitroxynil

Cattle, edible offal of	1
Cattle meat	1
Cattle milk	T0.5
Goat, edible offal of	1
Goat meat	1
Sheep, edible offal of	1
Sheep meat	1

Agvet chemical: Norflurazon

Permitted residue: Norflurazon

Asparagus	0.05
Citrus fruits	0.2
Cotton seed	0.1
Grapes	0.1
Pome fruits	*0.2
Stone fruits	*0.2
Tree nuts	*0.2

Agvet chemical: Norgestomet

Permitted residue: Norgestomet

Edible offal (mammalian)	*0.0001
Meat (mammalian)	*0.0001

Agvet chemical: Novaluron

Permitted residue: Novaluron

Cranberry	0.45
Cotton seed	T1
Cotton seed oil, crude	T2
Pome fruits	T1

Agvet chemical: Novobiocin

Permitted residue: Novobiocin

Cattle, edible offal of	*0.1
Cattle meat	*0.1
Cattle milk	*0.1

Agvet chemical: ODB

Permitted residue: 1,2-dichlorobenzene

Sheep, edible offal of	*0.01
Sheep meat (in the fat)	*0.01

Agvet chemical: Olaquinox	
<i>Permitted residue: Sum of olaquinox and all metabolites which reduce to 2-(N-2-hydroxyethylcarbamoyl)-3-methyl quinoxalone, expressed as olaquinox</i>	
Pig, edible offal of	0.3
Pig meat	0.3
Poultry, edible offal of	0.3
Poultry meat	0.3

Agvet chemical: Oleandomycin	
<i>Permitted residue: Oleandomycin</i>	
Edible offal (mammalian)	*0.1
Meat (mammalian)	*0.1

Agvet chemical: Omethoate	
<i>Permitted residue: Omethoate</i>	
see also <i>Dimethoate</i>	
Cereal grains	*0.05
Edible offal (mammalian)	*0.05
Eggs	*0.05
Fruit	2
Lupin (dry)	0.1
Meat (mammalian)	*0.05
Milks	*0.05
Oilseed	*0.05
Peppers, sweet	1
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Tomato	1
Vegetables [except as otherwise listed under this chemical]	2

Agvet chemical: OPP	
see <i>2-phenylphenol</i>	

Agvet chemical: Oryzalin	
<i>Permitted residue: Oryzalin</i>	
Cereal grains	*0.01
Coffee beans	T0.1
Fruit	0.1
Garlic	T*0.05
Ginger, root	T*0.05
Rape seed (canola)	*0.05
Tree nuts	0.1

Agvet chemical: Oxabetrinil	
<i>Permitted residue: Oxabetrinil</i>	
Edible offal (mammalian)	*0.1
Eggs	*0.1
Meat (mammalian)	*0.1
Milks	*0.05

Poultry, edible offal of	*0.1
Poultry meat	*0.1

Agvet chemical: Oxadixyl	
<i>Permitted residue: Oxadixyl</i>	
Fruiting vegetables, cucurbits	0.5
Grapes	2
Lettuce, head	1
Lettuce, leaf	1
Onion, bulb	0.5

Agvet chemical: Oxamyl	
<i>Permitted residue: Sum of oxamyl and 2-hydroxyimino-N,N-dimethyl-2-(methylthio)-acetamide, expressed as oxamyl</i>	
Banana	0.2
Cereal grains	*0.02
Edible offal (mammalian)	*0.02
Eggs	*0.02
Meat (mammalian)	*0.02
Milks	*0.02
Onion, Welsh	T0.5
Peppers, sweet	1
Poultry, edible offal of	*0.02
Poultry fats	*0.02
Poultry meat	*0.02
Shallot	T0.5
Spring onion	T0.5
Sweet potato	T0.5
Tomato	*0.05

Agvet chemical: Oxfendazole	
<i>Permitted residue: Oxfendazole</i>	
Edible offal (mammalian)	3
Meat (mammalian)	*0.1
Milks	0.1

Agvet chemical: Oxycarboxin	
<i>Permitted residue: Oxycarboxin</i>	
Beans [except broad bean; soya bean]	5
Blueberries	T10
Broad bean (green pods and immature seeds)	5

Agvet chemical: Oxyclozanide	
<i>Permitted residue: Oxyclozanide</i>	
Cattle, edible offal of	2
Cattle meat	0.5
Goat, edible offal of	2
Goat meat	0.5
Milks	0.05
Sheep, edible offal of	2
Sheep meat	0.5

Agvet chemical: Oxydemeton-methyl	
<i>Permitted residue: Sum of oxydemeton-methyl and demeton-S-methyl sulphone, expressed as oxydemeton-methyl</i>	
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	0.5
Cotton seed	*0.01
Cotton seed oil, crude	*0.01
Edible offal (mammalian)	*0.01
Eggs	*0.01
Lupin (dry)	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01

Agvet chemical: Oxyfluorfen	
<i>Permitted residue: Oxyfluorfen</i>	
Assorted tropical and sub-tropical fruits – inedible peel	*0.01
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	*0.05
Bulb vegetables	*0.05
Cereal grains	*0.05
Coffee beans	T0.05
Cotton seed	*0.05
Edible offal (mammalian)	*0.01
Eggs	0.05
Grapes	0.05
Meat (mammalian) (in the fat)	*0.01
Milks	*0.01
Olives	1
Pome fruits	0.05
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	0.2
Stone fruits	0.05
Tree nuts	0.05

Agvet chemical: Oxytetracycline	
<i>Permitted residue: Inhibitory substance, identified as oxytetracycline</i>	
Fish	T0.2
Honey	0.3
Kidney of cattle, goats, pigs and sheep	0.6
Liver of cattle, goats, pigs and sheep	0.3
Meat (mammalian)	0.1
Milks	0.1
Poultry, edible offal of	0.6
Poultry meat	0.1

Agvet chemical: Oxythioquinox	
<i>Permitted residue: Oxythioquinox</i>	
Fruiting vegetables, cucurbits	0.5

Pome fruits	0.5
Stone fruits	0.5

Agvet chemical: Paclobutrazol	
<i>Permitted residue: Paclobutrazol</i>	
Assorted tropical and sub-tropical fruits – inedible peel [except avocado; mango]	*0.01
Avocado	0.1
Barley	T0.1
Broccoli	T*0.01
Mango	T1
Pome fruits	1
Potato	T*0.01
Stone fruits	*0.01
Tomato	T*0.01
Wheat	T0.1

Agvet chemical: Paraquat	
<i>Permitted residue: Paraquat cation</i>	
Anise myrtle leaves	T0.5
Cassava	T*0.05
Cereal grains [except as otherwise listed under this chemical]	*0.05
Cotton seed	0.2
Cotton seed oil, edible	0.05
Edible offal (mammalian)	0.5
Eggs	*0.01
Fruit [except olives]	*0.05
Hops, dry	0.2
Lemon myrtle leaves	T0.5
Maize	0.1
Meat (mammalian)	*0.05
Milks	*0.01
Native pepper (<i>Tasmania lanceolata</i>) leaves	T0.5
Olives	1
Peanut	*0.01
Peanut, whole	*0.01
Potato	0.2
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Pulses	1
Rice	10
Rice, polished	0.5
Sugar cane	*0.05
Tea, green, black	T0.5
Tree nuts	*0.05
Vegetables [except as otherwise listed under this chemical]	*0.05

Agvet chemical: Pebulate	
<i>Permitted residue: Pebulate</i>	
Fruiting vegetables, other than cucurbits	*0.1

Agvet chemical: Penconazole	
<i>Permitted residue: Penconazole</i>	
Brussels sprouts	0.05
Grapes	0.1
Herbs	0.05
Pome fruits	0.1
Spices	0.1
Tea, green, black	0.1

Agvet chemical: Pencycuron	
<i>Permitted residue: Pencycuron</i>	
Potato	0.05

Agvet chemical: Pendimethalin	
<i>Permitted residue: Pendimethalin</i>	
Artichoke, globe	0.05
Asparagus	0.15
Assorted tropical and sub-tropical fruits – inedible peel	*0.05
Barley	*0.05
Berries and other small fruits	*0.05
Brassica leafy vegetables	0.2
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	*0.05
Bulb vegetables	*0.05
Citrus fruits	*0.05
Coffee beans	T*0.01
Date	T*0.05
Edible offal (mammalian)	*0.01
Eggs	*0.01
Herbs	*0.05
Hops, dry	*0.1
Leafy vegetables [except brassica leafy vegetables; lettuce, leaf]	*0.05
Legume vegetables	*0.05
Lettuce, leaf	4
Maize	*0.05
Meat (mammalian)	*0.01
Melons, including watermelon	0.1
Milk	*0.01
Oilseed	*0.05
Olives	*0.05
Pome fruits	*0.05
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Pulses	*0.05
Rice	*0.05
Root and tuber vegetables	*0.05
Sorghum	0.1
Stone fruits	*0.05
Sugar cane	*0.05
Sweet corn (corn-on-the-cob)	*0.05
Tomato	*0.05
Tree nuts	*0.05

Wheat	*0.05
-------	-------

Agvet chemical: Penflufen	
<i>Permitted residue: Penflufen</i>	
Cereal grains	*0.01
Cotton seed	T*0.01
Edible offal (mammalian)	*0.01
Eggs	*0.01
Meat (mammalian) (in the fat)	*0.01
Milks	*0.01
Milk fats	*0.01
Potato	*0.01
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01
Rape seed (canola)	*0.01

Agvet chemical: Penthioopyrad	
<i>Permitted residue—commodities of plant origin: Penthioopyrad</i>	
<i>Permitted residue—commodities of animal origin: Sum of penthiopyrad and 1-methyl-3-(trifluoromethyl)-1H-pyrazol-4-ylcarboxamide, expressed as penthiopyrad</i>	
Brassica leafy vegetables	70
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	7
Cranberry	3
Edible offal (mammalian)	*0.01
Eggs	*0.01
Fruiting vegetables, cucurbits	1
Fruiting vegetables, other than cucurbits	5
Leafy vegetables [except brassica leafy vegetables; lettuce, head]	50
Lettuce, head	10
Meat (mammalian)	*0.01
Milks	*0.01
Onion, bulb	1
Onion, Welsh	5
Pome fruits	0.5
Potato	0.1
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Root and tuber vegetables [except potato]	2
Shallot	5
Spring onion	5
Stone fruits	5
Strawberry	5
Tree nuts	0.1

Agvet chemical: Permethrin*Permitted residue: Permethrin, sum of isomers*

Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas [except Brussels sprouts]	1
Brussels sprouts	2
Celery	5
Cereal grains	2
Cherries	4
Common bean (dry) (navy bean)	0.1
Common bean (pods and/or immature seeds)	0.5
Coriander (leaves, roots, stems)	30
Cotton seed	0.2
Edible offal (mammalian)	0.5
Eggs	0.1
Fruiting vegetables, cucurbits	0.2
Galangal, rhizomes	T5
Herbs	30
Kaffir lime leaves	30
Kiwifruit	2
Leafy vegetables [except lettuce, head; lettuce, leaf]	T5
Lemon balm	30
Lemon grass	30
Lemon verbena	T5
Lettuce, head	5
Lettuce, leaf	5
Linseed	0.1
Lupin (dry)	0.1
Meat (mammalian) (in the fat)	1
Milks	0.05
Mung bean (dry)	0.1
Mushrooms	2
Nectarine	2
Peach	1
Peas	1
Peppers, chili (dry)	10
Potato	0.05
Poultry meat (in the fat)	0.1
Rape seed (canola)	0.2
Rhubarb	1
Soya bean (dry)	0.1
Sugar cane	*0.1
Sunflower seed	0.2
Sweet corn (corn-on-the-cob)	*0.05
Tea, green, black	0.1
Tomato	0.4
Turmeric, root	T5
Wheat bran, unprocessed	5
Wheat germ	2

Agvet chemical: Phenmedipham*Permitted residue—commodities of plant origin: Phenmedipham**Permitted residue—commodities of animal origin: 3-methyl-N-(3-hydroxyphenyl)carbamate*

Beetroot	0.5
Chard (silver beet)	2
Edible offal (mammalian)	*0.1
Leafy vegetables [except chard (silver beet)]	T1
Meat (mammalian)	*0.1
Milks	*0.1
Radicchio	T1

Agvet chemical: Phenothrin*Permitted residue: Sum of phenothrin (+)cis- and (+)trans-isomers*

Edible offal (mammalian)	*0.5
Eggs	*0.5
Meat (mammalian)	*0.5
Milks	*0.05
Wheat	2
Wheat bran, unprocessed	5
Wheat germ	5

Agvet chemical: 2-Phenylphenol*Permitted residue: Sum of 2-phenylphenol and 2-phenylphenate, expressed as 2-phenylphenol*

Carrot	20
Cherries	3
Citrus fruits	10
Cucumber	10
Melons, except watermelon	10
Nectarine	3
Peach	20
Pear	25
Peppers, sweet	10
Pineapple	10
Plums (including prunes)	15
Sweet potato	15
Tomato	10

Agvet chemical: Phorate*Permitted residue: Sum of phorate, its oxygen analogue, and their sulfoxides and sulfones, expressed as phorate*

Cotton seed	0.5
Edible offal (mammalian)	*0.05
Eggs	*0.05
Meat (mammalian)	*0.05
Milks	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Vegetables	0.5

Agvet chemical: Phosmet		Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas [except flowerhead brassicas]	T1
<i>Permitted residue: Sum of phosmet and its oxygen analogue, expressed as phosmet</i>		Bulb vegetables	T10
Blueberries	10	Citrus fruits	100
Cattle, edible offal of	1	Coriander (leaves, roots, stems)	T150
Cattle meat (in the fat)	1	Edible offal (mammalian)	5
Cereal grains	*0.05	Flowerhead brassicas	50
Cranberry	10	Fruiting vegetables, cucurbits	T100
Goat, edible offal of	*0.05	Fruiting vegetables, other than cucurbits	T100
Goat meat	*0.05	Galangal, rhizomes	T100
Grapes	10	Ginger, root	T100
Kiwifruit	15	Herbs	T150
Lemon	5	Kaffir lime leaves	T150
Mandarins	5	Leafy vegetables	T150
Milks (in the fat)	0.2	Lemon balm	T150
Pig, edible offal of	0.1	Lemon grass	T150
Pig meat	0.1	Lemon myrtle leaves	T1000
Pome fruits	1	Lemon verbena	T150
Sheep, edible offal of	*0.05	Meat (mammalian)	1
Sheep meat	*0.05	Peach	100
Stone fruits	1	Peas, shelled	T100
Agvet chemical: Phosphine		Poppy seed	1
<i>Permitted residue: All phosphides, expressed as hydrogen phosphide (phosphine)</i>		Rhubarb	T100
Assorted tropical and sub-tropical fruits – edible peel	T*0.01	Riberry	T1000
Cereal grains	*0.1	Root and tuber vegetables	T100
Dried foods [except as otherwise listed under this chemical]	*0.01	Rose and dianthus (edible flowers)	T150
Dried fruits	*0.01	Stone fruits [except cherries; peach]	T100
Dried vegetables	*0.01	Tree nuts	T1000
Honey	*0.01	Turmeric, root	T100
Melons, except watermelon	T*0.01	Agvet chemical: Picloram	
Oilseed	*0.01	<i>Permitted residue: Picloram</i>	
Peanut	*0.01	Cereal grains	0.2
Pome fruits	T*0.01	Edible offal (mammalian)	5
Pulses	*0.01	Meat (mammalian)	*0.05
Seed for beverages	T*0.01	Milks	*0.05
Spices	*0.01	Sugar cane	*0.01
Stone fruits	T*0.01	Agvet chemical: Picolinafen	
Sugar cane	*0.01	<i>Permitted residue—commodities of plant origin: Picolinafen</i>	
Tree nuts	*0.01	<i>Permitted residue—commodities of animal origin: Sum of picolinafen and 6-[3-trifluoromethyl phenoxy]-2-pyridine carboxylic acid</i>	
Agvet chemical: Phosphorous acid		Cereal grains	*0.02
<i>Permitted residue: Phosphorous acid</i>		Edible offal (mammalian)	0.05
Anise myrtle leaves	T1000	Eggs	*0.01
Assorted tropical and sub-tropical fruits – inedible peel [except avocado]	T100	Field pea (dry)	*0.02
Avocado	T500	Lupin (dry)	*0.02
Berries and other small fruits [except riberry]	T50	Meat (mammalian) (in the fat)	*0.02
		Milks	*0.01
		Poultry, edible offal of	*0.02
		Poultry meat (in the fat)	*0.02

Agvet chemical: Pinoxaden		Mizuna	T30
<i>Permitted residue: Sum of free and conjugated M4 metabolite, 8-(2,6-diethyl-4-hydroxymethylphenyl)-tetrahydro-pyrazolo [1,2-d][1,4,5] oxadiazepine-7,9-dione, expressed as Pinoxaden</i>		Mung bean (dry)	T0.5
Barley	0.1	Onion, Welsh	T7
Edible offal (mammalian)	*0.02	Peppers	1
Eggs	*0.02	Poultry, edible offal of	*0.1
Meat (mammalian)	*0.02	Poultry meat	*0.1
Milks	*0.01	Pulses [except adzuki bean (dry), mung bean (dry); soya bean (dry)]	T*0.01
Poultry, edible offal of	*0.02	Rape seed (canola)	0.2
Poultry meat	*0.02	Shallot	T7
Wheat	0.1	Soya bean (dry)	T0.5
Wheat bran, unprocessed	0.5	Spices	*0.05
Agvet chemical: Piperonyl butoxide		Spring onion	T7
<i>Permitted residue: Piperonyl butoxide</i>		Strawberry	3
Cattle milk	0.05	Sweet corn (corn-on-the-cob)	T0.1
Cereal bran, unprocessed	40	Tree nuts	T*0.05
Cereal grains	20	Vegetables [except adzuki bean (dry); celeriac; celery; leafy vegetables; lupin (dry); mung bean (dry); onion, Welsh; shallot; soya bean (dry); spring onion; sweet corn (corn-on-the-cob)]	1
Dried fruits	8	Agvet chemical: Pirimiphos-methyl	
Dried vegetables	8	<i>Permitted residue: Pirimiphos-methyl</i>	
Edible offal (mammalian)	0.1	Barley	7
Eggs	*0.1	Cereal bran, unprocessed	20
Fruit	8	Edible offal (mammalian)	*0.05
Meat (mammalian)	0.1	Eggs	*0.05
Oilseed	8	Maize	7
Poultry, edible offal of	*0.5	Meat (mammalian)	*0.05
Poultry meat (in the fat)	*0.5	Milks	*0.05
Tree nuts	8	Millet	10
Vegetables	8	Oats	7
Wheat germ	50	Peanut	5
Agvet chemical: Pirimicarb		Peanut oil, edible	15
<i>Permitted residue: Sum of pirimicarb, demethyl-pirimicarb and the N-formyl-(methylamino) analogue (demethylformamido-pirimicarb), expressed as pirimicarb</i>		Poultry, edible offal of	*0.05
Adzuki bean (dry)	T0.5	Poultry meat	*0.05
Celeriac	0.1	Rice	10
Celery	T15	Rice, husked	2
Cereal grains	*0.02	Rice, polished	1
Coriander (leaves, roots, stems)	T20	Rye	10
Cotton seed	0.05	Sorghum	10
Cotton seed oil, crude	T0.1	Triticale	10
Edible offal (mammalian)	*0.1	Wheat	10
Eggs	*0.1	Wheat germ	30
Fruit [except strawberry]	0.5	Agvet chemical: Praziquantel	
Herbs	T20	<i>Permitted residue: Praziquantel</i>	
Hops, dry	0.5	Sheep, edible offal of	*0.05
Leafy vegetables [except mizuna]	T30	Sheep meat	*0.05
Lemon balm	T20	Agvet chemical: Procaine penicillin	
Meat (mammalian)	*0.1	<i>Permitted residue: Inhibitory substance, identified as procaine penicillin</i>	
Milks	*0.1	Edible offal (mammalian)	*0.1

Meat (mammalian)	*0.1
Milks	*0.0025

Agvet chemical: Prochloraz

Permitted residue: Sum of prochloraz and its metabolites containing the 2,4,6-trichlorophenol moiety, expressed as prochloraz

Avocado	5
Banana	5
Custard apple	T2
Lettuce, head	2
Litchi	T1
Mandarins	T10
Mango	5
Mushrooms	3
Papaya (pawpaw)	5
Pineapple	2
Pistachio nut	T0.5
Sugar cane	*0.05

Agvet chemical: Procymidone

Permitted residue: Procymidone

Adzuki bean (dry)	T0.2
Bergamot	T3
Broad bean (dry)	T10
Broad bean (green pods and immature seeds)	T10
Burnet, Salad	T3
Chervil	T2
Chick-pea (dry)	T0.5
Common bean (dry) (navy bean)	T10
Common bean (pods and/or immature seeds)	T3
Coriander (leaves, roots, stems)	T3
Coriander, seed	T3
Dill, seed	T3
Edible offal (mammalian)	T0.05
Eggs	T*0.01
Fennel, bulb	T1
Fennel, seed	T3
Galangal, Greater	T0.5
Garlic	T5
Herbs	T3
Kaffir lime leaves	T3
Lemon grass	T3
Lemon verbena (fresh weight)	T3
Lentil (dry)	0.5
Lupin (dry)	T*0.01
Meat (mammalian) (in the fat)	T0.2
Milks	T0.02
Mizuna	T2
Onion, bulb	T0.2
Peppers	T2
Pome fruits	T1
Potato	T0.1

Poultry, edible offal of	T*0.01
Poultry meat (in the fat)	T0.1
Rape seed (canola)	T1
Rape seed oil, crude	T2
Root and tuber vegetables [except potato]	T1
Rose and dianthus (edible flowers)	T3
Rucola (rocket)	T2
Snow pea	T5
Spinach	T2
Strawberry	*0.02
Stone fruits	T10
Turmeric, root (fresh)	T0.5
Wine grapes	T2

Agvet chemical: Profenofos

Permitted residue: Profenofos

Cattle milk	*0.01
Cotton seed	1
Cotton seed oil, edible	0.3
Edible offal (mammalian)	*0.05
Eggs	*0.02
Mangosteen	5
Meat (mammalian)	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05

Agvet chemical: Profoxydim

Permitted residue: Sum of profoxydim and all metabolites converted to dimethyl-3-(3-thianyl)glutarate-S-dioxide after oxidation and treatment with acidic methanol, expressed as profoxydim

Edible offal (mammalian)	0.5
Eggs	*0.05
Meat (mammalian)	*0.05
Milks	*0.01
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Rice	0.05

Agvet chemical: Prohexadione-calcium

Permitted residue: Sum of the free and conjugated forms of prohexadione expressed as prohexadione

Apple	*0.02
Cherries	0.4
Edible offal (mammalian)	*0.05
Meat (mammalian)	*0.05
Milks	*0.01

Agvet chemical: Prometryn

Permitted residue: Prometryn

Adzuki bean (dry)	T*0.1
Cattle milk	*0.05

Cereal grains	*0.1
Coriander (leaves, roots, stems)	T1
Coriander, seed	T1
Cotton seed	*0.1
Edible offal (mammalian)	*0.05
Meat (mammalian)	*0.05
Peanut	*0.1
Sunflower seed	*0.1
Turmeric, root	T*0.01
Vegetables	*0.1

Agvet chemical: Propachlor

Permitted residue: Sum of propachlor and metabolites hydrolysable to N-isopropylaniline, expressed as propachlor

Beetroot	*0.05
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	0.6
Brassica leafy vegetables	T*0.05
Cereal grains [except sorghum]	0.05
Chard	T*0.02
Edible offal (mammalian)	0.1
Eggs	*0.02
Garlic	2.5
Leek	*0.02
Lettuce, head	*0.02
Lettuce, leaf	*0.02
Meat (mammalian) (in the fat)	*0.02
Milks	*0.02
Onion, bulb	2.5
Onion, Welsh	T1
Poultry, edible offal of	*0.02
Poultry meat (in the fat)	*0.02
Radish	*0.02
Rucola (rocket)	T*0.05
Shallot	T1
Spring onion	T1
Swede	*0.02
Sorghum	0.2
Spinach	T*0.02
Sweet corn (corn-on-the-cob)	0.05
Turnip, garden	*0.02

Agvet chemical: Propamocarb

Permitted residue: Propamocarb (base)

Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	T0.1
Fruiting vegetables, other than cucurbits	T0.3
Leafy vegetables	T20

Agvet chemical: Propanil

Permitted residue: Propanil

Cattle, edible offal of	*0.1
Cattle meat	*0.1

Eggs	*0.1
Milks	*0.01
Poultry, edible offal of	3
Poultry meat	*0.1
Rice	2
Sheep, edible offal of	*0.1
Sheep meat	*0.1

Agvet chemical: Propaquizafop

Permitted residue: Propaquizafop and acid and oxophenoxy metabolites, measured as 6-chloro-2-methoxyquinoxaline, expressed as propaquizafop

Edible offal (mammalian)	*0.02
Meat (mammalian)	*0.02
Milks	*0.01
Oilseed	*0.05
Onion, bulb	*0.05
Peas	*0.05
Pulses	*0.05

Agvet chemical: Propargite

Permitted residue: Propargite

Apple	3
Banana	3
Cotton seed	0.2
Currant, black	T3
Edible offal (mammalian)	*0.1
Eggs	*0.1
Hops, dry	3
Mangosteen	T3
Meat (mammalian) (in the fat)	*0.1
Milks	*0.1
Passionfruit	3
Pear	3
Poultry, edible offal of	*0.1
Poultry meat (in the fat)	*0.1
Rambutan	T3
Stone fruits	3
Strawberry	7
Vegetables	3

Agvet chemical: Propazine

Permitted residue: Propazine

Vegetables	*0.1
------------	------

Agvet chemical: Propetamphos

Permitted residue: Propetamphos

Sheep, edible offal of	*0.01
Sheep meat (in the fat)	*0.01

Agvet chemical: Propiconazole

Permitted residue: Propiconazole

Almonds	0.2
---------	-----

Anise myrtle leaves	T10
Asparagus	T*0.1
Avocado	*0.02
Banana	0.2
Beetroot	*0.02
Blackberries	1
Boysenberry	1
Blueberries	2
Celery	T5
Cereal grains	*0.05
Chard (silver beet)	T0.5
Chervil	T10
Chicory leaves	T1
Citrus fruits	T7
Coriander (leaves, roots, stems)	T10
Cranberry	0.3
Edible offal (mammalian)	1
Eggs	*0.05
Endive	T1
Gai lum	T1
Grapes	1
Herbs	T10
Lemon balm	T10
Lemon myrtle leaves	T10
Meat (mammalian)	0.1
Milks	*0.01
Mint oil	*0.02
Mizuna	T10
Mushrooms	*0.05
Peanut	*0.05
Persimmon, American	T0.2
Pineapple	0.05
Poppy seed	*0.01
Poultry, edible offal of	0.1
Poultry meat	0.1
Radicchio	T1
Radish	T0.2
Raspberries, red, black	1
Riberry	T5
Rucola (rocket)	T10
Spices	*0.1
Spinach	T0.7
Stone fruits	2
Sugar cane	*0.02
Sunflower seed	T2
Sweet corn (corn-on-the-cob)	*0.02
Tree nuts [except almonds]	T0.2

Agvet chemical: Propineb

see *Dithiocarbamates*

Agvet chemical: Propoxur

Permitted residue: Propoxur

Potato	10
--------	----

Agvet chemical: Propylene oxide

Permitted residue: Propylene oxide

Almonds	100
---------	-----

Agvet chemical: Propyzamide

Permitted residue: Propyzamide

Artichoke, globe	T*0.02
Chicory leaves	*0.2
Edible offal (mammalian)	*0.2
Eggs	*0.05
Endive	*0.2
Lettuce, head	1
Lettuce, leaf	1
Meat (mammalian)	*0.05
Milks	*0.01
Poppy seed	0.02
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Rape seed (canola)	0.02

Agvet chemical: Proquinazid

Permitted residue—commodities of plant origin: Proquinazid

Permitted residue—commodities of animal origin: Sum of proquinazid and 3-(6-iodo-4-oxo-3-propyl-3H-quinazolin-2-yl)oxy)propionic acid, expressed as proquinazid

Dried grapes (currants, raisins and sultanas)	2
Edible offal (mammalian)	0.05
Eggs	*0.01
Fruiting vegetables, cucurbits	0.2
Grapes	0.5
Meat (mammalian)	*0.01
Milks	*0.01
Peppers, sweet	0.2
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Tomato	0.3

Agvet chemical: Prosulfocarb

Permitted residue: Prosulfocarb

Barley	*0.01
Edible offal (mammalian)	*0.02
Eggs	*0.02
Meat (mammalian)	*0.02
Milks	*0.02
Potato	*0.01
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Pulses	*0.01
Wheat	*0.01

Agvet chemical: Prothioconazole

*Permitted residue—commodities of plant origin:
Sum of prothioconazole and prothioconazole desthio (2-(1-chlorocyclopropyl)-1-(2-chlorophenyl)-3-(1H-1,2,4-triazol-1-yl)-propan-2-ol), expressed as prothioconazole*

*Permitted residue—commodities of animal origin:
Sum of prothioconazole, prothioconazole desthio (2-(1-chlorocyclopropyl)-1-(2-chlorophenyl)-3-(1H-1,2,4-triazol-1-yl)-propan-2-ol), prothioconazole-3-hydroxy-desthio (2-(1-chlorocyclopropyl)-1-(2-chloro-3-hydroxyphenyl)-3-(1H-1,2,4-triazol-1-yl)-propan-2-ol) and prothioconazole-4-hydroxy-desthio (2-(1-chlorocyclopropyl)-1-(2-chloro-4-hydroxyphenyl)-3-(1H-1,2,4-triazol-1-yl)-propan-2-ol), expressed as prothioconazole*

Cereal bran, unprocessed	0.5
Cereal grains	0.3
Cranberry	0.2
Edible offal (mammalian)	0.2
Eggs	*0.01
Meat (mammalian) (in the fat)	0.02
Milks	*0.004
Peanut	*0.02
Poultry, edible offal of	*0.05
Poultry meat (in the fat)	*0.05
Pulses	T0.1
Rape seed (canola)	*0.02
Wheat germ	0.5

Agvet chemical: Prothiofos

Permitted residue: Prothiofos

Banana	*0.01
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	0.2
Grapes	2
Pome fruits	0.05

Agvet chemical: Pymetrozine

Permitted residue: Pymetrozine

Almonds	T*0.01
Beetroot	*0.02
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	*0.02
Celery	T*0.1
Cotton seed	*0.02
Cotton seed oil, edible	*0.02
Edible offal (mammalian)	*0.01
Egg plant	T0.05
Eggs	*0.01
Fruiting vegetables, cucurbits	T1
Leafy herbs	T10
Leafy vegetables	T5
Meat (mammalian)	*0.01
Milks	*0.01
Peppers, sweet	T0.3

Pistachio nut	T*0.02
Podded pea (young pods) (snow and sugar snap)	0.3
Potato	*0.02
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Stone fruits	*0.05
Sweet corn (corn-on-the-cob)	T*0.01
Tomato	T0.2

Agvet chemical: Pyraclofos

Permitted residue: Pyraclofos

Sheep fat	0.5
Sheep kidney	*0.01
Sheep liver	*0.01
Sheep muscle	*0.01

Agvet chemical: Pyraclostrobin

*Permitted residue—commodities of plant origin:
Pyraclostrobin*

*Permitted residue—commodities of animal origin:
Sum of pyraclostrobin and metabolites hydrolysed to 1-(4-chloro-phenyl)-1H-pyrazol-3-ol, expressed as pyraclostrobin*

Banana	*0.02
Blackberries	4
Blueberries	T5
Boysenberry	4
Brassica leafy vegetables	T3
Broccoli, Chinese	T1
Cereal grains	*0.01
Cherries	2.5
Cloudberry	T3
Custard apple	T3
Dewberries (including boysenberry and loganberry and youngberry) [except boysenberry]	T3
Dried grapes	5
Edible offal (mammalian)	0.1
Eggs	*0.05
Fruiting vegetables, other than cucurbits	0.3
Grapes	2
Herbs	2
Hops, dry	23
Litchi	T2
Mango	0.1
Meat (mammalian) (in the fat)	*0.05
Milks	*0.01
Mung bean (dry)	T0.2
Olives	T1
Papaya (pawpaw)	T0.5
Passionfruit	T1
Pistachio nut	T1
Pome fruits	1
Poppy seed	*0.05

Potato	*0.02
Poultry, edible offal of	*0.05
Poultry meat (in the fat)	*0.05
Raspberries, red, black	4
Silvanberries	T3
Spices	0.1
Stone fruits	2.5
Strawberry	1
Sunflower seed	T0.3
Tree nuts [except pistachio nut]	*0.01

Agvet chemical: Pyraflufen-ethyl

Permitted residue: Sum of pyraflufen-ethyl and its acid metabolite (2-chloro-5-(4-chloro-5-difluoromethoxy-1-methylpyrazol-3-yl)-4-fluorophenoxyacetic acid)

Cereal grains	*0.02
Cotton seed	*0.05
Edible offal (mammalian)	*0.02
Eggs	*0.02
Meat (mammalian)	*0.02
Milks	*0.02
Poultry, edible offal of	*0.02
Poultry meat	*0.02

Agvet chemical: Pyrasulfotole

Permitted residue: Sum of pyrasulfotole and (5-hydroxy-3-methyl-1H-pyrazol-4-yl)[2-mesy-4-(trifluoromethyl)phenyl]methanone, expressed as pyrasulfotole

Cereal bran, unprocessed	0.03
Cereal grains	*0.02
Edible offal (mammalian)	0.5
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01

Agvet chemical: Pyrethrins

Permitted residue: Sum of pyrethrins i and ii, Cinerinsi i and ii and jasmolins i and ii, determined after calibration by means of the International Pyrethrum Standard

Cereal grains	3
Cucumber	T2
Dried fruits	1
Dried vegetables	1
Fruit	1
Fruiting vegetables, cucurbits [except cucumber]	0.2
Oilseed	1
Tree nuts	1
Vegetables	1

Agvet chemical: Pyridaben

Permitted residue: Pyridaben

Banana	0.5
Cranberry	0.5
Citrus fruits	0.5
Grapes	5
Pome fruits	0.5
Stone fruits	0.5
Strawberry	1
Tree nuts	T*0.05

Agvet chemical: Pyridate

Permitted residue: sum of pyridate and metabolites containing 6 chloro-4-hydroxyl-3-phenyl pyridazine, expressed as pyridate

Chick-pea (dry)	*0.1
Edible offal (mammalian)	*0.2
Eggs	*0.2
Meat (mammalian)	*0.2
Milks	*0.2
Peanut	*0.1
Poultry, edible offal of	*0.2
Poultry meat	*0.2

Agvet chemical: Pyrimethanil

Permitted residue: Pyrimethanil

Banana	2
Berries and other small fruits [except grapes; strawberry]	T5
Citrus fruits [except lemon]	10
Coriander (leaves)	3
Cucumber	5
Edible offal (mammalian)	*0.05
Grapes	5
Herbs	3
Leafy vegetables [except lettuce, head; lettuce, leaf]	T5
Lemon	11
Lettuce, head	20
Lettuce, leaf	20
Meat (mammalian)	*0.05
Milks	*0.01
Onion, bulb	0.1
Peppers, sweet	1
Podded pea (young pods) (snow and sugar snap)	T10
Pome fruits	7
Potato	*0.01
Spices	0.1
Stone fruits	10
Strawberry	5
Tomato	1

Broad bean (green pods and immature seeds)	0.01
Celery	0.3
Common bean (dry) (navy bean)	0.2
Cotton seed	0.03
Lettuce, head	0.3
Lettuce, leaf	0.3
Mushrooms	10
Onion, bulb	0.2
Peanut	0.3
Peppers, sweet	0.01
Potato	0.2
Tomato	0.1

Agvet chemical: Quizalofop-ethyl

Permitted residue: Sum of quizalofop-ethyl and quizalofop acid and other esters, expressed as quizalofop-ethyl

Beetroot	0.02
Cabbages, head	*0.01
Carrot	*0.02
Cauliflower	*0.05
Common bean (pods and immature seeds)	*0.02
Cucumber	*0.02
Edible offal (mammalian)	0.2
Eggs	*0.02
Grapes	*0.02
Meat (mammalian)	*0.02
Melons, except watermelon	*0.02
Milks	0.1
Onion, bulb	*0.02
Peanut	*0.02
Pineapple	*0.05
Potato	*0.01
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Pulses	0.2
Pumpkins	*0.02
Radish	*0.02
Rape seed (canola)	*0.02
Sunflower seed	*0.05
Tomato	*0.02

Agvet chemical: Quizalofop-p-tefuryl

Permitted residue: Sum of quizalofop-p-tefuryl and quizalofop acid, expressed as quizalofop-p-tefuryl

Beetroot	0.02
Cabbages, head	*0.01
Carrot	*0.02
Cauliflower	*0.05
Common bean (pods and/or immature seeds)	*0.02
Cucumber	*0.02
Edible offal (mammalian)	0.2
Eggs	*0.02

Grapes	*0.02
Meat (mammalian)	*0.02
Melons, except watermelon	*0.02
Milks	0.1
Onion, bulb	*0.02
Peanut	*0.02
Pineapple	*0.05
Potato	*0.01
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Pulses	0.2
Pumpkins	*0.02
Radish	*0.02
Rape seed (canola)	*0.02
Sunflower seed	*0.05
Tomato	*0.02

Agvet chemical: Ractopamine

Permitted residue: Ractopamine

Pig fat	0.05
Pig kidney	0.2
Pig liver	0.2
Pig meat	0.05

Agvet chemical: Rimosulfuron

Permitted residue: Rimosulfuron

Tomato	*0.05
--------	-------

Agvet chemical: Robenidine

Permitted residue: Robenidine

Poultry, edible offal of	*0.1
Poultry meat	*0.1

Agvet chemical: Saflufenacil

Permitted residue—commodities of plant origin: Sum of saflufenacil, N'-(2-chloro-4-fluoro-5-[1,2,3,6-tetrahydro-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]benzoyl-N-isopropyl sulfamide and N-[4-chloro-2-fluoro-5-({[(isopropylamino)sulfonyl]amino} carbonyl)phenyl]urea, expressed as saflufenacil equivalents

Permitted residue—commodities of animal origin: Saflufenacil

Cereal grains	*0.03
Citrus fruits	*0.03
Edible offal (mammalian)	*0.01
Eggs	*0.01
Grapes	*0.03
Legume vegetables	*0.03
Meat (mammalian)	*0.01
Milks	*0.01
Oilseed	*0.03
Pome fruits	*0.03
Poultry, edible offal of	*0.01

Poultry meat	*0.01
Pulses	*0.03
Stone fruits	*0.03
Tree nuts	*0.03

Agvet chemical: Salinomycin

Permitted residue: Salinomycin

Cattle, edible offal of	0.5
Cattle meat	*0.05
Eggs	*0.02
Pig, edible offal of	*0.1
Pig meat	*0.1
Poultry, edible offal of	0.5
Poultry meat	0.1

Agvet chemical: Sedaxane

Permitted residue: Sedaxane, sum of isomers

Cereal grains	*0.01
Edible offal (mammalian)	*0.01
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Poppy seed	T*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01

Agvet chemical: Semduramicin

Permitted residue: Semduramicin

Chicken fat/skin	0.5
Chicken kidney	0.2
Chicken liver	0.5
Chicken meat	*0.05

Agvet chemical: Sethoxydim

Permitted residue: Sum of sethoxydim and metabolites containing the 5-(2-ethylthiopropyl)cyclohexene-3-one and 5-(2-ethylthiopropyl)-5-hydroxycyclohexene-3-one moieties and their sulfoxides and sulfones, expressed as sethoxydim

Asparagus	1
Barley	*0.1
Beans [except broad bean; soya bean]	T0.5
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	0.5
Brassica leafy vegetables	T2
Broad bean (green pods and immature seeds)	*0.1
Celery	0.1
Chard (silver beet)	T*0.1
Chicory leaves	T2
Coriander (leaves, roots, stems)	*0.1
Coriander, seed	*0.1
Cotton seed	0.2

Cranberry	2.5
Edible offal (mammalian)	*0.05
Egg plant	T*0.1
Eggs	*0.05
Endive	T2
Fruiting vegetables, cucurbits	*0.1
Garlic	0.3
Hops, dry	0.5
Leek	0.7
Lettuce, head	0.2
Lettuce, leaf	0.2
Linseed	0.5
Lupin (dry)	0.2
Meat (mammalian)	*0.05
Milks	*0.05
Onion, bulb	0.3
Onion, Welsh	0.7
Peanut	3
Peas (pods and succulent, immature seeds)	T2
Peppers	T0.7
Poppy seed	0.2
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Pulses [except lupin (dry)]	*0.1
Radicchio	T2
Rape seed (canola)	0.5
Rhubarb	0.1
Root and tuber vegetables	1
Rucola (rocket)	T2
Shallot	0.7
Spinach	*0.1
Spring onion	0.7
Strawberry	10
Sunflower seed	*0.1
Tomato	0.1
Turmeric, root	1
Wheat	*0.1

Agvet chemical: Simazine

Permitted residue: Simazine

Asparagus	*0.1
Broad bean (dry)	*0.01
Broad bean (green pods and immature seeds)	*0.01
Chick-pea (dry)	*0.05
Chick-pea (green pods)	*0.05
Citrus fruits	0.25
Edible offal (mammalian)	*0.05
Eggs	*0.01
Fruit [except citrus fruits]	*0.1
Ginger, root	T*0.05
Leek	*0.01
Lupin (dry)	*0.05
Meat (mammalian)	*0.05
Milks	*0.02

Poultry, edible offal of	*0.01
Poultry meat	*0.01
Rape seed (canola)	*0.02
Tree nuts	*0.1

Agvet chemical: Spectinomycin

Permitted residue: Inhibitory substance, identified as spectinomycin

Edible offal (mammalian) [except sheep, edible offal of]	*1
Eggs	2
Meat (mammalian) [except sheep meat]	*1
Poultry, edible offal of	*1
Poultry meat	*1

Agvet chemical: Spinetoram

Permitted residue: Sum of Ethyl-spinosyn-J and Ethyl-spinosyn-L

Assorted tropical and sub-tropical fruits – inedible peel	0.3
Berries and other small fruits	0.5
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	0.2
Citrus fruits	3
Coffee beans	*0.01
Coriander (leaves, roots, stems)	5
Coriander, seed	5
Dill, seed	5
Dried grapes (currants, raisins and sultanas)	1
Edible offal (mammalian)	0.2
Eggs	*0.01
Fennel, seed	5
Fruiting vegetables, cucurbits	0.05
Fruiting vegetables, other than cucurbits [except sweet corn (corn-on-the-cob)]	0.1
Ginger, root	T0.02
Ginger, Japanese	T1
Herbs	1
Kaffir lime leaves	5
Leafy vegetables	0.7
Leek	T0.2
Legume vegetables	0.2
Lemon grass	5
Lemon verbena (dry leaves)	5
Meat (mammalian) (in the fat)	2
Milk fats	0.03
Milks	*0.01
Mizuna	0.7
Onion, Welsh	T0.3
Pistachio nut	T0.05
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01
Pome fruits	0.1
Rape seed (canola)	*0.01

Root and tuber vegetables	0.02
Shallot	T0.3
Spring onion	T0.3
Stalk and stem vegetables	2
Stone fruits	0.2
Sweet corn (corn-on-the-cob)	*0.01
Turmeric, root	0.02

Agvet chemical: Spinosad

Permitted residue: Sum of spinosyn A and spinosyn D

Assorted tropical and sub-tropical fruits – inedible peel	0.3
Beans [except broad bean; soya bean]	0.5
Berries and other small fruits [except grapes]	0.7
Bergamot	5
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	0.5
Burnet, Salad	5
Celery	2
Cereal grains	1
Chervil	5
Citrus fruits	0.3
Coffee beans	*0.01
Coriander (leaves, roots, stems)	5
Coriander, seed	5
Cotton seed	*0.01
Dill, seed	5
Edible offal (mammalian)	0.5
Eggs	0.05
Fennel, seed	5
Fruiting vegetables, cucurbits	0.2
Fruiting vegetables, other than cucurbits [except sweet corn (corn-on-the-cob)]	0.2
Galangal, Greater	0.02
Grapes	0.5
Herbs	5
Kaffir lime leaves	5
Japanese greens	5
Leafy vegetables	5
Lemon grass	5
Lemon verbena (dry leaves)	5
Meat (mammalian) (in the fat)	2
Milk fats	0.7
Milks	0.1
Onion, Welsh	0.3
Peas (pods and succulent, immature seeds)	0.5
Pome fruits	0.5
Poultry, edible offal of	0.05
Poultry meat (in the fat)	0.5
Pulses	0.01
Root and tuber vegetables	0.02
Rucola (rocket)	5
Safflower seed	T*0.01

Shallot	0.3
Spring onion	0.3
Stone fruits	1
Sweet corn (corn-on-the-cob)	0.02
Tree nuts	T*0.01
Turmeric, root	0.02
Wheat bran, unprocessed	2

Agvet chemical: Spirodiclofen

Permitted residue: Spirodiclofen

Citrus fruits	0.5
Grapes	2
Hops, dry	30
Stone fruits	1

Agvet chemical: Spiromesifen

Permitted residue: Sum of spiromesifen and 4-hydroxy-3-(2,4,6-trimethylphenyl)-1-oxaspiro[4.4]non-3-en-2-one, expressed as spiromesifen

Cranberry	2
Tea, green, black	50

Agvet chemical: Spirotetramat

Permitted residue: Sum of spirotetramat, and cis-3-(2,5-dimethylphenyl)-4-hydroxy-8-methoxy-1-azaspiro[4.5]dec-3-en-2-one, expressed as spirotetramat

Banana	0.3
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas [except Brussels sprouts]	7
Brassica leafy vegetables	10
Brussels sprouts	1
Celery	5
Citrus fruits	1
Cotton seed	0.7
Cranberry	0.3
Dried grapes	4
Edible offal (mammalian)	0.5
Fruiting vegetables, cucurbits [except melons]	2
Fruiting vegetables, other than cucurbits [except sweet corn (corn-on-the-cob)]	7
Garlic	T0.5
Grapes	2
Hops, dry	10
Kiwifruit	T0.1
Leafy vegetables [except brassica leafy vegetables; lettuce, head]	5
Legume vegetables	2
Lettuce, head	3
Mango	0.3
Meat (mammalian)	0.02
Melons, except watermelon	0.5

Milks	*0.005
Onion, bulb	0.5
Passionfruit	0.5
Pome fruits	0.5
Potato	5
Soya bean (dry)	T5
Stone fruits	4.5
Sweet corn (corn-on-the-cob)	1
Sweet potato	5
Watermelon	0.5

Agvet chemical: Spiroxamine

Permitted residue—commodities of plant origin: Spiroxamine

Permitted residue—commodities of animal origin: Spiroxamine carboxylic acid, expressed as spiroxamine

Banana	T5
Barley	T*0.05
Dried grapes	3
Edible offal (mammalian)	0.5
Grapes	2
Hops, dry	50
Mammalian fats [except milk fats]	0.05
Meat (mammalian)	0.05
Milks	0.05

Agvet chemical: Streptomycin and Dihydrostreptomycin

Permitted residue: Inhibitory substance, identified as streptomycin or dihydrostreptomycin

Edible offal (mammalian)	*0.3
Meat (mammalian)	*0.3
Milks	*0.2

Agvet chemical: Sulfosulfuron

Permitted residue: Sum of sulfosulfuron and its metabolites which can be hydrolysed to 2-(ethylsulfonyl)imidazo[1,2-a]pyridine, expressed as sulfosulfuron

Edible offal (mammalian)	*0.005
Eggs	*0.005
Meat (mammalian)	*0.005
Milks	*0.005
Poultry, edible offal of	*0.005
Poultry meat	*0.005
Triticale	*0.01
Wheat	*0.01

Agvet chemical: Sulfoxaflor

Permitted residue: Sulfoxaflor

Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas [except cauliflower]	3
---	---

Cauliflower	0.1	Edible offal (mammalian)	0.1
Cereal grains	*0.01	Eggs	*0.005
Cherimoya	T1	Poultry, edible offal of [except turkey]	0.1
Cherries	3	Poultry meat	0.1
Citrus fruits	0.7	Turkey, edible offal of	0.2
Cotton seed	0.3		
Cranberry	0.7		
Custard apple	T1		
Dried grapes (currants, raisins and sultanas)	10		
Edible offal (mammalian)	0.5		
Eggs	*0.01		
Fruiting vegetables, cucurbits	0.5		
Fruiting vegetables, other than cucurbits	1		
Grapes [except wine grapes]	3		
Llama	T1		
Leafy vegetables [except lettuce, head]	5		
Lettuce, head	1		
Meat (mammalian)	0.2		
Milks	0.1		
Persimmon, Japanese	T1		
Pome fruits	0.5		
Potato	0.01		
Poultry, edible offal of	*0.01		
Poultry meat	*0.01		
Rape seed (canola)	*0.01		
Root and tuber vegetables [except potato]	0.05		
Soursop	T1		
Soya bean (dry)	0.3		
Stone fruits [except cherries]	1		
Sugar apple	T1		
Wine grapes	*0.01		
<hr/>			
Agvet chemical: Sulfuryl fluoride			
<i>Permitted residue: Sulfuryl fluoride</i>			
Cereal grains	0.05		
Dried fruits	0.07		
Peanut	7		
Tree nuts	7		
<hr/>			
Agvet chemical: Sulphadiazine			
<i>Permitted residue: Sulphadiazine</i>			
Cattle milk	0.1		
Edible offal (mammalian)	0.1		
Eggs	T*0.02		
Meat (mammalian)	0.1		
Poultry, edible offal of	0.1		
Poultry meat	0.1		
<hr/>			
Agvet chemical: Sulphadimidine			
<i>Permitted residue: Sulphadimidine</i>			
Meat (mammalian)	0.1		
<hr/>			
Eggs			
Poultry, edible offal of			
Poultry meat			
<hr/>			
Agvet chemical: Sulphadoxine			
<i>Permitted residue: Sulphadoxine</i>			
Cattle milk			*0.1
Edible offal (mammalian)			*0.1
Meat (mammalian)			*0.1
<hr/>			
Agvet chemical: Sulphaquinoxaline			
<i>Permitted residue: Sulphaquinoxaline</i>			
Eggs			T*0.01
Poultry, edible offal of			0.1
Poultry meat			0.1
<hr/>			
Agvet chemical: Sulphatroxazole			
<i>Permitted residue: Sulphatroxazole</i>			
Cattle milk			0.1
Edible offal (mammalian)			0.1
Meat (mammalian)			0.1
<hr/>			
Agvet chemical: Sulphur dioxide			
<i>Permitted residue: Sulphur dioxide</i>			
Blueberries			10
Longan, edible aril			10
Strawberry			T30
Table grapes			10
<hr/>			
Agvet chemical: Sulprofos			
<i>Permitted residue: Sulprofos</i>			
Cotton seed			0.2
Peppers, sweet			0.2
Tomato			1
<hr/>			
Agvet chemical: Tebuconazole			
<i>Permitted residue: Tebuconazole</i>			
Anise myrtle leaves (dried)			T5
Asparagus			T*0.02
Avocado			0.2
Banana			0.2
Beetroot			T0.3
Beetroot leaves			T2
Blackberries			1
Broad bean (dry)			T0.5
Bulb vegetables [except garlic]			*0.01
Carrot			T0.5
Cereal grains			0.2
Chard (silver beet)			T2
Cherries			5

Chervil	T0.5	Nectarine	T1
Chick-pea (dry)	T0.2	Peach	T1
Chicory leaves	T2	Persimmon, Japanese	0.1
Coriander (leaves, roots, stems)	T0.5	Pistachio nut	T0.05
Cotton seed	T1	Pome fruits	1
Dried grapes (currants, raisins and sultanas)	7	Rambutan	T3
Edible offal (mammalian)	0.5		
Eggs	0.1	Agvet chemical: Tebufenpyrad	
Endive	T2	<i>Permitted residue: Tebufenpyrad</i>	
Garlic	T0.2	Cucumber	*0.02
Grapes	5	Peach	1
Herbs	T0.5	Pome fruits	1
Legume vegetables	0.5	Tea, green, black	0.1
Lemon balm	T0.5		
Lemon myrtle leaves (dried)	T5	Agvet chemical: Tebuthiuron	
Lentil (dry)	T0.2	<i>Permitted residue: Sum of Tebuthiuron, and hydroxydimethylethyl, N-dimethyl and hydroxy methylamine metabolites, expressed as tebuthiuron</i>	
Lettuce, head	0.1	Edible offal (mammalian)	2
Lettuce, leaf	0.1	Meat (mammalian)	0.5
Meat (mammalian)	0.1	Milks	0.2
Milks	0.05	Sugar cane	T0.2
Mizuna	T0.5		
Mung bean (dry)	T0.2	Agvet chemical: Temephos	
Papaya (pawpaw)	0.2	<i>Permitted residue: Sum of temephos and temephos sulfoxide, expressed as temephos</i>	
Peanut	0.1	Cattle, edible offal of	T2
Peppers, chili (dry)	10	Cattle meat (in the fat)	T5
Pome fruits	*0.01	Sheep, edible offal of	0.5
Poultry, edible offal of	0.5	Sheep meat (in the fat)	3
Poultry meat	0.1		
Radish	T0.3	Agvet chemical: Tepraloxymid	
Radish leaves	T2	<i>Permitted residue: Sum of tepraloxymid and metabolites converted to 3-(tetrahydro-pyran-4-yl) glutaric and 3-hydroxy-3-(tetrahydro-pyran-4-yl)-glutaric acid, expressed as tepraloxymid</i>	
Rape seed (canola)	0.3	Edible offal (mammalian)	*0.1
Rucola (rocket)	T0.5	Eggs	*0.1
Soya bean (dry)	T0.1	Meat (mammalian)	*0.1
Spices	1	Milks	*0.02
Spinach	T2	Poultry, edible offal of	*0.1
Stone fruits [except cherries]	1	Poultry meat	*0.1
Sugar cane	0.1	Pulses	*0.1
		Rape seed (canola)	*0.1
Agvet chemical: Tebufenozide		Agvet chemical: Terbacil	
<i>Permitted residue: Tebufenozide</i>		<i>Permitted residue: Terbacil</i>	
Avocado	0.5	Almonds	0.5
Blueberries	T2	Peppermint oil	*0.1
Citrus fruits	1	Pome fruits	*0.04
Coffee beans	T0.05	Stone fruits	*0.04
Cranberry	0.5		
Custard apple	0.3		
Dried grapes	4		
Edible offal (mammalian)	*0.02		
Grapes	2		
Kiwifruit	2		
Litchi	2		
Longan	2		
Macadamia nuts	0.05		
Meat (mammalian) (in the fat)	*0.02		
Milks	*0.01		

Agvet chemical: Terbufos	
<i>Permitted residue: Sum of terbufos, its oxygen analogue and their sulfoxides and sulfones, expressed as terbufos</i>	
Banana	0.05
Cattle, edible offal of	*0.05
Cattle meat	*0.05
Cattle milk	*0.01
Cereal grains	*0.01
Eggs	*0.01
Peanut	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Sunflower seed	*0.05
Sweet corn (corn-on-the-cob)	*0.05

Agvet chemical: Terbutylazine	
<i>Permitted residue: Terbutylazine</i>	
Cereal grains [except maize]	*0.01
Cotton seed	0.01
Edible offal (mammalian)	*0.01
Eggs	*0.01
Maize	T*0.02
Meat (mammalian)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Pulses	*0.02
Rape seed (canola)	*0.02
Sweet corn (corn-on-the-cob)	T*0.02

Agvet chemical: Terbutryn	
<i>Permitted residue: Terbutryn</i>	
Cereal grains	*0.1
Edible offal (mammalian)	3
Eggs	*0.05
Meat (mammalian)	0.1
Milks	0.1
Peas	*0.1
Poultry, edible offal of	*0.05
Poultry meat	0.1
Sugar cane	*0.05

Agvet chemical: Tetrachlorvinphos	
<i>Permitted residue: Tetrachlorvinphos</i>	
Edible offal (mammalian)	0.05
Meat (mammalian)	0.05
Milks (in the fat)	0.05

Agvet chemical: Tetraconazole	
<i>Permitted residue: Tetraconazole</i>	
Edible offal (mammalian)	0.2
Grapes	0.5

Meat (mammalian) (in the fat)	*0.01
Milks	*0.01

Agvet chemical: Tetracycline	
<i>Permitted residue: Inhibitory substance, identified as tetracycline</i>	
Milks	*0.1

Agvet chemical: Tetradifon	
<i>Permitted residue: Tetradifon</i>	
Cotton seed	5
Fruit	5
Hops, dry	5
Vegetables	5

Agvet chemical: Thiabendazole	
<i>Permitted residue—commodities of plant origin: Thiabendazole</i>	
<i>Permitted residue—commodities of animal origin: Sum of thiabendazole and 5-hydroxythiabendazole, expressed as thiabendazole</i>	
Apple	10
Banana	3
Citrus fruits	10
Edible offal (mammalian)	0.2
Meat (mammalian)	0.2
Milks	0.05
Mushrooms	0.5
Onion, bulb	0.05
Peanut	T*0.01
Pear	10
Potato	5
Sweet potato	0.05

Agvet chemical: Thiacloprid	
<i>Permitted residue: Thiacloprid</i>	
Coriander (leaves)	5
Cotton seed	0.1
Edible offal (mammalian)	*0.02
Eggs	*0.02
Herbs	5
Meat (mammalian)	*0.02
Milks	*0.01
Peppers, chili	1
Pome fruits	1
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Spices	0.1
Stone fruits	2
Strawberry	1
Tea, green, black	10

Agvet chemical: Thiamethoxam

Permitted residue—commodities of plant origin:
Thiamethoxam

Permitted residue—commodities of animal origin:
Sum of thiamethoxam and N-(2-chloro-thiazol-5-ylmethyl)-N'-methyl-N'-nitro-guanidine, expressed as thiamethoxam

Beans [except broad bean; soya bean]	T0.2
Berries and other small fruits [except grapes]	0.5
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	3
Cereal grains [except maize; sorghum]	*0.01
Citrus fruits	1
Cotton seed	*0.02
Edible offal (mammalian)	*0.02
Eggs	*0.02
Fruiting vegetables, cucurbits	T1
Fruiting vegetables, other than cucurbits	T0.5
Grapes	0.2
Leafy vegetables	2
Maize	*0.02
Mango	T0.2
Meat (mammalian)	*0.02
Milks	*0.005
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Rape seed (canola)	*0.01
Root and tuber vegetables	T0.7
Sorghum	*0.02
Stone fruits	0.5
Sunflower seed	*0.02
Sweet corn (corn-on-the-cob)	*0.02
Tea, green, black	20

Agvet chemical: Thidiazuron

Permitted residue: *Thidiazuron*

Cotton seed	*0.5
Edible offal (mammalian)	*0.05
Meat (mammalian)	*0.05
Milks	*0.01

Agvet chemical: Thifensulfuron

Permitted residue: *Thifensulfuron*

Cereal grains [except maize; rice]	*0.02
Edible offal (mammalian)	*0.01
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01

Agvet chemical: Thiobencarb

Permitted residue: *Thiobencarb*

Rice	*0.05
------	-------

Agvet chemical: Thiodicarb

Permitted residue: *Sum of thiodicarb and methomyl, expressed as thiodicarb*

Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	2
Chia	T1
Cotton seed	*0.1
Cotton seed oil, crude	*0.1
Edible offal (mammalian)	*0.05
Maize	*0.1
Meat (mammalian)	*0.05
Milks	*0.05
Peppers, sweet	T5
Potato	0.1
Pulses	*0.1
Sorghum	T0.5
Sweet corn (corn-on-the-cob)	*0.1
Tomato	2

Agvet chemical: Thiometon

Permitted residue: *Sum of thiometon, its sulfoxide and sulfone, expressed as thiometon*

Cereal grains	1
Edible offal (mammalian)	*0.05
Eggs	*0.05
Fruit	1
Lupin (dry)	0.5
Meat (mammalian)	*0.05
Milks	*0.05
Oilseed	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Vegetables	1

Agvet chemical: Thiophanate

see *Carbendazim*

Agvet chemical: Thiophanate-methyl

Permitted residue: *Sum of thiophanate-methyl and 2-aminobenzimidazole, expressed as thiophanate-methyl*

Cherries	20
Grapes	5
Nectarine	3
Peach	3

Agvet chemical: Thiram

see *Dithiocarbamates*

Agvet chemical: Tiamulin	
<i>Permitted residue: Tiamulin</i>	
Pig, edible offal of	*0.1
Pig meat	*0.1
Poultry, edible offal of	*0.1
Poultry meat	*0.1
Agvet chemical: Tilmicosin	
<i>Permitted residue: Tilmicosin</i>	
Cattle, edible offal of	1
Cattle meat	*0.05
Pig, edible offal of	1
Pig meat	0.05
Agvet chemical: Tolclofos-methyl	
<i>Permitted residue: Tolclofos-methyl</i>	
Beetroot	*0.01
Cotton seed	*0.01
Lettuce, head	T*0.01
Lettuce, leaf	T*0.01
Potato	0.1
Agvet chemical: Tolfenamic acid	
<i>Permitted residue: Tolfenamic acid</i>	
Cattle kidney	*0.01
Cattle liver	*0.01
Cattle meat	0.05
Cattle milk	0.05
Pig kidney	*0.01
Pig liver	0.1
Pig meat	*0.01
Agvet chemical: Toltrazuril	
<i>Permitted residue: Sum of toltrazuril, its sulfoxide and sulfone, expressed as toltrazuril</i>	
Cattle fat	1
Cattle kidney	1
Cattle liver	2
Cattle muscle	0.25
Chicken, edible offal of	5
Chicken meat	2
Eggs	*0.03
Pig, edible offal of	2
Pig meat (in the fat)	1
Agvet chemical: Tolyfluanid	
<i>Permitted residue: Tolyfluanid</i>	
Berries and other small fruits [except grapes; strawberry]	T15
Cucumber	T2
Dried grapes	T0.2
Grapes	T*0.05

Strawberry	3
Agvet chemical: Tralkoxydim	
<i>Permitted residue: Tralkoxydim</i>	
Cereal grains	*0.02
Agvet chemical: Trenbolone acetate	
<i>Permitted residue: Sum of trenbolone acetate and 17 Alpha- and 17 Beta-trenbolone, both free and conjugated, expressed as trenbolone</i>	
Cattle, edible offal of	0.01
Cattle meat	0.002
Agvet chemical: Triadimefon	
<i>Permitted residue: Sum of triadimefon and triadimenol, expressed as triadimefon</i>	
see also <i>Triadimenol</i>	
Apple	1
Cereal grains	0.5
Edible offal (mammalian)	*0.05
Eggs	*0.1
Field pea (dry)	0.1
Fruiting vegetables, cucurbits	0.2
Fruiting vegetables, other than cucurbits	0.2
Garden pea, shelled (succulent seeds)	0.1
Garden pea (young pods, succulent seeds)	0.1
Grapes	1
Fats (mammalian)	*0.25
Meat (mammalian)	*0.05
Milks	*0.1
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Sugar cane	*0.05
Tea, green, black	0.2
Agvet chemical: Triadimenol	
<i>Permitted residue: Triadimenol</i>	
see also <i>Triadimefon</i>	
Berries and other small fruits [except grapes; riberry; strawberry]	T0.5
Brassica (cole or cabbage) vegetables, Head cabbages, Flowerhead brassicas	1
Cereal grains [except sorghum]	*0.01
Chives	T3
Cotton seed	T0.01
Cotton seed oil, crude	T0.05
Edible offal (mammalian)	*0.01
Eggs	*0.01
Fruiting vegetables, cucurbits	0.5
Fruiting vegetables, other than cucurbits	1
Grapes	0.5

Leek	T3	Maize	*0.05
Lemon grass	T*0.05	Meat (mammalian)	*0.01
Meat (mammalian)	*0.01	Milks	*0.01
Milks	*0.01	Mung bean (dry)	*0.01
Onion, bulb	0.05	Oats	*0.01
Onion, Chinese	T3	Rape seed (canola)	*0.01
Onion, Welsh	T3	Sorghum	*0.01
Papaya (pawpaw)	0.2	Soya bean (dry)	*0.01
Parsnip	T0.2	Sunflower seed	*0.01
Poultry, edible offal of	*0.01	Wheat	*0.01
Poultry meat	*0.01		
Radish	T0.2		
Riberry	T0.3		
Shallot	T3		
Sorghum	0.5		
Spring onion	T3		
Sugar cane	*0.05		
Swede	T0.2		
Tea, green, black	0.2		
Turnip, garden	T0.2		
<hr/>			
Agvet chemical: Triallate			
<i>Permitted residue: Sum of triallate and 2,3,3-trichloroprop-2-ene sulfonic acid (TCPSA), expressed as triallate</i>			
Cereal grains	*0.05	Achachairu	T3
Edible offal (mammalian) [except kidney]	*0.1	Assorted tropical and sub-tropical fruits – edible peel	T3
Eggs	*0.01	Assorted tropical and sub-tropical fruits – inedible peel	T3
Fats (mammalian)	0.2	Babaco	T3
Kidney of cattle, goats, pigs and sheep	0.2	Beetroot	0.2
Legume vegetables	*0.05	Berries and other small fruits	T2
Meat (mammalian)	*0.1	Brussels sprouts	0.2
Milks	*0.1	Cape gooseberry (ground cherry)	T0.5
Oilseed	0.1	Cattle, edible offal of	0.1
Poultry, edible offal of	0.2	Cattle fat	0.1
Poultry fats	0.2	Cattle meat	0.1
Poultry meat	*0.1	Cauliflower	0.2
Pulses	0.1	Celery	0.2
<hr/>			
Agvet chemical: Triasulfuron			
<i>Permitted residue: Triasulfuron</i>			
Cereal grains	*0.02	Cereal grains	0.1
Edible offal (mammalian)	*0.05	Dried fruits	2
Eggs	*0.05	Egg plant	T0.5
Meat (mammalian)	*0.05	Eggs	*0.05
Milks	*0.01	Fruit [except achachairu; assorted tropical and sub-tropical fruits – edible peel; assorted tropical and sub-tropical fruits – inedible peel; babaco; berries and other small fruits; dried fruits; loquat; medlar; miracle fruit; quince; rollinia; shaddock (pomelo); stone fruits]	T0.1
<hr/>			
Agvet chemical: Tribenuron-methyl			
<i>Permitted residue: Tribenuron-methyl</i>			
Barley	*0.01	Goat, edible offal of	0.1
Chick-pea (dry)	*0.01	Goat meat	0.1
Cotton seed	*0.05	Kale	0.2
Edible offal (mammalian)	*0.01	Loquat	T3
		Medlar	T3
		Milks	*0.05
		Miracle fruit	T3
		Oilseed [except peanut]	0.1
		Peanut	0.1
		Pepino	T0.5
		Peppers	0.2
		Pig, edible offal of	0.1
		Pig fat	0.1
		Pig meat	0.1
		Poultry, edible offal of	*0.05
		Poultry meat	*0.05
		Pulses [except soya bean (dry)]	0.2
		Quince	T3

Rollinia	T3
Shaddock (pomelo)	T3
Soya bean (dry)	0.1
Stone fruits	T3
Sugar beet	0.05
Sugar cane	*0.05
Sweet corn (corn-on-the-cob)	0.2
Tree nuts	0.1
Thai egg plant	T0.5
Vegetables [except beetroot; Brussels sprouts; cape gooseberry (ground cherry); cauliflower; celery; egg plant; kale; pepino; peppers; pulses (dry); sugar beet; sweet corn (corn-on-the-cob); Thai egg plant]	0.1

Agvet chemical: Trichloroethylene

Permitted residue: Trichloroethylene

Cereal grains	*0.1
---------------	------

Agvet chemical: Triclabendazole

Permitted residue: Sum of triclabendazole and metabolites oxidisable to keto-triclabendazole and expressed as keto-triclabendazole equivalents

Fats (mammalian)	1
Kidney (mammalian)	1
Liver (mammalian)	2
Meat (mammalian)	0.5

Agvet chemical: Triclopyr

Permitted residue: Triclopyr

Cattle, edible offal of	5
Cattle meat (in the fat)	0.2
Citrus fruits	0.2
Goat, edible offal of	5
Goat meat (in the fat)	0.2
Litchi	0.1
Milks (in the fat)	0.1
Poppy seed	*0.01
Sheep, edible offal of	5
Sheep meat (in the fat)	0.2

Agvet chemical: Tridemorph

Permitted residue: Tridemorph

Banana	T*0.05
Barley	0.1
Fruiting vegetables, cucurbits	0.1
Tea, green, black	0.05

Agvet chemical: Trifloxystrobin

Permitted residue: Sum of trifloxystrobin and its acid metabolite ((E,E)-methoxyimino-[2-[1-(3-trifluoromethylphenyl)-ethylideneaminooxymethyl]phenyl] acetic acid), expressed as trifloxystrobin equivalents

Almonds	0.05
Banana	0.5
Beetroot	T0.5
Beetroot leaves	T10
Celery	T5
Chard (silver beet)	T1
Chicory leaves	T1
Cotton seed	T*0.01
Cucumber	T*0.1
Dried grapes	2
Edible offal (mammalian)	*0.05
Endive	T1
Grapes	3
Hops, dry	11
Macadamia nuts	T*0.05
Meat (mammalian)	*0.05
Milks	*0.02
Peppers, sweet	T0.5
Pome fruits	0.3
Rape seed (canola)	*0.02
Spinach	T1
Stone fruits	5
Strawberry	2
Tomato	0.7

Agvet chemical: Trifloxysulfuron sodium

Permitted residue: Trifloxysulfuron

Cotton seed	*0.01
Cotton seed oil, crude	*0.01
Cotton seed oil, edible	*0.01
Edible offal (mammalian)	*0.01
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Sugar cane	*0.01

Agvet chemical: Triflumizole

Permitted residue: Sum of triflumizole and (E)-4-chloro-a,a,a-trifluoro- N-(1-amino-2-propoxyethylidene)-o-toluidine, expressed as triflumizole

Cherries	1.5
Grapes	2.5
Hops, dry	50
Pome fruits	0.5

Agvet chemical: Triflumuron	
<i>Permitted residue: Triflumuron</i>	
Cereal grains	*0.05
Edible offal (mammalian) [except sheep, edible offal of]	*0.05
Eggs	0.01
Hops, dry	50
Meat (mammalian) [except sheep meat (in the fat)]	*0.05
Milks	*0.05
Mushrooms	0.1
Poultry, edible offal of	0.01
Poultry meat (in the fat)	0.1
Sheep, edible offal of	0.1
Sheep meat (in the fat)	2

Agvet chemical: Trifluralin	
<i>Permitted residue: Trifluralin</i>	
Adzuki bean (dry)	*0.05
Bergamot	T*0.05
Broad bean (dry)	*0.05
Burnet, salad	T*0.05
Carrot	0.5
Cereal grains	*0.05
Chia	T*0.01
Chick-pea (dry)	*0.05
Coriander (leaves, roots, stems)	T*0.05
Coriander, seed	T*0.05
Cowpea (dry)	*0.05
Dill, seed	T*0.05
Edible offal (mammalian)	*0.05
Eggs	*0.05
Fennel, bulb	T0.5
Fennel, seed	T*0.05
Fruit	*0.05
Galangal, Greater	T0.5
Herbs	T*0.05
Hyacinth bean (dry)	*0.05
Kaffir lime leaves	T*0.05
Lemon grass	T*0.05
Lemon verbena (fresh weight)	T*0.05
Lupin (dry)	*0.05
Meat (mammalian)	*0.05
Milks	*0.05
Mizuna	T*0.05
Mung bean (dry)	*0.05
Oilseed	*0.05
Parsnip	T0.5
Poultry meat	*0.05
Poultry, edible offal of	*0.05
Rose and dianthus (edible flowers)	T*0.05
Sugar cane	*0.05
Turmeric, root (fresh)	T0.5
Vegetables [except as otherwise listed under this chemical]	0.05

Agvet chemical: Triforine	
<i>Permitted residue: Triforine</i>	
Pome fruits	1
Stone fruits	10

Agvet chemical: Trimethoprim	
<i>Permitted residue: Trimethoprim</i>	
Cattle milk	0.05
Edible offal (mammalian)	0.05
Eggs	*0.01
Meat (mammalian)	0.05
Poultry, edible offal of	0.05
Poultry meat	0.05

Agvet chemical: Trinexapac-ethyl	
<i>Permitted residue: Trinexapac acid</i>	
Bran, unprocessed of cereal grains	0.5
Cereal grains	0.2
Edible offal (mammalian)	0.05
Eggs	*0.01
Meat (mammalian)	*0.02
Milks	*0.005
Poppy seed	7
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Sugar cane	T0.2

Agvet chemical: Triticonazole	
<i>Permitted residue: Triticonazole</i>	
Cereal grains	*0.05
Edible offal (mammalian)	*0.05
Eggs	*0.05
Meat (mammalian)	*0.05
Milks	*0.01
Poultry, edible offal of	*0.05
Poultry meat	*0.05

Agvet chemical: Tulathromycin	
<i>Permitted residue: Sum of tulathromycin and its metabolites that are converted by acid hydrolysis to (2R,3S,4R,5R,8R,10R,11R,12S,13S,14R)-2-ethyl-3,4,10,13-tetrahydroxy-3,5,8,10,12,14-hexamethyl-11-[[[3,4,6-trideoxy-3-(dimethylamino)-β-D-xylohexopyranosyl]oxy]-1-oxa-6-azacyclopentadecan-15-one, expressed as tulathromycin equivalents</i>	
Cattle fat	0.1
Cattle kidney	1
Cattle liver	3
Cattle muscle	0.1
Pig fat/skin	0.3
Pig kidney	3
Pig liver	2

Pig muscle	0.5
------------	-----

Agvet chemical: Tylosin

Permitted residue: Tylosin A

Cattle, edible offal of	*0.1
Cattle meat	*0.1
Eggs	*0.2
Fish muscle	T*0.002
Milks	*0.05
Pig, edible offal of	*0.2
Pig fat	*0.1
Pig meat	*0.2
Poultry, edible offal of	*0.2
Poultry fats	*0.1
Poultry meat	*0.2

Agvet chemical: Uniconazole-p

Permitted residue: Sum of uniconazole-p and its Z-isomer expressed as uniconazole-p

Avocado	0.5
Custard apple	T*0.01
Poppy seed	*0.01

Agvet chemical: Virginiamycin

Permitted residue: Inhibitory substance, identified as virginiamycin

Cattle, edible offal of	0.2
Cattle fat	0.2
Cattle milk	0.1
Cattle meat	*0.1
Eggs	*0.1
Pig, edible offal of	0.2
Pig fat	0.2
Pig meat	*0.1
Poultry, edible offal of	0.2
Poultry fats	0.2
Poultry meat	0.1
Sheep, edible offal of	0.2
Sheep meat	0.1

Agvet chemical: Zeranol

Permitted residue: Zeranol

Cattle, edible offal of	0.02
Cattle meat	0.005

Agvet chemical: Zeta-cypermethrin

see Cypermethrin

Agvet chemical: Zetacypermethrin

see Cypermethrin

Attachment B – Draft Explanatory Statement

1. Authority

Section 13 of the *Food Standards Australia New Zealand Act 1991* (the FSANZ Act) provides that the functions of Food Standards Australia New Zealand (the Authority) include the development of standards and variations of standards for inclusion in the *Australia New Zealand Food Standards Code* (the Code).

Division 2 of Part 3 of the FSANZ Act specifies that the Authority may prepare a proposal for the development or variation of food regulatory measures, including standards. This Division also stipulates the procedure for considering a proposal for the development or variation of food regulatory measures.

FSANZ prepared Proposal M1013 to update Schedule 20 (commencing 1 March 2016) to reflect amendments made to Schedule 1 of current Standard 1.4.2 in 2015 and to correct technical and formatting errors. The Authority considered the Proposal in accordance with Division 2 of Part 3 and has prepared a draft Standard.

2. Purpose

The Authority has prepared the Proposal to incorporate gazetted amendments to Schedule 1 of current Standard 1.4.2 made by the following:

- Proposal M1010
- Proposal M1012
- all amendments made by the APVMA in 2015

and to correct formatting and other minor technical errors.

3. Documents incorporated by reference

The variations to food regulatory measures do not incorporate any documents by reference.

4. Consultation

In accordance with the procedure in Division 2 of Part 3 of the FSANZ Act, the Authority's consideration of Proposal M1013 will include one round of public consultation following an assessment and the preparation of a draft Standard and associated assessment summary.

A Regulation Impact Statement was not required because the proposed variations to Schedule 20 are likely to have a minor impact on business and individuals.

5. Statement of compatibility with human rights

This instrument is exempt from the requirements for a statement of compatibility with human rights as it is a non-disallowable instrument under section 94 of the FSANZ Act.

6. Variation

Item [1] corrects a typographical error in the numbering of the Note to the Schedule.

Item [2] repeals and replaces the table to section S20—3 to include variations relating to maximum residue limits amendments made to the existing Code (Schedule 1 of Standard 1.4.2) made by FSANZ (Proposals M1010 and M1012) and the Australian Pesticides and Veterinary Medicines Authority (APVMA) during 2015 and to correct typographical and other minor errors.